

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	ThinkPad Logo					
Company name *	Lenovo					
Contact information * Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com		lenovo				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html					

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	oduct* Notebook PC					
Commercial name *	hinkPad Edge E445					
Model number *	MT: 20B1					
Issue date *	rch 25, 2013					
Intended market *	🛛 Global 🛛 Europe 🛛 Asia, Pacific & Japan 🔀 Americas 🗌 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	equireme	ent met	
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	\square	

Model nu	umber *	ThinkPad Edge E445 M/T:20B1				
Issue da	te *		ogo	leno	vo).
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*		do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexava	lent	\square		
		m, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (Plerence and Note B1)	BDE). (See			
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\boxtimes		
P1.3*	Products hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachlo ethane, methyl bromide (see legal reference). Comment: Legal reference has no ma ration values.				
P1.4*	Products	s do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlor I (PCT) in preparations (see legal reference).	rinated	\square		
P1.5*	Products	do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbo n containing at least 48% per mass of chlorine in the SCCP (see legal reference).	n atoms in	\square		
P1.6*	Textile a Tris-(azi	nd leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosp ridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference) nt: Legal reference has no maximum concentration values.				
P1.7*	Textile a	and leather parts with direct skin contact do not contain more than 0.003% Azo coloral amines. (See legal reference and Note B1)	nts that split			\times
P1.8*	Wooden pentach	parts do not contain arsenic and chromorum as a wood preservation treatment as wel orophenol and derivatives (see legal reference). ht: Legal reference has no maximum concentration values.	as			
P1.9*	Parts wi microgra	th direct and prolonged skin contact do not release nickel in concentrations above 0.5 mm/cm ² /week (see legal reference). nt: Max limit in legal reference when tested according to EN1811:1998.	i i			
P1.10*	REACH	Article 33 information about substances in articles is available at (add URL or mail co	intact):	\boxtimes		
	·	vw.lenovo.com/social_responsibility/us/en/environment.html				
P2 P2.1*	more tha marked	s oduct contains a battery or an accumulator, it is labeled with the disposal symbol and an 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, with the chemical symbol for the metal concerned, Hg or Pb. Information on proper di I in user manual. (See legal reference)	it shall be			
P2.2*	Button c	ells used in the product do not contain more than 2% by weight of mercury. Other bat ators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See leg		\boxtimes		
P2.3*	Batteries design c	s and accumulators are easily removable by either users or service providers (as dep f the product). Exception: Batteries that are permanently installed for safety, perform ntegrity reasons do not have to be "easily removable". (See legal reference)	endent on the			
P3	Safety,	EMC connection to the telephone network and labeling				
P3.1*	The proc	duct complies with legally required safety standards as specified (see legal reference)		\times		
P3.2*	The proo	Juct complies with legally required standards for electromagnetic compatibility (see le e).	gal	\boxtimes		
P3.3*	If produc	t is intended for connection to a public telecom network or contains a radio transmitte ally required standards for radio and telecommunication devices (see legal reference)		\boxtimes		
P3.4*		duct is labeled to show conformance with applicable legal requirements (see legal refe		\boxtimes		
P4	Consun	nable materials				
P4.1*	If a phot	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium max erence and Note B1).	0.01% (see			\boxtimes
P4.2*	U	er is used in the product, it does not contain cadmium max 0.1% by weight (see lega	reference).			X
P4.3*	product/	/toner formulation/preparation is classified as hazardous according to applicable regu packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with t tents is available (see legal reference).				
P5		packaging				
P5.1*		ng and packaging components do not contain more than 0.01% lead, mercury, ent chromium by weight of these together.	cadmium and			
P5.2*	Plastic p	ackaging material is marked according to ISO 11469 referring ISO 1043 (see legal re	ference).	\boxtimes		
P5.3*	Protocol	duct packaging material is free from ozone depleting substances as specified in (see legal reference). nt: Legal reference has no maximum concentration values.	the Montrea			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n	umber *	ThinkPad Edge E445 M/T:20B1			
Issue da	ite *	March 25, 2013 Logo	lena	DVO .	
Droduo	t onviron	mentel ettributes. Market requiremente. Environmentel conocieus design	Doguiro	montn	••
Item		mental attributes - Market requirements - Environmental conscious design atory to fill in. Additional information regarding each item may be found under P14.	Require Yes		n.a.
P6		nt information	165	NU	11.a.
P6.1*		ion for recyclers/treatment facilities is available (see legal reference).	\square		
P7	Design				-
		mbly, recycling			
P7.1*	Parts that	at have to be treated separately are easily separable	\square		
P7.2*	Plastic n	naterials in covers/housing have no surface coating.		\boxtimes	Π
P7.3*	Plastic p	arts >100g consist of one material or of easily separable materials.	\square		Π
P7.4*	Plastic p	arts >25g have material codes according to ISO 11469 referring ISO 1043.			一
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly available tools.		Ē	Ħ
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).		<u> </u>	Ħ
	Product				-
P7.7*		ig can be done e.g. with processor, memory, cards or drives			Π
P7.8*		g can be done using commonly available tools		<u> </u>	Ħ
P7.9.		arts are available after end of production for: 5 years			Ħ
P7.10		s available after end of production for: 5 years			H
		and substance requirements			-
P7.11*		cover/housing material type:			
	Material	type: PC+ABS-FR(40) Material type: PC-FR(40) Material type:			
P7.12	Electrica	I cable insulation materials of power cables are PVC free.		\boxtimes	
P7.13	Electrica	I cable insulation materials of signal cables are PVC free		\boxtimes	
P7.14	All cover	/housing plastic parts >25g are free from chlorine and bromine.			一
P7.15	All printe Note B2	ed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (S	ee 🔀		
P7.16		tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:	\square		
P7.17	TBBPA (additive) , TBBPA (reactive) , Other; chemical name: <i>9,10-dihydro-9-oxa-10-aphenanthrene-10-oxide</i> , CAS #: <i>35948-25-5</i>			
	ISO 104	Il specifications of flame retardants in printed circuit boards (without components) >25g according 3-4: FR(40)			
P7.18		etarded plastic parts >25g contain the following flame retardant substances/preparations ations above 0.1%:	in 🔀		
	Provide complete 1. Chem	nt: No legal limits exist, this is a market requirement. a list of all used flame retardants including MSDS for each flame retardant. The list must conta e chemical name, CAS number and supplier. ical name: TMB1615 , CAS #: confidential , Supplier: Mitsubishi ical name: FR3002 , CAS #: confidential , Supplier: BAYER	ain		
	3. Chem Alt. 2	I specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19	Plastic p	arts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20	Of total p	plastic parts' weight >25g, recycled material content is 10.56 %.			
P7.21	Of total p	plastic parts' weight >25g, biobased material content is 0%.			
P7.22	0	Irces are free from mercury	\square		
P8	Batterie	\$			
P8.1*	Battery of	hemical composition: Li-ion			
P8.2	Batteries	meet the requirements of the following voluntary program/s: US RBRC			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model nun		nkPad Edge	<u>E445 M/T</u>	:20B1			
Issue date	* March	25, 2013			Logo	lenovo	•
Product e	environmental	attributes - Market	<mark>t requirements (c</mark>	continued)		Requirement Yes No	n.a.
P9	Energy consum	nption					
9.1		the following power lev hipped w/ WOL Enabl		umptions are report	ed:		
Energy mod	de *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	t Reference / Standard and test method *	I for energy modes	
Peak (On-i	max)	<u>90</u> W	90W	<i>90</i> W	Full load		
Category	v A						
	- WOL Enabled	W	W	W	Use for ENERGY STA	R Registration (Pidle)	
Sleep (S3)	- WOL Enabled	W	W	W	Use for ENERGY STA	R Registration (P _{sleep})	
Sleep (S3)	- WOL Disabled		W	W	Reference		
	NOL Enabled	W	W	W	Use for ENERGY STA	R Registration (Port)	
	NOL Disabled	W	W	W	Use for EuP		
Category	_	vv	vv	VV			
Idle State -	- WOL Enabled	<i>9.315</i> w	<i>9.317</i> w	<i>9.370</i> w	Use for ENERGY STA	R Registration (Pidle)	
Sleep (S3)	- WOL Enabled	1.191w	1.197w	1.214W	Use for ENERGY STA	R Registration (P _{sleep})	
Sleep (S3)	- WOL Disabled	1 .153w	1.157w	1.160w	Reference		
Off (S5) - V	NOL Enabled	0.466W	0.473w	0.484W	Use for ENERGY STA	R Registration (Poff)	
Off (S5) - V	NOL Disabled	0.385W	0.392W	0.422W	Use for EuP		H
EPS No-loa		0.082W	0.089W	0.158W	Energy Star		H
charger plu	ower supply / lgged in the wall lisconnected from t.)	kWh/week	kWh/week	kWh/week			
-	ergy Consumption		KWII/WEEK	KWII/WEEK			
Etec * Annual Ene	ergy Consumptio	27.970kWh/year	28.018 kWh/year	28.232 kWh/year	$E_{TEC} = (8760/1000) x 0.1 + P_{idle} x 0.3)$	(Poff X 0.6 + P _{sleep} X	
		P _{off} : Off Mode(S5) -	WOL Enabled; P _{sleep} :	Sleep Mode(S3) - WO	L Enabled; P _{idle} : Idle State	- WOL Enabled	
Display res	olution : 1024	600 Megapixels			Specification		
Print Speed	: b	Images per minu	ute				\boxtimes
Default time	e to enter energy	save mode: 10(to disp	olay off), <mark>20</mark> (to sleep)) minutes	Energy star		
P9.2*	Information abo	ut the energy save fun	ction is provided wit	h the product.			
P9.3*		ets the energy require ® version: 5.2 Produc			n/s:		
P10	Emissions						
		n – Declared according	to ISO 9296				
P10.1	Mode	Mode description		Declared A-weighted	-Declared A sound pressure lev	0	
				sound power	Operator position 🔀	Bystander positions	-
				level L_{WAd} (B)	Desktop or Desk side	(only if product is not operator attended)	
-	Idle	* System idle		*3.0	20.		
-	Operation Other mode	* CPU loading 50% ODD operating		*3.0	20.		
		rding to: X ISO7779	ECMA-74	4.7			-
		Other m)		covered by ECMA-7	74 with L _{pAm} measuremer	at distance	
		••••/					1

Model nu	mber *	ThinkPad Edge E445 M/T:20B1			
Issue date	e *	March 25, 2013 Logo	lena	vo	,
Product	environn	nental attributes - Market requirements (continued)	Require	ement	met
Item			Yes	No	n.a.
	Chemica	al emissions from printing products			
P10.3*	Test per	formed according to ECMA-328 (ISO/IEC 28360) standard, other specify:			\square
P10.4	Typical e	emission rate (print phase) is (mg/h):			
		Dust Ozone Styrene Benzene TVOC			
P10.5		I emission requirements of the following voluntary program/sare met for :			\boxtimes
		Dust Ozone Styrene Benzene TVOC			
DIGG		nagnetic emissions			
P10.6		er display meets the requirement for low frequency electromagnetic fields of the following volunta /s: SDRRS	ary 🔀		
P11	Consum	able materials for printing products			
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.	3).		\boxtimes
P11.2*	Paper c EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets the requiremer	nts of		\square
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			\boxtimes
P12	Ergonor	nics for computing products			
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			\boxtimes
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.			\square
P13	Packagi	ng and documentation			
P13.1*	Product Product	packaging material type(s): carton & paper pad packaging material type(s): paper cushionweight (kg): 0.5785 weight (kg): 0.25 weight (kg): 0.017			
P13.2*		plastic packaging is free from PVC.	\bowtie		
P13.3*		nedia for user and product documentation (tick box):			
P13.4*	For pape	or user and product documentation, please specify contained percentage of post-consumer recyclosed (Japan only 70%)	cled		
P14		al information (See Note B4)			
	NOTE: informati knowledg	Supplier makes no representations, guarantees, assurances or warranties whether express or ir on contained in this document. All information provided by supplier in this document is provided ge available at the time of completion, and supplier shall have no obligation to update such inform here is approximate and provided for informational purposes only. See a Lenovo Account Repre-	based on su mation. The i	oplier's nforma	
P7.17		does not contain free TBBPA in printed circuit boards(without components)>25g.			
P9		ERGY STAR Qualified Notebooks & Tablet Computers for the latest information: ownloads.energystar.gov/bi/qplist/laptops_prod_list.xls			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkPad Edge E445	Logo
Model Number	20B1	_
Issue Date	2014/07/21	lenovo
Additional information		

P7.1.1	Product environmental attributes	
(d)	year of manufacture:	2013
(e)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graph disabled and if the system is tested with switchable graphics mode with UMA driving the display:	cs cards (dGfx) are
	Category (according to ErP Lot 3): Etec:	
(f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphic enabled:	cs cards (dGfx) are
	Category (according to ErP Lot 3): <i>B</i> Etec: 29.48	
(g)	idle state power demand (Watts);	9.92
(h)	sleep mode power demand (Watts);	
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);	1.19
(j)	off mode power demand (Watts);	
(k)	off mode with WOL enabled power demand (Watts) (where enabled);	0.45
(I)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):	
	10% 20% 50% 100% Average	
(m)	external power supply efficiency (if applicable):	
	10% 20% 50% 100% Average ;	
	or level: COMPAL meet Level V	
(0)	the minimum number of loading cycles that the batteries can withstand (applies only to notebook compute	ers): N/A
(p-1)	the measurement methodology used to determine information mentioned in points (I) - internal efficiency:	PSU
	ΝΑ	
(p-2)	the measurement methodology used to determine information mentioned in points (m) - external efficiency:	PSU
	Energy-star requirement	
(p-3)	the measurement methodology used to determine information mentioned in points (o) - loadingcy	cles

	batteries:		NA (E	rP ot 3 test isn't contained Batteries)	
				,	
(p-4)				o determine information mentioned in maximum, idle, sleep, off mode Product IT Eco Declaration:	
				Energy-star requirement	
(q)	sequence of	of steps for achievin	g a stab	le condition with respect to power demand::	
				Based on user manual	
(r)	description	of how sleep and/o	r off mo	de was selected or programmed:	
				Based on user manual	
(s)	sequence of mode:	of events required to	reach t	he mode where the equipment automatically changes to sleep and/or	
				Based on user manual	
(t)				pefore the computer automatically reaches sleep mode, or another pplicable power demand requirements for sleep mode (in minutes):	20
(u)				ser inactivity in which the computer automatically reaches a demand requirement than sleep mode (in minutes):	15
(v)	the length	of time before the	display	sleep mode is set to activate after user inactivity (in minutes):	10
(w)	information	on the energy-savi	ng poter	tial of power management functionality:	
				Based on user manual	
(x)	user inform	ation on how to ena	ble the	power management functionality:	
				Based on user manual	
(z)	the electric			test voltage in V and frequency in Hz, — total harmonic distortion of ation and documentation on the instrumentation, set-up and circuits	
				230V/50Hz	
Addition	n Notebook Ba	attery Information:			
Yes		No	n/a	This notebook computer is operated by battery/ies that cannot be access by a non-professional user.	ed and replaced
(Battery replacea		(Battery user replaceable)		The battery[ies] in this product cannot be easily replace themselves	ced by users
		\boxtimes			

Additional information								