

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	ThinkPad Logo						
Company name *	Lenovo						
Contact information *	Contact information * Lenovo Global Environmental Affairs						
	Alvin L Carter	-					
	1009 Think Place	lenovo					
	Building 2 / 5F1						
	Morrisville, North Carolina 27560						
	alcarter@lenovo.com						
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	t.html					
Additional information	The latest version of this document can be found at	he latest version of this document can be found at					
	http://www.lenovo.com/social_responsibility/us/en/datasheets_	notebooks.html					

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook					
Commercial name *	ThinkPad Edge E450					
Model number *	20DD, 20DC					
Issue date *	2014-08-19					
Intended market *	🔀 Global 🔲 Europe 📃 Asia, Pacific & Japan 🔛 Americas 📃 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).		

Issue dat	e *	ThinkPad Edge E450 20DD, 20DC 2014-08-19 Logo	1		
13506 081	le		lend	NO	
Product	environ	mental attributes - Legal requirements	Require	ment	: met
Item			Yes	No	n.a.
P1		us substances and preparations			
P1.1*	chromiu	do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent n, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See erence and Note B1)			
P1.2*	Products	o do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products hydrobro trichloroe	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.			
P1.4*	Products	do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated (PCT) in preparations (see legal reference).	\square		
P1.5*	Products	o do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in n containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Textile a Tris-(azi	nd leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), ridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). ht: Legal reference has no maximum concentration values.			
P1.7*	Textile a	nd leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split amines. (See legal reference and Note B1)			\boxtimes
P1.8*	Wooden pentach	parts do not contain arsenic and chromium as a wood preservation treatment as well as orophenol and derivatives (see legal reference). ht: Legal reference has no maximum concentration values.			\square
P1.9*	Parts wit microgra	h direct and prolonged skin contact do not release nickel in concentrations above 0.5 m/cm ² /week (see legal reference). ht: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): w.lenovo.com/social_responsibility/us/en/materials.html			
P2	Batterie	S			
P2.1*	more that marked	duct contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains in 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is in user manual. (See legal reference)			
P2.2*	Button c	ells used in the product do not contain more than 2% by weight of mercury. Other batteries or ators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\square		
P2.3*	Batteries design o	and accumulators are easily removable by either users or service providers (as dependent on the finance) for the product). Exception: Batteries that are permanently installed for safety, performance, medica negrity reasons do not have to be "easily removable". (See legal reference)			
P3		EMC connection to the telephone network and labeling			
P3.1*	The proc	luct complies with legally required safety standards as specified (see legal reference).	\square		
P3.2*	referenc		\square		
P3.3*	with lega	t is intended for connection to a public telecom network or contains a radio transmitter, it complies illy required standards for radio and telecommunication devices (see legal reference).			
P3.4*		luct is labeled to show conformance with applicable legal requirements (see legal reference).	\square		
P4 P4.1*		able materials o conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see			
	legal ref	erence and Note B1).			
P4.2*		er is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	<u> </u>	<u> </u>	
P4.3*	product/ requirem	/toner formulation/preparation is classified as hazardous according to applicable regulations, the backaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these lents is available (see legal reference).			
P5		packaging			
P5.1*	hexavale	ng and packaging components do not contain more than 0.01% lead, mercury, cadmium and ant chromium by weight of these together.	1 🖂		-
P5.2*	-	ackaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	Protocol	duct packaging material is free from ozone depleting substances as specified in the Montrea (see legal reference). nt: Legal reference has no maximum concentration values.	I 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n	umber *	ThinkPad Edge E450 20DD, 20DC			
Issue da	te *	2014-08-19 Logo	lena	vo	
	•	· · · · · · · · · · · · · · · · · · ·			
			Require		
Item		atory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6.1*		nt information on for recyclers/treatment facilities is available (see legal reference).			
P0.1		on for recyclers/treatment raciinties is available (see legal reference).			
F1	Design	mbly, recycling			
P7.1*	Parts tha	t have to be treated separately are easily separable			
P7.2*		naterials in covers/housing have no surface coating.			⊢⊢
P7.3*		arts >100g consist of one material or of easily separable materials.			╞
P7.4*		arts >25g have material codes according to ISO 11469 referring ISO 1043.		<u> </u>	<u> </u>
				<u> </u>	<u> </u>
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly available tools.		_닏	_닏
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).	\square		
D7 7	Product				
P7.7*		g can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgradin	g can be done using commonly available tools	\square		
P7.9.	Spare pa	rts are available after end of production for: 5 years			
P7.10	Service i	s available after end of production for: 5 years			
		and substance requirements			
P7.11*		cover/housing material type:			
D7 40		type: >PC+ABS-FR(40)< Material type: Material type: Material type:			
P7.12		I cable insulation materials of power cables are PVC free.	<u> </u>		<u> </u>
P7.13		I cable insulation materials of signal cables are PVC free			
P7.14		/housing plastic parts >25g are free from chlorine and bromine.	\square		
P7.15	All printe Note B2)	d circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See			
P7.16	Flame re Marking:	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4: <i>FR(40)</i>	\boxtimes		
P7.17		I specifications of flame retardants in printed circuit boards >25g (without components):	\square		
	TBBPA (additive) , TBBPA (reactive) , Other ; chemical name: <i>DOPO</i> , CAS #: 35948-25-5			
		I specifications of flame retardants in printed circuit boards (without components) >25g according			
	ISO 1043	3-4: <i>FR(40)</i>			
P7.18		etarded plastic parts >25g contain the following flame retardant substances/preparations in			
	Comme	ations above 0.1%: ent: No legal limits exist, this is a market requirement.			
		ical name: <i>FR 3002</i> , CAS #: <i>confidential</i>			
		ical name: <i>TMB1615</i> , CAS #: <i>confidential</i>			
	Alt. 2	ical name: <i>GC-1150</i> , CAS #: <i>confidential</i>			
		l specifications of flame retardants in plastic parts >25g according ISO 1043-4:	\boxtimes		
P7.19	Plastic p	arts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, δ, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20		plastic parts' weight >25g, recycled material content is 10.4% .			
P7.21		plastic parts' weight >25g, biobased material content is 0%.			
P7.22		Irces are free from mercury	\square		
		y is used specify: Number of lamps: and max. mercury content per lamp: mg	<u>ت</u>		
P8	Batteries				
P8.1*		hemical composition: Lithium Ion / Lithium Manganese Dioxide			
P8.2	Batteries JBRC	meet the requirements of the following voluntary program/s: US Call2Recycle, and add EPBA,			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model numbe	' [*] Thi	nkPad L	Edge E	450 2	0DD, 20DC	
Issue date *	2014-08-				Logo lenov	0.
Product env	ironmental at	ttributes - Market	requirements	(continued)	Requirem	ent met
Item					Yes	No n.a.
	ergy consump					
9.1 Fo	r the product the	e following power lev	0,	•		
Energy mode *	e	Power level at 100 V AC	t Power level at 115 VAC	Power level at 230 V AC	Reference / Standard for energy modes and method *	test
Peak (On-max	\$	65/90 W	65/90 W	65/90 W	Full load	
Category I1					•	
Short Idle Sta	te - WOL Enab	led 6.99 W	7.29 W	7.14 W	Use for ENERGY STAR V6 registration (P _{id}	
Long Idle Stat	te - WOL Enabl	led 5.23 W	5.40 W	5.26 W	Use for ENERGY STAR V6 registration (P _{id}	
Sleep (S3) - W	OL Enabled	0.48 W	0.48 W	0.50 W	Use for ENERGY STAR V6 registration(P _{sie}	
Sleep (S3) - W		0.48 W	0.48W	0.50 W	Reference	
Off (S5) - WOL		0.35 W	0.35 W	0.37 W	Use for ENERGY STAR V6 registration(Poff)	′ └_
Off (S5) - WOL	Disabled	0.35 W	0.35 W	0.37 W	Use for EuP	
<u>Category</u>						
Short Idle Sta	te - WOL Enab	led			Use for ENERGY STAR V6 registration(Pidle)
Long Idle Stat	te - WOL Enabl	led			Use for ENERGY STAR V6 registration(Pidle)
Sleep (S3) - W	OL Enabled				Use for ENERGY STAR V6 registration (P _{si}	eep)
Sleep (S3) - W	OL Disabled				Reference	
Off (S5) - WOL					Use for ENERGY STAR V6 registration(Port	
					Use for EuP	
Off (S5) - WOL		0.0714/		0.40144	Use for Eup	
EPS No-load	r oupply / oborg	0.07 W	0.08 W	0.12 W		
plugged in the	er supply / charg wall outlet but	jei				
	rom the product	t.)				
PTEC *	Concumption	W	W	W		
Typical Energy	Consumption					
TEC * Typical Energy	Consumption	kWh/week	kWh/week	kWh/week		
ETEC * Annual Energy	Consumption	25.19 kWh/year	26.13 kWh/year	25.71 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0) + P_{long_ldle} \times 0.10 + P_{short_ldle} \times 0.30)$.35
		Poff: Off Mode(S	S5) - WOL Enabled;	P _{sleep} : Sleep Mode	(S3) - WOL Enabled; Pidle: Idle State - WOL Enabled	1
Display resolut	ion* : 1.05 / 2. 0	07 Megapixels				
Print Speed *	: In	nages per minute				
Default time to	enter energy sa	ave mode: 20 minute	es			
		the energy save fun		ith the product.		ᆔᆑ
		s the energy require	-	-		
EN		version: Version 6.			Product category: 11	
	nissions					
No		- Declared according	to ISO 9296	1		
P10.1 Mc	de	Mode description		Declared	3	
				A-weighte sound pow		
				level L_{WAd}		ons
				wAd	Desktop	
					or Desk side (only if product is operator attend	
Idle	e '	• HDD:Idle		* 2.9	22	
Ор	eration '	HDD: Operating		* 3.4	28	ΠΗ
Otl	her mode	ODD operating		N/A	N/A	
Me	easured according	ng to: 🔀 ISO7779	ECMA-74			
		Other			4 with L _{pAm} measurement distance m)	
P10.2 Th	e product meets	s the acoustic noise	requirements of th	ne following volun	tary program/s:	\Box

Model nu	ımber *	ThinkPad Edge E450 20DD, 20DD	•			
Issue dat	:e *	2014-08-19	Logo	leno	10	
Product	environr	nental attributes - Market requirements (continued)		Require	ment	met
Item				Yes	No	n.a.
	Chemic	al emissions from printing products				
P10.3*		formed according to ECMA-328 (ISO/IEC 28360) standard 🗌, other specify:				\square
P10.4	Typical e	emission rate (print phase) is (mg/h):				\boxtimes
		Dust Ozone Styrene Benzene TVOC				
P10.5		al emission requirements of the following voluntary program/s are met for :	_			\boxtimes
B 40.0		nagnetic emissions	· · · ·			
P10.6	program	er display meets the requirement for low frequency electromagnetic fields of the follo	owing voluntary	\boxtimes		
P11		nable materials for printing products				
P11.1*		Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requi	red (see P4 3)			
P11.2*		ontaining post-consumer recycled fibers can be used, provided that it meets the			⊢⊢	
1 11.2	EN1228		e requirements of			
P11.3*	2-sided	(duplex) printing/copying is an integrated product function.				\boxtimes
P12	Ergono	nics for computing products				
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technolog	jies.	\square		
P12.2*	The phy	sical input device meets the requirements of ISO 9995 and ISO 9241-410.				
P13	Packagi	ng and documentation				
P13.1*	Product	packaging material type(s): carton weight (kg): 0.445				
		packaging material type(s): <i>paper pad</i> weight (kg): 0.04				
		packaging material type(s): <i>bag</i> weight (kg): 0.003				
		packaging material type(s): <i>manual</i> weight (kg): 0.01				
P13.2*		packaging material type(s): <i>cushion</i> weight (kg): 0.08 plastic packaging is free from PVC.		\square		
P13.3*		nedia for user and product documentation (tick box):				╞
1 10.0		ic \square , Paper \square , Other \square				
P13.4*		er user and product documentation, please specify contained percentage of post-co	nsumer recycled			
1 10.1	fiber: 1					
P14		nal information (See Note B4)				
		Supplier makes no representations, guarantees, assurances or warranties whether e ion contained in this document. All information provided by supplier in this documen				
	knowled	ge available at the time of completion, and supplier shall have no obligation to upda	t is provided base	n The in	format	tion
		here is approximate and provided for informational purposes only. See a Lenovo A				
	informat					
P9		rgy Star Qualified Notebooks & Tablet Computers for the latest information:				
	http://w	ww.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup	&pgw_code=CO			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkPad Edge E450	Logo
Model Number	20DD, 20DC	_
Issue Date	2014-08-19	lenovo.
Additional information		

P7.1.1	Product environmental attributes	
(d)	year of manufacture:	2014
(e)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics c disabled and if the system is tested with switchable graphics mode with UMA driving the display:	ards (dGfx) are
	Category (according to ErP Lot 3): A Etec: 15.29	
(f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics ca enabled:	ards (dGfx) are
	Category (according to ErP Lot 3): <i>B</i> Etec: 16.02	
(g)	idle state power demand (Watts);	5.12
(h)	sleep mode power demand (Watts);	0.50
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);	0.50
(j)	off mode power demand (Watts);	0.36
(k)	off mode with WOL enabled power demand (Watts) (where enabled);	0.35
(I)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):	
	10% 20% 50% 100% Average	
(m)	external power supply efficiency (if applicable):	
	10% 20% 50% 100% Average ;	
	or level: V	
(0)	the minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):	500 cycles
(p-1)	the measurement methodology used to determine information mentioned in points (I) - internal PSU	
	efficiency: NA	
(p-2)	the measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:	
	Measuring the Energy Consumption of External Power Supplies, Appendix Z to 10 CFR Part 430.	
(p-3)	the measurement methodology used to determine information mentioned in points (o) - loadingcycles batteries:	
	IEC 61960 measurement methodology / 0.5C Charge/Discharge	

(p-4)				o determine information mentioned in maximum, idle, sleep, off mode Product IT Eco Declaration:					
		ENERO	GY STA	R Test Method for Computers, Rev. Aug-2010					
(q)	sequence	of steps for achievin	g a stab	le condition with respect to power demand::					
				he operating system has fully loaded. If necessary, run the initial all preliminary file indexing and other one-time/periodic processes to complete.					
(r)	description	of how sleep and/o	r off mo	de was selected or programmed:					
	refer to power management, sleep mode: ACPI system level G1/S3 (suspend to RAM) state; off mode: ACPI system level G2/S5 ('soft off') state								
(s)	sequence off mode:	of events required to	o reach t	he mode where the equipment automatically changes to sleep and/or					
		refer to powe	er mana	gement, 20mins automatically reaches sleep mode					
(t)				before the computer automatically reaches sleep mode , or another pplicable power demand requirements for sleep mode (in minutes):	20				
(u)				ser inactivity in which the computer automatically reaches a demand requirement than sleep mode (in minutes):	NA				
(v)	the length of time before the display sleep mode is set to activate after user inactivity (in minutes): 10								
(w)	information	n on the energy-savi	ng pote	ntial of power management functionality:					
				refer to user manual					
(x)	user inform	nation on how to ena	able the	power management functionality:					
				refer to user manual					
(Z)	the electric	eters for measurem ity supply system, - ectrical testing:	ents: — — inform	test voltage in V and frequency in Hz, — total harmonic distortion of nation and documentation on the instrumentation, set-up and circuits					
		230V, 50GHz-<0.	5%- ENE	RGY STAR Test Method for Computers, Rev. Aug-2010					
Addition	Notebook B	attery Information:							
Yes		No	n/a	This notebook computer is operated by battery/ies that can be access a non-professional user.	ed and replaced by				
(Battery replaceab	not user ble)	(Battery user replaceable)		The battery[ies] in this product can be easily replation the second seco	aced by users				

Additional information	