

Ecma/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

### Annex B2 - Product environmental attributes **Computers and computer monitors**

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560	Lenovo
Internet site *	alcarter@lenovo.com www.lenovo.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Notebook PC					
Commercial name *	ThinkPad P70					
Model number *	20ER, 20ES					
Issue date *	November 18, 2016					
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 🗌 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 - P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	20ER, 20ES	Logo			
Issue da	ite *	November 18, 2016		Leno		
	t environ	mental attributes - Legal requirements		Require		
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)			
P1.2*	Comme	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		$\boxtimes$		
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m ration values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych /l (PCT) in preparations (see legal reference).	lorinated	$\boxtimes$		
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in	the 🔀		
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	),5 μg/cm²/w	eek 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail or w.lenovo.com/social_responsibility/us/en/materials.html	contact):	$\square$		
P2	Batterie					
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal	$\boxtimes$		
P2.2*	Batterie: referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	nium. (See le	egal 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		$\square$		
P3	Confor	nity verification & Eco design (ErP)				
P3.1*	The proo	duct is CE-marked to show conformance with applicable legal requirements (see leg laration of Conformity can be requested at (add link or e-mail address): //w.lenovo.com/social_responsibility/us/en/ec_doc_notebooks/	gal reference	e).		
P3.2*	The pro	duct complies with the Eco design requirements for energy-related products, al reference).		$\boxtimes$		
	Require	information is available : /w.lenovo.com/social_responsibility/us/en/datasheets_notebooks/		$\boxtimes$		
P5		packaging				
P5.1*	Packagi	ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.	y, cadmium	and 🔀		
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature of e legal reference).	of the materi	al(s) 🔀		
P5.3*	The pro Protocol	duct packaging material is free from ozone depleting substances as specified (see legal reference). (see legal reference).	in the Mon	treal 🔀		
P6		nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	20ER, 20ES	Logo			
Issue dat	te *	November 18, 2016		Len	ovo	
Product		mental attributes - Market requirements (See General NOTE GN	below)			
		onmental conscious design		Require		met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7	Design	mbly, recycling				
P7.1*		t have to be treated separately are easily separable				
P7.2*		aterials in covers/housing have no surface coating.				
P7.3*		arts > 100 g consist of one material or of easily separable materials.				H
P7.4*	-	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.				
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.		H	H
P7.6*	· ·	re easily separable. (This requirement does not apply to safety/regulatory labels).			╶╞╡╴	
1 1.0	Product					
P7.7*		ig can be done e.g. with processor, memory, cards or drives				
P7.8*		g can be done using commonly available tools			Ħ	
P7.9		arts are available after end of production for: 5 years				
P7.10		s available after end of production for: 5 years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
			al type: <i>Magnesi</i>	um		
P7.12	Insulation	n materials of external electrical cables are PVC free.			$\boxtimes$	
P7.13	Insulation	n materials of internal electrical cables are PVC free.		$\square$		
P7.14	External	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b	promine and 0,1%	5 🖂		
		1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame				
		chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) g more than 25% post-consumer recycled content.	chlorine in parts	6		
P7.15	Printed	circuit boards, PCBs (without components) are low halogen: all PCBs > as defined in IEC 61249-2-21. (See 1NOTE B2)	25 g 🔀 are low	/ 🛛		
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:		$\square$		
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c	omponents):			
		A (additive), TBBPA (reactive) (See NOTE B3), Other: DOPO(9,10-dihydro		$\bowtie$		
		aphenanthrene-10-oxide), CAS #: 35948-25-5				
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g			
P7.18	<u>Alt. 1: </u> Fl	ame retarded plastic parts > 25 g contain the following flame retardant substance	es/preparations ir	ו		
		ations above 0,1%:				
		ical name: , CAS #: (See NOTE B4) ical name: , CAS #: "				
		ical name: , CAS #: "				
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4:	$\boxtimes$		
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which	h have been			
		I the following Risk phrases; <i>R53</i> and Hazard statements: <i>H412</i>				
	The sour	rce(s) for these classifications is/are found at (add URL(s)):	See note B5)			
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):		$\boxtimes$		
	a) Of t a pe	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is %.	nt (calculated as			
	or b) The	weight of recycled material is $14$ g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

modelman	nber * 2	0ER, 20	ES			Logo		
Issue date	•* ^	lovembe	er 18, 2016				Lenovo	
Product	environme	ntal att	ributes - Market r	equirements (cont	inued)		Requiremen	t met
Item				•			Yes No	n.a.
			tance requirements					
P7.21*	Biobased p	lastic ma	aterial content is used	d in the product (See N	NOTE B7):			
				es below shall be answ				
					material content (calcu	ulated as a percer	ntage	
		al plastic	by weight) is %	0.				
	or b) The w	eight of	the biobased plastic	material is g.				
P7.22*				less than 0,1 mg/lamp	0.			
		is used s	pecify: Number of lar	mps: and maxin	num mercury content pe	er lamp: mo		
<b>P8</b> P8.1*	Batteries	mical	omposition: <i>Lithium I</i>	02				
P9	-		ion (See NOTE B8)	011				
P9.1				ls or energy consumpt	tions are reported:			
Energy mo			Power level at	Power level at	Power level at	Reference/Star	ndard for energy	
•••			100 V AC	115 V AC	230 V AC	modes and test		
Peak (On-	max)		<b>170/230</b> W	170/230 W	170/230 W	Full load		
Categor	y 13				1			
Short Idle	State		<b>14.10</b> W	14.18 W	14.41 W	P <sub>SHORT_IDLE</sub> in EN	ERGY STAR	
Long Idle	State		<b>12.00</b> W	11.09 W	<b>11.72</b> W	PLONG_IDLE IN ENE	RGY STAR	
Sleep (S3)			1.70 W	1.68 W	1.70 W	P <sub>SLEEP</sub> in ENERG	Y STAR	
Off (S5)			0.36 W	0.32 W	0.33 W	P <sub>OFF</sub> in ENERGY	STAR	
EPS No-loa			W	0.168 W	0.192 W			
	supply / charger plu connected from the							
PTEC *		antion	W	W	W			
ETEC *	ergy Consur	приоп	53.57 kWh/year	52.83 kWh/year	54.07 kWh/year	$E_{\rm TEC} = (8760/10)$	000) x (P <sub>OFF</sub> × T <sub>OFF</sub>	
	ergy Consun	nption	oo.or kwiiiyoa				$= P + P_{LONG_IDLE} \times$	
						TLONG_IDLE + PSH	IORT_IDLE ×	
Extornal D		Efficion	y Lovel (Internationa	I Efficiency Marking Pi	rotocol) * : V	T <sub>SHORT_IDLE</sub> )		
			80, 3840 x 2160 Pixe					<u> </u>
. ,			ve mode: 30 minutes	15				╞
P9.2*				on is provided with the	- product			_ <del>  </del>
								<u> </u>
P9.3 P10			ass (monitors only):					
	Emissions Noise emi		Declared according to	DISO 9296 (See NOT	E B9)			
P10.1	Mode		ode description			it A-weighted sour	nd power level, L <sub>WA,c</sub>	(B)
	Idle		dle		* 3.0			
	Operation	* (	Operating(CPU)		* 3.7			
	Other mod	e * (	* Operating(HDD) * 3.0		* 3.0			
					Declared A-weighte (operator position d	ed sound pressure	level, $L_{pAm}$ (dB)	
	Idle	*	dle		* <b>20</b>			
	Operation	*	Operating(CPU)		* 27			Ē
								<u> </u>
	Other mod	e l*(	Operating(HDD)		* 20			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

A Guidance document on Acoustic Noise is available; NOTE B9 see http://www.ecma-international.org/publications/standards/Ecma-370.htm

ssue date	e * November 18, 201	2					
		6			Leno	VU.	
Product	environmental attributes	- Market requirements (	continued)		Require	ment m	
tem					Yes	No n.	
	Electromagnetic emissions	5					
P10.4	Computer display meets the program(s): <i>MPR-II(3 pin AC</i>	adapter only)	cy electromagnetic fiel	ds of the following voluntary			
P12	Ergonomics for computing						
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.						
P12.2*	The physical input device me	ets the requirements of ISO	9995 and ISO 9241-4	10.	$\boxtimes$		
P13	Packaging and documenta	tion					
P13.1*	Product packaging material t Product packaging material t Product packaging material t	ype(s): 100% Recycled Pol	yethylene (RLDPE)	weight (kg): <b>0.669</b> weight (kg): <b>0.162</b> weight (kg): <b>0.022</b>			
P13.2*	Product plastic primary pack	aging is free from PVC.			$\boxtimes$		
P13.3*	For product primary corruga consumer recovered fiber co		specify the contained	percentage of minimum pos			
P13.4*	Specify media for user and p		ox):				
P13.5	(Please only complete this it User and product documenta If Yes, please specify:						
	Totally chlorine-free Elemental chlorine-free Processed chlorine-free						
P14	Voluntary programs						
P14.1	The product meets the require	rements of the following volu	ntary program(s):				
	ENERGY STAR® Eco-label: <i>TCO</i> Eco-label: <i>EPEAT</i> Eco-label: <i>GREENGUARD</i>	Criteria version: 6.1 Criteria version: 5.0 Criteria version: Gold Criteria version: Gold	Date: Date: Date: Date:	Product category: <i>13</i> Product category: Product category:			
P15	Additional information (See	e NOTE B10)					
P9	Energy consumption of co	mputer products; descript	ion of the tested proc	luct configuration:			
P7.12	Low halogen power cord c	an be ordered on request.		÷			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkPad P70	Logo
Model Number	20ER, 20ES	
Issue Date	November 18, 2016	Lenovo.
Additional information		

P7.1.1	Product environmental attributes							
(d)	year of manufacture:				2016			
(e)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.							
(f)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enabled							
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)			
	Memory over base [GB]			60				
lents sting	Additional internal storage	(Yes / No)	(Yes / No)	Yes (Yes / No)	(Yes / No)			
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)			
ability a	Discrete Audio Card	(Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)			
cap app	Discrete graphics Card(s) [number / #]	#: (Yes / No)	# <i>:</i> (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)			
	Category of discrete graphics Card(s)			G7				
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)			N/A				
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled			60.45				
(g)	Idle state power demand (Watts);	·	·	·	11.07			
(h)	Sleep mode power demand (Watts);				1.74			
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		1.74			
(j)	Off mode power demand (Watts);				0.36			
(k)	Off mode with WOL enabled power demand (Watts) (where enabled); 0.36							
(I)	Internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):							
	10% 20% 50%	100% Avera	age					
(m)	external power supply efficiency (if applied	cable)*:						
	Average active efficiency: 170W: 90,80	%,92,60% ; 230W: 91,	85%,91,49%					
(0)	Minimum number of loading cycles that t	he batteries can withs	tand (applies only to n	otebook computers):	300			
(p-1)	Measurement methodology used to dete	rmine information mer	itioned in points (I) – ir	nternal PSU efficiency				
		Not applicable	•					

(p-2) Measurement meth	odology used to determine information mentioned in p	ooints (m) – external PSU efficiency:	
	I for Calculating the Energy Efficiency of Single-V	.,	
(p-3) Measurement meth	Power Supplies" dated August 11, 2 odology used to determine information mentioned in p		
	IEC 61960 measurement methodolo		
(p-4) Measurement meth power as defined in	odology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration:		
	IEC 62623 / IEC EN50564:2011 measurement r	nethodology	
(q) Sequence of steps	for achieving a stable condition with respect to power	demand:	
(r) Description of how	IEC 62623 / IEC EN50564:2011 measurement i sleep and/or off mode was selected or programmed:	nethodology	
	By selecting sleep and/or off mode thru Windows		
(s) Sequence of events off mode:	required to reach the mode where the equipment au	tomatically changes to sleep and/or	
	Automatically changes to sleep		
	ate condition before the computer automatically re- s not exceed the applicable power demand requirements		30 minutes
(u) Length of time after	er a period of user inactivity in which the compute	r automatically reaches a power	
	wer power demand requirement than sleep mode (in		10 minutes
	ore the display sleep mode is set to activate after energy-saving potential of power management functio		To minutes
User informat	on described in User Guide and Power Manager u	nder ThinkVantage menu in all	
(x) User information or	programs how to enable the power management functionality:		
	on described in User Guide and Power Manager u programs	-	
	measurements: — test voltage in V and frequency in y system, — information and documentation on the in ssting:		
	230V, 50Hz, Total Harmonic Distortion	<2 %	
Addition Notebook Battery	Information:		
	Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a
	The battery[ies] in this product cannot be easily replaced by users themselves. $^{1)} \ensuremath{P}$		
Internal/built-in Battery			
External/detachable Battery			
Bios Backup Battery			
Other:			
Additional information			
1)			
The battery[ies] in this product cannot be			
	и продукт не може да се замени[ят] лесно от самите потребито n ser sustituidas fácilmente por los propios usuarios.	ели.	
Výměnu baterie/baterií v tomto výrobku	by neměli provádět sami uživatelé.		
Brugeren kan ikke uden videre udskifte Der Akku/die Akkus dieses Produkts ka	patteriet/batterierne i dette produkt. in/können nicht ohne weiteres vom Benutzer selbst ausgetauscht	werden	
Kasutajad ei saa selle toote akut/akusid	ise hõlpsasti asendada.		
	ορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες duit ne peuvent être facilement remplacée(s) par les utilisateurs e		
Korisnik ne može lako zamijeniti Bateriju	sam u ovom proizvodu.		
La batteria/le batterie in questo prodotto Lietotāji paši nevar nomainīt šā ražojum	non può/possono essere facilmente sostituita/e dall'utente. a akumulatoru(-us).		
Šio gaminio baterijos [bateriju] pats vart	otojas negali lengvai pakeisti.		
	a felhasználó nem tudja egyedül egyszerűen kicserélni. ax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.		
Batteriet [ene] i dette produktet kan ikke	lett erstattes av brukerne selv.		
De batterij(en) in dit product is (zijn) doo Użytkownik nie może sam w łatwy spos	r de gebruiker niet gemakkelijk vervangbaar. 56 wymienić baterij w tym produkcie.		
A ou as baterias deste produto não pode	em ser facilmente substituídas pelos próprios utilizadores.		
Bateria (bateriile) din acest produs nu po Batériu(-ie) v tomto výrobku nemôže vyr	nate (not) fi usor înlocuită (înlocuite) de utilizatorii însisi		
Baterij/baterije v tem izdelku uporabniki			
	nieňať používateľ. sami ne morejo zlahka zamenjati.		
Tämän tuotteen akku [akut] ei[vät] ole he Det är inte enkelt för kunden att själv by Bu üründeki batarya(lar) kullanıcılar tar	nieňať používateľ. sami ne morejo zlahka zamenjati. slposti käyttäjän vaihdettavissa. a ut batteriet/batterierna.		