

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Think	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	Lenovo				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Notebook					
Commercial name *	ThinkPad T460					
Model number *	20FM, 20FN					
Issue date *	2015-12-29					
Intended market *	☑ Global Europe Asia, Pacific & Japan Americas Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	20FM, 20FN		
Issue date *	2015-12-29	Logo	Lenovo

Product	Product environmental attributes - Legal requirements						
Item		Yes	No	n.a.			
P1	Hazardous substances and preparations						
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)						
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.						
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes					
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.	_					
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes					
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes					
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.						
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)						
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.						
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.						
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html						
P2	Batteries						
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)						
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes					
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)	\boxtimes					
P3	Safety, EMC connection to the telephone network and labeling						
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes					
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\boxtimes					
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).						
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\square					
P4	Consumable materials						
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).						
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).		П	\square			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).						
P5	Product packaging						
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.						
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes					
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.						

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	20FM, 20FN		
Issue date *	2015-12-29	Logo	Lenovo

Product met	environmental attributes - Market requirements - Environmental conscious design	Requ	irem	ent
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes	П	П
P7.2*	Plastic materials in covers/housing have no surface coating.			Ħ
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.			\vdash
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		H	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available	\square	∺	-
	tools.		<u> </u>	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		Ш	Ш
D7 7*	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		<u>Ц</u>	
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9.	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type: Meterial type: PCLARS: Meterial type: PCLARS:	E0/ T-!		
P7.12	Material type: PC+ABS Material type: PC+ABS Electrical cable insulation materials of power cables are PVC free.	5% I al		
				-
P7.13	Electrical cable insulation materials of signal cables are PVC free		屵	-
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.		Щ.	
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)		Ш	Ш
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: 9,10-Dihydro-9-oxa-10-phosphaphenanthrene-10-oxide, CAS #: 35948-25-5			
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: <i>FR(40)</i>			
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:			
	Comment: No legal limits exist, this is a market requirement.			
	1. Chemical name: Phosphorus compounds CAS #: confidential ,			
	2. Chemical name: , CAS #: 3. Chemical name: , CAS #:			
	3. Chemical name: , CAS #: Alt. 2			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40)	\boxtimes		П
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20	Of total plastic parts' weight >25g, recycled material content is 0.2%.			
P7.21	Of total plastic parts' weight >25g, biobased material content is 0% .			
P7.22	Light sources are free from mercury	\boxtimes		
P8	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg Batteries mg			
P8.1*	Battery chemical composition: Lithium Ion / Lithium Manganese Dioxide			
P8.2	Batteries meet the requirements of the following voluntary program/s: US Call2Recycle, and add EPBA,			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	20FM, 20FN		
Issue date *	2015-12-29	Logo	Lenovo

Item		requirements (d	, , , , , , , , , , , , , , , , , , ,	Yes No	n.a.		
P9 Energy consumpti	on			res No	n.a.		
9.1 For the product the		els or energy cons	umptions are re	ported: See P14			
Energy mode *	Power level at						
•	100 V AC	115 V AC	230 V AC	method *			
Peak (On-max)	65 W	65 W	65	Full load			
Category I1							
Short Idle State - WOL Enable		9.04W	8.58W	Use for ENERGY STAR V6.1 registration (P _{idle})			
Long Idle State - WOL Enable		5.27W	5.02 W	Use for ENERGY STAR V6.1 registration (P _{idle})			
Sleep (S3) - WOL Enabled	0.62 W	0.86 W	0.89 W	Use for ENERGY STAR V6.1 registration (P _{sieep})			
Off (S5) - WOL Disabled	0.26 W	0.26 W	0.30 W	Use for ENERGY STAR V6.1 registration (Post)			
Category		T		T.,			
Short Idle State - WOL Enable				Use for ENERGY STAR V6 registration(P _{idle})			
Long Idle State - WOL Enable	d			Use for ENERGY STAR V6 registration(Pidle)			
Sleep (S3) - WOL Enabled				Use for ENERGY STAR V6 registration (P _{sleep})	Щ		
Sleep (S3) - WOL Disabled				Reference	Щ		
Off (S5) - WOL Enabled				Use for ENERGY STAR V6 registration(Port)	Щ		
Off (S5) - WOL Disabled	0.000.14/	0.00510/	0.40\\\	Use for EuP	Щ		
EPS No-load (External power supply / charge	0.063 W	0.065 W	0.12 W		Ш		
plugged in the wall outlet but							
disconnected from the product.)							
PTEC * Typical Energy Consumption	W	W	W				
TEC *							
Typical Energy Consumption	kWh/week	kWh/week	kWh/week				
ETEC *	31.13	31.58	30.33	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35)$			
Annual Energy Consumption	kWh/year	kWh/year	kWh/year	+ P _{long_Idle} x 0.10+ P _{short_Idle} x 0.30)			
Display resolution* : 1908*1086		b) - WUL Enabled; I	Sleep: Sleep Mode	e(S3) - WOL Enabled; P _{idle} : Idle State - WOL Enabled			
	- • •						
·	ages per minute						
Default time to enter energy sav P9.2* Information about the			th the product		LH		
	••	•	•	arom/o			
•	rne energy requirem Persion: Version 6.1		ng voluntary pro duct category: <mark>/</mark> 1				
P10 Emissions							
Noise emission – [to ISO 9296					
P10.1 Mode M	ode description		Declared A-weighte				
			sound pow	er Pustander positions			
			level $L_{W\!Ad}$				
				Desktop (only if product is not			
Idle *	ldle		* 3.1	operator attended)	_		
	Operating:HDD		* 3.1	23	H		
·	· · · · · · · · · · · · · · · · · · ·		3.3	26			
Measured according	g to: 🔀 ISO7779 🔀	ECMA-74					
Other (only if not covered by ECMA-74 with L _{pAm} measurement distance m) P10.2 The product meets the acoustic noise requirements of the following voluntary program/s: <i>STD-002 ver 3.3</i>							
Acoustic Test; ST	D-014 ver 3.8 Disci	rete Tone ; STD-0		tary program/s: STD-002 ver 3.3 n-BlueAngel Declaration ; STD-			
017 ver 2.4 Annoyi	rig Noise Weasurei	ment					

	mber *	20FIVI,	20FN															
Issue date) *	2015-10-1	6										Logo		Len	ovo),,	
Product	environn	nontal attr	ibutes - Mai	rkat r	roau	iirome	ante /	contin	uad)						Requir	omo	nt	mo
Item	CIIVIIOIIII	ileillai alli	ibules - Mai	INCLI	equ	III CIIIC	ento (t	COIILIII	iueu)						Yes			n.a
	Chemica	al emission	s from printir	na pro	oduc	cts												
P10.3*			rding to ECM				28360)	standa	ard	other	speci	īv.					7	X
P10.4			e (print phase)					0101100		, σασ.	ороо.	<i>y</i> .						X
	• •	Dust	Ozone		Styre		В	enzene)	TV	ОС							
P10.5			equirements of									et for :						X
		Oust	Ozone		S	Styrene			Ben	zene			TVOC		_			
		nagnetic en																
P10.6			eets the requir	remen	nt for	low fre	equenc	cy elect	romag	netic fi	elds o	f the fol	owing vo	luntary	\boxtimes			
P11	program		ials for printi	na nr	oduc	oto												
P11.1*			(SDS) is avai				oner n	renarat	tion ev	en if r	ot lea	ally regi	iired (see	P4 3)			_	X
P11.2*			ost-consumer					•							of		+	$\stackrel{\triangle}{\vdash}$
F11.2	EN1228		ost-consumer	lecyci	ieu i	incis (can be	e useu	, provi	ueu ii	iat it i	neets t	ie requii	ements (ור וו		_	
P11.3*	2-sided ((duplex) prin	ting/copying is	s an in	ntegr	ated pr	roduct	functio	n.									\times
P12			mputing prod															
P12.1*	The disp	lay meets th	ne ergonomic i	require	eme	nts of I	SO 92	41-307	for vis	sual dis	splay t	echnolo	gies.		\boxtimes			
P12.2*	The phys	sical input de	evice meets th	ne requ	uiren	nents o	of ISO	9995 a	nd ISC	9241	-410.				\boxtimes			
P13			umentation															
P13.1*	Product	packaging n	naterial type(s): Cor	rruga	ated Ca	ardbo	ard		weigh	t (kg):	0.458						
	Product	packaging n	naterial type(s): 100)% R	ecycle	ed Poly	yethyle	ene	weigh	t (kg):	0.144						
	Product	packaging n	naterial type(s): Oth	iers ((Plasti	ic Bag) we	ight (k	g): 0.0	33							
P13.2*	Product	plastic pack	aging is free fr	rom P\	VC.										\boxtimes			
P13.3*			er and produc	t docu	umer	ntation	(tick b	ox):										
	Electroni	ic 🔀, Pape	r 🔀, Other 🗌															
P13.4*	fiber: 7	<mark>0</mark> %(Japan o				please	specif	fy conta	ained p	ercent	age of	post-co	onsumer	recycled				
P14			ion (See Note															
	informati knowled	on containe ge available here is app	es no represe d in this docur at the time of roximate and	ment. /	All in oletio	nformat n, and	tion pro suppli	ovided er shal	by sup I have	plier ir no obl	n this o igation	locume to upd	nt is prov ate such	ided base information	ed on su on. The i	pplier nforn	's natio	on
P9	See Ene	ergy Star Qu	ualified Noteb star.gov/index										o&paw (code=CO)			
			gov/mac/							JJ.	· Juu	u	Pg " _ '					

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet

- PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkPad T460	Logo
Model Number	20FM, 20FN	Lenovo
Issue Date	2015-12-29	Lei 1040
Additional information		

(d)	year of manufacture: 2015						
(e)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display:						
	Category (according to ErP Lot 3): A Etec: 12.69						
f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enabled: Category (according to ErP Lot 3): B Etec: 14.21						
(g)	idle state power demand (Watts);	4.42	4.88				
h)	sleep mode power demand (Watts);	0.52	0.57				
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);	0.52	0.57				
j)	off mode power demand (Watts);	0.17	0.17				
(k)	off mode with WOL enabled power demand (Watts) (where enabled);	0.17	0.17				
(I)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):						
	10% 20% 50% 100% Average						
(m)	external power supply efficiency (if applicable):						
	Average*: 45W: 87,27%,87,31%,88,83%						
	*internal note: show values for all available external power supplies						
(o)	the minimum number of loading cycles that the batteries can withstand (applies only to notebook computers): 500 cycles						
			0,0,00				
(p-1)	the measurement methodology used to determine information mentioned in points (I) – internal efficiency:	PSU					
	eniciency. NA						
(p-2)	the measurement methodology used to determine information mentioned in points (m) – external PSU						
. ,	efficiency: Measuring the Energy Consumption of External Power Supplies, Appendix Z to 10 CFR Part 430.						
(p-3)	the measurement methodology used to determine information mentioned in points (o) – loadingcy batteries:	rcles					
	IEC 61960 measurement methodology / 0.5C Charge/Discharge						
(p-4)	the measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:						

IEC 62623 measurement methodology								
(q) sequen	ce of steps for achievir	ng a stab	le condition with respect to power demand::					
IEC 62623 measurement methodology								
(r) descrip	description of how sleep and/or off mode was selected or programmed:							
refer t	refer to power management, sleep mode: ACPI system level G1/S3 (suspend to RAM) state; off mode: ACPI system level G2/S5 ('soft off') state							
	sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:							
refer to power management, 20mins automatically reaches sleep mode								
	the duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes): 20							
(u) the length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): NA								
(v) the length of time before the display sleep mode is set to activate after user inactivity (in minutes):								
(w) informa	tion on the energy-sav	ing poter	ntial of power management functionality:					
refer to user manual								
(x) user information on how to enable the power management functionality:								
refer to user manual								
(z) test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:								
230V, 50GHz-<0.5%-ENERGY STAR Test Method for Computers, Rev. Aug-2010								
Addition Notebook Battery Information:								
Yes	No	n/a	This notebook computer is operated by battery/ies that can be accessed ar a non-professional user.	nd replaced by				
(Battery not us replaceable)	er (Battery user replaceable)		The battery[ies] in this product can be easily replaced themselves	l by users				
		1	1					
Additional information								
Additional informa	uon							