



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

# Annex B2 - Product environmental attributes Workstations and Servers

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Log	0
Company name *	Lenovo		_
Contact information *	Lenovo Global Environmental Affairs		
e-mail address	Alvin L Carter		Lenovo
	alcarter@lenovo.com		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html	
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

The company declares (	based on product specification or test results based obtained from sample testing), that the product
conforms to the statemen	nts given in this declaration.
Type of product *	Workstation
Commercial name *	Thinkstation P330 Tiny
Model number *	30CE, 30CF, 30CG, 30D5, 30D6, 30D7, 30D8, 30D9
Issue date *	2018/07/06
Intended market *	Global Europe Asia, Pacific & Japan Americas Other
Additional information	ENERGY STAR® Qualified; EPEAT Gold Rating, GREENGUARD certified

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *	30CE, 30CF, 30CG, 30D5, 30D6, 30D7, 30D8, 30D9	Logo	Lonovo
Issue date *	2018/07/06		Lenovo.

Product	environmental attributes - Legal requirements	Require	men	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)	$\boxtimes$		
P1.2*	Products do not contain Asbestos (see legal reference).	$\boxtimes$		
	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\boxtimes$		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	$\square$		
	terphenyl (PCT) in preparations (see legal reference).		ш	
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	e 🔀		
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 $\mu g/cm^2/week$			
	(see legal reference).			
P1.7*	Comment: Max limit in legal reference when tested according to EN1811:2011-5.  REACH Article 33 information about substances in articles is available at (add URL or mail contact):	$\square$		$\overline{}$
1 1.7	http://www.lenovo.com/social_responsibility/us/en/environment.html		Ш	Ш
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal		$\overline{}$	$\overline{}$
1 2.1	symbol. Information on proper disposal is provided in user manual. (See legal reference)		Ш	ш
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega			
	reference)			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	$\boxtimes$		
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).			
	The Declaration of Conformity can be requested at (add link or e-mail address):			
P3.2*	The product complies with the Eco design requirements for energy-related products,	$\boxtimes$		
	(see legal reference).			
	Required information is; given in item P15 or added to this document,	X		
	available at (add URL):			
P5	Product packaging		_	
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀	Ш	
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s	s) 🔀		
1 0.2	used (see legal reference).	, _	Ш	ш
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea	al 🔀		
	Protocol (see legal reference).			
DC	Comment: Legal reference has no maximum concentration values.			
<b>P6</b>	Treatment information  Information for recyclers/treatment facilities is available (see legal reference).			
F0. I	information for recyclers/a earment facilities is available (see legal reference).			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	30CE, 30CF, 30CG, 30D5, 30D6, 30D7, 30D8, 30D9	Logo	10	novo	
Issue date *	2018/07/06		LE		

Product	t environmental attributes - Market requirements (See General NOTE GN below)			
	- Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	$\boxtimes$	<u> </u>	
P7.2*	Plastic materials in covers/housing have no surface coating.	$\boxtimes$		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	$\boxtimes$		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\boxtimes$		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$		
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: metal Material type: metal Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.			
P7.13	Insulation materials of internal electrical cables are PVC free.		$\boxtimes$	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	d		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)	v		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):  TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: Brominated Epoxy Resin, CAS #:  Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g	$\boxtimes$		
	according ISO 1043-4:		ш	
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:  1. Chemical name: , CAS #: (See NOTE B4)  2. Chemical name: , CAS #: "	1		
	3. Chemical name: , CAS #: "  Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been		Ħ	
1 7.10	assigned the following Risk phrases; and Hazard statements:		ш	
	The source(s) for these classifications is/are found at (add URL(s)):  (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	$\square$		
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is%.  or b) The weight of recycled material is 160 g.	_	_	_

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model num	nber *	30CE, 30	CF, 30CG, 30D5, 30D	96, 30D7, 30D8, 30D9		Logo	Lonovo
Issue date	*	2018/07/0	06				Lenovo
Product	environn	nental a	ttributes - Market r	requirements (conti	inued)		Requirement met
Item				•	•		Yes No n.a.
	Material a	and subs	tance requirements	(continued)			
P7.21*				in the product (See NO	OTE B7):		
				s below shall be answe			,
	of to		c parts' weight > 25 g. by weight) is %		material content (calcula	ited as a percen	tage
	or b) The	weight of	the biobased plastic n	naterial is g.			
P7.22*			ree from mercury, i.e. specify: Number of lan	less than 0,1 mg/lamp.	um mercury content per	lamp: mg	
P8	Batteries		-,			- r <u>J</u>	
P8.1*	Battery ch	nemical co	omposition: Lithium M	langanese Dioxide			
P9	Energy c	onsumpt	tion (See NOTE B8)				
P9.1				s or energy consumption	ons are reported:		
Energy mod			Power level at	Power level at	Power level at	Reference/Stand	dard for energy
			100 V AC	115 V AC	230 V AC	modes and test	method *
Peak (On-r			<b>86.40</b> W	<b>85.68</b> W	<b>84.17</b> W	Full load	
Category							
Short Idle Enabled	State - WC	)L	<b>19.76</b> W	19.17W	<b>19.28</b> W	Use for ENERG registration (Pi	
Long Idle S Enabled	State - WO	)L	18.36W	18.36W	<b>17.82</b> W	Use for ENERG registration (Pi	
Sleep (S3)	- WOL En	abled	1.25W	1.29W	<b>1.29</b> W	Use for ENERG registration(Ps/	
Off (S5) - V	VOL Enab	led	0.82W	0.83W	0.82W	Use for ENERG registration(Pol	
EPS No-loa	ad		W	W	W		
(External power s							
PTEC * Typical Ene			11.07W	<b>10.84</b> W	10.80W		
ETEC * Annual Ene			kWh/year	kWh/year	kWh/year		00) x (P <sub>off</sub> x 0.25 P <sub>long_ldle</sub> x 0.10+
					Mode(S3) - WOL Enabled	; P <sub>idle</sub> : Idle State -	WOL Enabled
External Po	ower Suppl	y Efficien	cy Level (International	Efficiency Marking Pro	tocol) * :		
Display res	olution * :	me	egapixels				$\boxtimes$
Default time	e to enter e	energy sa	ve mode: 25 minutes				
P9.2*	Informatio	n about t	he energy save function	on is provided with the	product.		
P9.3			class (monitors only):				
P10	Emission		nace (members omy).				
1 10			Declared according to	ISO 9296 (See NOTE	B9)		
P10.1	Mode		lode description	123 0200 (000 110 12		A-weighted soun	d power level, L <sub>WA,c</sub> (B)
	Idle		Idle		* 3.1	<u> </u>	
	Operation	*	Oper		* 3.4		$\overline{\boxtimes}$
	Other mod			d pressure level (dB) $L_{p m Am}$		desktop – idle)	
	Other mo	de D	eclared A-weighted sound	d pressure level (dB) $L_{p{ m Am}}$	18 (operator position		ing)
				•	in the second of		<del>•</del> /
	ivieasured	accordir	ng to: ISO 7779 C	JECMA-74 (only if not covered by	FCMA-74)		

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

Model number *	30CE, 30CF, 30CG, 30D5, 30D6, 30D7, 30D8, 30D9	Logo	Lanava
Issue date *	2018/07/06		LEI IOVO

Product	environmental attributes - Market requirements (conti	inued)		Require	ment	met
Item	·	•		Yes	No	n.a.
	Electromagnetic emissions					
P10.4	Computer display meets the requirement for low frequency electrogram(s):	ctromagnetic fields	of the following voluntary			X
P12	Ergonomics for computing products					
P12.1*	The display meets the ergonomic requirements of ISO 9241-30	7 for visual display	technologies.			$\boxtimes$
P12.2*	The physical input device meets the requirements of ISO 9995	and ISO 9241-410	).		$\boxtimes$	
P13	Packaging and documentation					
P13.1*	Product packaging material type(s): carton Product packaging material type(s): EPE Weight (kg): Product packaging material type(s): weight (kg):	0.08				
P13.2*	Product plastic primary packaging is free from PVC.			$\boxtimes$		
P13.3*	For product primary corrugated fiberboard packaging, specificonsumer recovered fiber content: 0 %	y the contained po	ercentage of minimum pos	t-		
P13.4*	Specify media for user and product documentation (tick box):  Electronic, Paper, Other					
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-fre If Yes, please specify:	ee:				
	Totally chlorine-free					
	Elemental chlorine-free			₩		
	Processed chlorine-free			Ħ		
P14	Voluntary programs					
P14.1	The product meets the requirements of the following voluntary	program(s):				
	Eco-label: Greenguard Criteria version: Eco-label: EPEAT Criteria version:	Date: <b>2018/07/06</b> Date: Date:	Product category: <b>Worksta</b> Product category: Product category:	ation		
P15	Additional information (See NOTE B10)					
P9	Energy consumption of specific configuration may vary; d	•				
	NOTE: Supplier makes no representations, guarantees, assura information contained in this document. All information provided knowledge available at the time of completion, and supplier sha provided here is approximate and provided for informational puinformation.	d by supplier in this all have no obligation rposes only. See a	s document is provided base on to update such information Lenovo Account Represen	ed on suppon. The inf	olier's format	ion
P9	See Energy Star Qualified Notebooks & Tablet Computers for thttp://www.energystar.gov/index.cfm?fuseaction=find_a_produc					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

## **Lenovo ErP Lot3 Information Sheet**

### - Workstation/Server -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

#### **Products scope of this sheet:**

Workstation, mobile workstation, desktop thin client, small-scale server and computer server

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Thinkstation P330 Tiny	Logo	
Model Number	30CE, 30CF, 30CG, 30D5, 30D6, 30D7, 30D8, 30D9		Longvo
Issue Date	2018/07/06		Lenovo.
Additional information	ENERGY STAR® Qualified; EPEAT Gold Rating, GREENGUARD of	ertified	_

d)	roduct environmental attril Year of manufacture:			Available on product
e)	Internal/external power supply	efficiency:		label
,	internal external power supply	Cilicioney.		
	ADL135NDC3A: 25% 91.91	<b>%</b> 50% <b>90.53%</b> 75% <b>91.38%</b>	100% 91.35% Average 91.29%	
		<mark>% 50%90.15% 75% 90.34%</mark> 1		
	T			
	Test parameters for measurer  — test voltage in V and frequence			
	— total harmonic distortion of			
			and circuits used for electrical testing:	
		and the second second second second	and encode dood for orderings.	
	Test voltage in V and frequen	cy in Hz 230V/50Hz		
		e electricity supply system ≤2%		
	Information and documentation	n on the instrumentation, set-up an	d circuits used for electrical testing	
	Instrument	Range Used	Make and Model **	
	Type	Or ***	wake and woder	
	AC Power Source	1~280VAC;1~550HZ;1000VA.	NF;EC1000S; SN:9152124	
	ACT OWEI Source	1 200 VAC, 1 330112, 1000 VA.	N1,EC10003, 3N.9132124	
	Digital Watch	Full range	CASIO; HS-70W; SN:208Q08R	
	Digital Water	i dii range	CASIO, 113-70VV, SIN.200Q00IX	
			YOKOGAWA;WT210;SN:91M944	
	Power Meter	0~600V;0~20A	560	
	Hygrothermograph	15~35℃/15~90%	testo; 608-H1,SN:1034895602	
	Thermal anemometer	0~20m/s,-20~70°C	Testo;425;SN:02591883	
		1°;1-300cd/m²	Konica Minolta;LS-110;	
	Light Measuring	1 ,1-300cd/111	Konica Minoita, LS-110,	
J)	Maximum power (Watts)			
,	. ,			
`	Lille of a force of AM affect			
1)	Idle state power (Watts)			20.27
				20.37
)	Sleep mode power (Watts)			
	, ,			1.29
	25			
)	Off mode power (Watts)			0.00
				0.82
-1)	Measurement methodology us	sed to determine information mention	oned in points (e):	
.,	ErP Lot7	od to dotermino imermation monte	mod in points (o).	
2)	Measurement methodology us	sed to determine information mention	oned in maximum, idle, sleep, off mode	power as defined in
	Point P9.1 in the Product IT E	co Declaration:	•	
	,			
	IEC 62623 / IEC EN50564:20	11 measurement methodology		
al aliti a .c. =	limfaumatian			
dditiona	l information			