



## Product environmental attributes – THE ECO DECLARATION

Brand *	Lenovo	Logo
Company name *	Lenovo	_
Contact information *	Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@us.lenovo.com	lenovo
Internet site *	www.pc.ibm.com/ww/lenovo/about/environmen	t
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	Monitor		
Commercial name *	Lenovo ThinkVison L193p		
Model number *	4431-HB2		
Issue date *	2007-10-18		
Intended market *	Global Europe Japan U.S. Other		
Additional information			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a \* are filled-in (n.a. for not applicable).

Quality (	Control Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	$\boxtimes$	

Model number *	Lenovo ThinkVision L193p	Model 4431-HB2		
Issue date *	2007-10-18		Logo	lenovo

	environmental attributes - Legal requirements Requirement met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>	$\boxtimes$		
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	$\boxtimes$		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide ( <i>EU</i> : <i>Regulation (EC) No.</i> 2037/2000, 2038/2000, 2039/2000)			
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	$\boxtimes$		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions</i> on the use of certain dangerous chemicals 20.12.2002			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) ( <i>EU 76/769/EEC</i> )			$\boxtimes$
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in <i>EU</i> 76/769/ <i>EEC</i> , amendment 2003/3/ <i>EC</i>			$\boxtimes$
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives ( <i>EU</i> 76/769/ <i>EEC</i> )			$\boxtimes$
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC			
P2	Batteries			
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)			$\boxtimes$
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC			$\boxtimes$
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)			$\boxtimes$
P3	Electrical safety, EMC and connection to the telephone network			
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	$\boxtimes$		
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 <sup>th</sup> 2007	$\boxtimes$		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)	$\boxtimes$		
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	$\boxtimes$		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			$\boxtimes$
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			$\square$
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.			
P5	Product packaging			
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).	$\square$		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)	$\boxtimes$		
P5.3*	The product packaging material is free from CFC/HCFC.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	$\boxtimes$		

Model number *	Lenovo ThinkVision L193p	Model 4431-HB2		
Issue date *	2007-10-18		Logo	lenovo

Product	t environmental a	attributes - Market req Requirem	uirements - Environmental conscious design tent met			
Item	*=mandatory to f		ation regarding each item may be found under P14.	Yes	No	n.a.
P7	Design Disassembly, re					_
P7.1*		o be treated separately	are easily separable	$\square$		
P7.2*	Plastic materials	erials in covers/housing have no surface coating.			Ē	
P7.3*	Plastic parts >10	Og consist of one mate	rial or of easily separable materials.		Ē	
P7.4*	Plastic parts >25	g have material codes	according to ISO 11469 referring ISO 1043.		Ħ	Ē
P7.5	Plastic parts are	free from metal inlays	or have inlays that can be removed with commonly available tools.		Ē	
P7.6*			rement does not apply to safety/regulatory labels).		Ħ	
	Product lifetime					
P7.7*	Upgrading can be	e done e.g. with proces	ssor, memory, cards or drives			$\boxtimes$
P7.8*	Upgrading can be	e done using commonly	y available tools			$\boxtimes$
P7.9.	Spare parts are a	available after end of p	roduction for: <b>5</b> years			
P7.10	Service is available	ole after end of product	tion for: <b>5</b> years			
	Material and sul	bstance requirements	3			
P7.11*		ousing material type:				
D7 40*	Material type: AE		Material type: Material type:			
P7.12*			ower cables are halogen free (including PVC)	<u> </u>		
P7.13*			gnal cables are halogen free (including PVC)			
P7.14		plastic parts >25g are	-		╧	Ц_
P7.15	-		onents) >25g are halogen free			
P7.16			ants in cover / housing plastic parts >25g according ISO 1043-4:			
P7.17	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4:					
P7.18 P7.19	Weight of recycled material in plastic parts is Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46,					
	Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46, R50/51/53 and R60/61 (67/548/EEC)					
P7.20	Light sources are free from mercury If mercury is used specify: Number of lamps: 4 and max. mercury content per lamp: 3.0 mg					
P8.1*	Batteries	Leastain hattarian dafin	and an homendaus according to 01/157/550			
	Product does not	contain batteries denn	ned as hazardous according to 91/157/EEC		$\bowtie$	
P8.2*	<b>D</b> <i>u</i> : <i>u</i>		Battery chemical composition:			
P8.3		· · · · · · · · · · · · · · · · · · ·	following voluntary program/s:		· · · ·	
<b>P9</b> 9.1	Energy consum		els or energy consumptions have been measured:			
Mode	Power level at	Time (s) to <mode></mode>	Mode description	Reference	ce/	n.a.
	* 115 Volts			Standard		
On-max	<b>37</b> W		* On-Max	*See P1	4	
On- normal	* <b>29</b> W	to	* On Mode/Active Power	*See P1	4	
On-idle	W	to	*	*		
Save 1	* 1.4 W	to	* Sleep Mode/Low Power	*See P1	4	
Save 2	W	to	*	*		
Off 1	* 1.4 W	to	* Off Mode/Standby Power	*See P1	4	
Off 2	0.4 W	to	* Hard Off Mode	*See P1	4	
No load	* W		External power supplies/charger plugged in but disconnected from the product	*		
TEC	* kWh/v	Typical Energy Consun		*	-+	
P9.2*			tion is provided with the product.			H
P9.3	The product meets the energy requirements of the following voluntary program/s:         ENERGY STAR® Program Requirements for Computer Monitors: Eligibility Criteria (Version 4.1)         Others specify:					

Model number *	Lenovo ThinkVision L193p	Model 4431-HB2		
Issue date *	2007-10-18		Logo	lenovo

Product	environmental at	tributes - Market requirements (continue	d) Requirement n	net			
Item		fill in. Additional information regarding each			Yes No	n.a.	
P10	Emissions						
	Noice emission	- Declared according to ISO 9296					
	Noise emission	- Declared according to 150 9296					
P10.1	Mode	Mode Mode description Declared Declared A-weighted					
-			A-weighted	sound pressu	ire level L <sub>pAm</sub> (dB)		
			sound power level L <sub>WAd</sub> (B)	Operator position	Bystander positions		
					(only if product is not		
				Desktop	operator attended)		
	Idle	*	*	or Deskside	, ,		
	luie						
	Operation	*	*			$\square$	
	Other mode					_	
	Other mode						
	Measured accor	ding to: 📃 ISO 7779 📃 ECMA-74					
				h L <sub>pAm</sub> measurement	distance m)		
P10.2		ets the acoustic noise requirements of the fo	ollowing voluntary	program/s:			
D40.0t		sions from printing products					
P10.3*	-	according to ECMA-328 standard, other	<u> </u>			$\boxtimes$	
D40.4	The test covers:		Benzene				
P10.4		ets the chemical emission requirements of the	ne following volunt	ary program/s:		$\boxtimes$	
P10.5	Electromagneti	c emissions by meets the requirement for low frequency e	electromagnetic fie	alds of the following y		$\boxtimes$	
1 10.0	program/s:	is meets the requirement for low nequency (	siconomagnetio ne				
P11		aterials for printing products					
P11.1*		y Data Sheet (MSDS) is available for the ink	toner preparation	i, even if not legally re	equired	$\boxtimes$	
P11.2*	(see P4.3).						
P11.3*	2-sided (duplex) printing/copying is an integrated product function.						
P12	Ergonomics for computing products						
P12.1*		stem meets the ergonomic requirements of	EN 29241-3, -7, -	8 for CRT displays			
P12.2*		06-2 for flat panel displays. board meets the requirements of ISO 9995 a	and EN 202/11-/			$\boxtimes$	
P12.3*		put device meets the requirements of ISO 9					
P13	Packaging and documentation						
P13.1*		ng material type(s): Corrugated cardboard	weight (kg):	1.09			
		ng material type(s): <i>Polyethylene</i>	weight (kg): 0				
P13.2*	Product packagi Product plastic r	ng material type(s): <b>EPS</b> backaging is halogen free (including PVC)	weight (kg):	0.25			
P13.3*		t documentation do not contain chlorine ble	ached paper				
P13.4*	1	t documentation contain recycled paper					
P14	Additional info						
		r makes no representations, guarantees, as					
		ained in this document. All information provi able at the time of completion, and supplier	· · · · · · · · · · · · · · · · · · ·				
		approximate and provided for informational					
	information.				•		
P7.11		ns postconsumer recycled content plasti					
P7.17		not contain free TBBPA in printed circuit		4 1)			
<b>P9.1</b>	* Lenovo Interi			<del>.</del> )			
	Power level at 230 Volts 37W On-Max						
	30W On Mode/Active Power						
	1.4W Sleep M	lode/Low Power					
		le/Standby Power f Mode					
	0.5W Hard Of						