



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Computer monitors

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs		Lenovo			
e-mail address	Alvin L Carter					
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Monitor					
Commercial name *	P24h-10					
Model number *	61AE					
Issue date *	2017/2/16					
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Woder Humber		VIAL		Lenovo			
Issue date *		2017/2/16		Leik	JVC	ТМ	
Product environmental attributes - Legal requirements				Require	men	t met	
Item				Yes	No	n.a.	
P1	Hazardo	ous substances and preparations					
P1.1*	Products	B1)	$\boxtimes$				
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.					
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.					
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych vl (PCT) in preparations (see legal reference).	lorinated				
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in the	e 🔀			
P1.6*	6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference).						
P1.7*	Comment: Max limit in legal reference when tested according to EN1811:2011-5.  REACH Article 33 information about substances in articles is available at (add URL or mail contact):  http://www.lenovo.com/social_responsibility/us/en/environment.html						
P2	Batterie	s					
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)						
P2.2*							
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)				$\boxtimes$	
P3	Conforn	nity verification & Eco design (ErP)					
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).  The Declaration of Conformity can be requested at (add link or e-mail address):						
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).						
	Required	d information is; given in item P15 or added to this document, available at (add URL):					
P5	Product	packaging					
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercurent chromium by weight of these together.	y, cadmium an	d 🔀			
P5.2*	, , ,						

The product packaging material is free from ozone depleting substances as specified in the Montreal

Protocol (see legal reference).

Comment: Legal reference has no maximum concentration values.

Information for recyclers/treatment facilities is available (see legal reference).

Laga

Model number \* 61AE

P5.3\*

P6

P6.1\*

Treatment information

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	61AE	Logo	Lanava
Issue date *	2017/2/16		Lei IOVO.

Product	environmental attributes - Market requirements (See General NOTE GN below)			
		equire	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.	X		$\exists$
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		H	$\dashv$
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\boxtimes$	H	$\dashv$
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.			$\dashv$
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\overline{\mathbb{X}}$	$\overline{H}$	$\exists$
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		П	$\square$
P7.8*	Upgrading can be done using commonly available tools	一		$\overline{\boxtimes}$
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
D7.40	Material type: ABS Material type: SGCC Material type: POM			
P7.12	Insulation materials of external electrical cables are PVC free.			<u> </u>
P7.13	Insulation materials of internal electrical cables are PVC free.			-
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and	$\boxtimes$		
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts			
	containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g  are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: chemical name, CAS #:	Ш		
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
	according ISO 1043-4:	Ш		
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
	concentrations above 0,1%:			
	1. Chemical name: , CAS #: (See NOTE B4)			
	2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			$\boxtimes$
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			$\boxtimes$
	assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	$\boxtimes$		
	If YES: at least one of the two alternatives below shall be answered:			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is 29.3%.			
	or b) The weight of recycled material is <b>744.1</b> g.			
	b) The weight of recycled material is <b>744.1</b> g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	61AE		Lonovo		
Issue date *	2017/2/16		LEI IOVO		

Product environmental attributes - Market requirements (continued) Requirement me									
Item				Yes No	n.a.				
	bstance requirements								
P7.21* Biobased plastic	material content is used	d in the product (See N	IOTE B7):						
a) Of total plas	of total plastic by weight) is 0%.								
	The weight of the biobased plastic material is g.								
	Light sources are free from mercury, i.e. less than 0,1 mg/lamp.  If mercury is used specify: Number of lamps:  and maximum mercury content per lamp:  mg								
P8 Batteries	· · · · · · · · · · · · · · · · · · ·		, , , , , , , , , , , , , , , , , , ,						
P8.1* Battery chemical	Battery chemical composition:								
	ption (See NOTE B8)								
	he following power level								
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *					
Peak (On-max)	18.41W	18.27 W	18.15 W	Follow energy star 7.0 test method					
Category									
Short Idle State - WOL Enabled	18.41W	18.27 W	18.15 W	Follow energy star 7.0 test method					
Long Idle State - WOL Enabled	18.41W	18.27 W	18.15 W	Follow energy star 7.0 test method					
Sleep (S3) - WOL Enabled	0.53 W	0.53 W	0.61 W	Follow energy star 7.0 test method					
Sleep (S3) - WOL Disabled	0.53 W	0.53 W	0.61 W	Follow energy star 7.0 test method					
Off (S5) - WOL Enabled	0.30 W	0.30 W	0.30 W	Follow energy star 7.0 test method					
Off (S5) - WOL Disabled	0.30 W	0.30 W	0.30 W	Follow energy star 7.0 test method					
	W	W	W	Reference					
Category									
Short Idle State - WOL Enabled	W	W	W	Reference					
Long Idle State - WOL Enabled	W	W	W	Reference					
Sleep (S3) - WOL Enabled	W	W	W	Reference					
Sleep (S3) - WOL Disabled	W	W	W	Reference					
Off (S5) - WOL Enabled	W	W	W	Reference					
Off (S5) - WOL Disabled	W	W	W	Reference					
	W	W	W	Reference					
0.1									
Category									
Short Idle State - WOL Enabled	W	W	W	Reference					

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Long Idle Enabled	State - WOL	W	W	W	Reference		
Sleep (S3	) - WOL Enabled	W	W	W	Reference		
Sleep (S3	) - WOL Disabled	W	W	W	Reference		
Off (S5) - WOL Enabled		W	W	W	Reference		
Off (S5) -	WOL Disabled	W	W	W	Reference		
		W	W	W	Reference		
EPS No-lo		W	W	W			
	supply / charger plugged in the sconnected from the product.)	e					
PTEC *		W	W	W			
Typical Energy Consumption							
ETEC *		59.5 kWh/year	<b>59.0</b> kWh/year	<b>59.1</b> kWh/year			
	nnual Energy Consumption xternal Power Supply Efficiency Level (International Efficiency Marking Protocol) *:						
		· ·	al Efficiency Marking F	Protocol) *:			
	solution * : 3.7 meg						
Default tim	ne to enter energy s	save mode: 0.5 minute	es .				
P9.2*	Information abou	t the energy save fund	tion is provided with th	ne product.			
P9.3	Energy efficiency	class (monitors only):					
P10	Emissions						
			to ISO 9296 (See NO				
P10.1		Mode description		Statistical upper li	mit A-weighted sound power level, $L_{WA,c}$ (B)		
	Idle	*		*	$\boxtimes$		
	Operation	*		*			
	Other mode		ınd pressure level (dB) $L_{ m p}$		position desktop – idle)		
	Other mode	Declared A-weighted sou	and pressure level (dB) $L_{ m p}$	Am (operator p	position desktop – operating)		
	Measured according to: ISO 7779 ECMA-74 Other (only if not covered by ECMA-74)						

Model nu	ımber *	61AE				Logo	Leno	VO	
Issue dat	ue date * 2017/2/16			Leilo	VU.	м			
Product	environn	nental attribu	tes - Market requiremen	ts (continued)			Require	ment	met
Item							Yes	No	n.a
	Electron	nagnetic emiss	sions						
P10.4	Compute program		the requirement for low frequency	uency electromagnetic	fields of the foll	owing voluntary	'		$\boxtimes$
P12	Ergonor	nics for compu	iting products						
P12.1*	The disp	lay meets the e	rgonomic requirements of ISC	O 9241-307 for visual	display technolo	gies.	$\boxtimes$		
P12.2*	The phys	sical input devic	e meets the requirements of	ISO 9995 and ISO 924	41-410.				$\overline{\boxtimes}$
P13	Packagi	ng and docum	entation						
P13.1*	Product	packaging mate	rial type(s): <b>PE bag</b> we	eight (kg): <b>2.790</b> eight (kg): <b>0.052</b>					
P13.2*	Product	plastic primary ր	packaging is free from PVC.				$\boxtimes$		
P13.3*			rrugated fiberboard packagir er content: <mark>90</mark> %	ng, specify the contai	ned percentage	of minimum p	ost-		
P13.4*		media for user a ronic, ⊠Paper,	nd product documentation (ti Other	ck box):					
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:								
	Totally c	hlorine-free							
	Element	al chlorine-free							
	Processe	ed chlorine-free							
P14	Volunta	ry programs							
P14.1	The prod	luct meets the r	equirements of the following	voluntary program(s):					
	Eco-labe	el:	Criteria version: Criteria version: Criteria version:	Date: Date: Date:	Product of Product of Product of	category:			
P15			(See NOTE B10)			<u> </u>			
P9			f specific configuration ma		•				
	informati knowled provided informati	on contained in ge available at t here is approxi on.	no representations, guarante this document. All informatio he time of completion, and si mate and provided for inform	n provided by supplier upplier shall have no o ational purposes only.	r in this documer obligation to upda . See a Lenovo <i>P</i>	nt is provided ba ate such informa	ased on suppation. The int	olier's format	ion
P9			ed Notebooks & Tablet Compov/index.cfm?fuseaction=find			code=CO			_

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1