

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *		Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Display			
Commercial name *	T2254pC			
Model number *	T2254pC			
Issue date *	2015.01.23			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Quality Control		
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	T2254pC		
Issue date *	2015.01.23	Logo	lenovo

Product	duct environmental attributes - Legal requirements			met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\square	П	
	hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes	П	
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).		Ħ	Ħ
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\square
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	T2254pC		
Issue date *	2015.01.23	Logo	lenovo

Product	environmental attributes - Market requirements - Environmental conscious design	Requirement met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.	
P6	Treatment information				
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes			
P7	Design Disassembly, recycling				
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes			
P7.2*	Plastic materials in covers/housing have no surface coating.		\boxtimes		
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	$\overline{\boxtimes}$	T	$\overline{\Box}$	
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		币		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		一	$\overline{\Box}$	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		市	Ī	
	Product lifetime				
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes			
P7.8*	Upgrading can be done using commonly available tools	\boxtimes	\Box		
P7.9.	Spare parts are available after end of production for: 5 years			$\overline{\Box}$	
P7.10	Service is available after end of production for: 5 years	-		Ħ	
	Material and substance requirements				
P7.11*	Product cover/housing material type:				
	Material type: PC Material type: PC Material type:				
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes		
P7.13	Electrical cable insulation materials of signal cables are PVC free		\boxtimes		
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.		Ħ	$\overline{\Box}$	
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See			Ī	
	Note B2)	_		_	
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4:			\boxtimes	
	Marking:				
P7.17	Alt. 1 Chamical appointance of flame retardants in printed circuit boards > 25g (without components):				
	Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:		Ш		
	TDDI A (additive) , TDDI A (reactive) , Other, chemical hame. , CAO #.				
	Alt. 2				
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according		\boxtimes		
D7.40	ISO 1043-4: Brominated Epoxy Resin See P14				
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in			\square	
	concentrations above 0.1%:	Ш	Ш		
	Comment: No legal limits exist, this is a market requirement.				
	Provide a list of all used flame retardants including MSDS for each flame retardant. The list must contain				
	complete chemical name, CAS number and supplier.				
	1. Chemical name: , CAS #: , Supplier: 2. Chemical name: , CAS #: , Supplier:				
	2. Chemical name: , CAS #: , Supplier: 3. Chemical name: , CAS #: , Supplier:				
	Alt. 2			\boxtimes	
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,		$\overline{}$		
1 7.15	R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)		Ш	Ш	
P7.20	Of total plastic parts' weight >25g, recycled material content is 53%.				
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.				
P7.22	Light sources are free from mercury	\boxtimes			
P8	Batteries				
P8.1*	Battery chemical composition:				
P8.2	Ratteries most the requirements of the following voluntary program/s:			IXI	

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Issue date *		Logo lenovo)		
Product environm	ental at	tributes - Market	requirements (co	ontinued)			Regu	irement	met
Item	Product environmental attributes - Market requirements (continued) Tem						n.a.		
P9 Energy c	onsumpt	tion					_		
9.1 For the pi	roduct the	e following power leveloped w/ WOL Enable		mptions are reporte	ed: See P14				
Energy mode *	·	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference and test me		rd for energy	<u> </u>	
Peak (On-max)		20.41W	20.39W	19.92W	Full load				
Category A			1	1					
Idle State - WOL Enabled		14.3 W	14.2 W	14.24W	Use for Ene	ergy Star	V5 registration	on(P _{idle})	
Sleep (S3) - WOL Er	abled	0.13 W	0.14 W	0.19 W	Use for Ene	ergy Star	V5 registration	on(P _{sleep})	
Sleep (S3) - WOL Di	sabled	0.13 W	0.14 W	0.19 W	Reference				
Off (S5) - WOL Enab	led	0.11 W	0.12 W	0.17 W	Use for Ene	ergy Star	V5 registration	on(P _{off})	
Off (S5) - WOL Disal	bled	0.11 W	0.12 W	0.17W	Use for Eul	P			
Category B			1	1	•				
Idle State - WOL Ena	abled	W	W	W	Use for Ene	ergy Star	V5 registration	on(P _{idle})	
Sleep (S3) - WOL Er	abled	W	W	W	Use for Ene	ergy Star	V5 registration	on(P _{sleep})	
Sleep (S3) - WOL Di	sabled	W	W	W	Reference				
Off (S5) - WOL Enab	led	W	W	W	Use for Ene	ergy Star	V5 registration	on(P _{off})	
Off (S5) - WOL Disal	bled	W	W	W	Use for Eul	P			
EPS No-load		W	W	W					
(External power supp charger plugged in the outlet but disconnected the product.)	e wall								
TEC Typical Energy Consu	umption	kWh/week	kWh/week	kWh/week					
ETEC * Annual Energy Consu	umption	38.3 kWh/year	38.1 kWh/year	38.5 kWh/year	$E_{TEC} = (876$ $0.1 + P_{idle} x$		x (P _{off} x 0.6 +	P _{sleep} X	
		P _{off} : Off Mode(S5) - I	WOL Enabled; P _{sleep} :	Sleep Mode(S3) - WO	L Enabled; Pid	le: Idle Sta	te - WOL Enabl	ed	
Display resolution :	1680 x 1	050 Megapixels							
Print Speed :	Ima	ages per minute							
Default time to enter	energy sa	ive mode: 10 second	ls						一
P9.2* Information	on about t	the energy save fund	tion is provided with	the product.			\triangleright		
		the energy requirem			ı/s:			 1	
Others sp								i 🗖	\boxtimes
P10 Emission		Declared coording	to ICO 0206						
P10.1 Mode		Declared according Mode description	10 150 9296	Declared	D	Declared A	A-weighted		Т
		, , ,		A-weighted			evel $L_{p{\sf Am}}$ (d	IB)	
				sound power level L_{WAd} (B)	Operator pos		Bystander		-
				level E_{WAd} (B)		ktop 🔀			
					or Desk	side	(only if produ		
Idle	*	HDD: Idle							1 🗆
Operation) *	HDD: Operating							
Other mo	de								
Measured	d accordir	ng to: ISO7779 Other	ECMA-74	ov ECMA-74 with I	. measurem	ant distar	nce m)		
P10.2 The produ	uct meets	the acoustic noise r	only if not covered trequirements of the f			ici il uistal	nce m)		
	401 1110013	40043110 110136 1	Squironnonio Oi IIIE I	onowing voluntary p	g.u/3.			<u> </u>	

Model number *

Model number *						
Issue date *			Logo	leno	VO	
_						
	environn	nental attributes - Market requirements (continued)		Require		
Item				Yes	No	n.a.
	Chemica	al emissions from printing products				
P10.3*		ormed according to ECMA-328 (ISO/IEC 28360) standard, other specify:				\boxtimes
P10.4	Typical e	mission rate (print phase) is (mg/h):				\boxtimes
		Dust Ozone Styrene Benzene TVOC				
P10.5		l emission requirements of the following voluntary program/s are met for :	_			\boxtimes
			TVOC			
		nagnetic emissions				
P10.6		er display meets the requirement for low frequency electromagnetic fields of the following	owing voluntary			
	program/					
P11		able materials for printing products				
P11.1*		Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ	, ,			\boxtimes
P11.2*		ontaining post-consumer recycled fibers can be used, provided that it meets the	e requirements	of		\boxtimes
D44.0*	EN12281				_	
P11.3*		duplex) printing/copying is an integrated product function.			Ш	\boxtimes
P12		nics for computing products				
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technolog	gies.	\boxtimes	<u>Ц</u>	_Ц_
P12.2*	1 /	sical input device meets the requirements of ISO 9995 and ISO 9241-410.		\boxtimes		
P13		ng and documentation				
P13.1*		packaging material type(s): EPS weight (kg): 0.22				
		packaging material type(s): Carton weight (kg): 1.08				
P13.2*		packaging material type(s): PE weight (kg): 0.035 plastic packaging is free from PVC.			_	_
_				\boxtimes	Щ	Щ.
P13.3*	Specify media for user and product documentation (tick box):					
D40.4*		c N, Paper N, Other N		1		
P13.4*		r user and product documentation, please specify contained percentage of post-co	nsumer recycled			
P14	fiber: 85% (Japan only 70%) Additional information (See Note B4)					
1 14	Addition	al illiolitation (occ hote D4)				

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19