

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs				
	Alvin L Carter	-			
	1009 Think Place	Lenovo			
	Building 2 / 5J3	LEIIOVO			
	Morrisville, North Carolina 27560				
	Icarter@lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information	The latest version of this document can be found at				
	http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html				

• • •	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.		
Type of product *	onitor		
Commercial name *	C2364pA		
Model number *	NT : 60F1-MCR1-WW		
Issue date *	2016/03/21		
Intended market *	🛛 Global 📃 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other		
Additional information	dditional information		

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Quality Control		ent met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control suc as organized by IT-Företagen (see www.itecodeclaration.org).	h 🛛	

Model number *	Т2364рА		
Issue date *	2015-3-21	Logo	Lenovo

Product	Require	ement	met	
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.	\square		
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris (aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.	-		
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\square
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference).			
P1.10*	Comment: Max limit in legal reference when tested according to EN1811:1998. REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment	\square		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\square		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\square		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			\square
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).	;		
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavaler chromium by weight of these together.	nt 🖂		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\square		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protoco (see legal reference). Comment: Legal reference has no maximum concentration values.	ol 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number * T2364pA						
Issue date *		2015-3-21	Logo	Leng	ovo)
Dreduct environmental attributes. Market remainmente. Environmental conscious desire						
Item		mental attributes - Market requirements - Environmental conscious tory to fill in. Additional information regarding each item may be found under P14.	aesign	Require Yes	No	
P6		nt information		Tes	INU	n.a.
P6.1*		on for recyclers/treatment facilities is available (see legal reference).				
P7	Design					
P7.1*		nbly, recycling t have to be treated separately are easily separable				
P7.1		aterials in covers/housing have no surface coating.				╞
P7.2		arts >100g consist of one material or of easily separable materials.				<u> </u>
					<u> </u>	<u> </u>
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043. Image: Control of the second					
P7.5	-		adie toois.		<u> </u>	<u> </u>
P7.6*		e easily separable. (This requirement does not apply to safety/regulatory labels).				
P7.7*	Product Upgradin	g can be done e.g. with processor, memory, cards or drives				
P7.8*		g can be done using commonly available tools			⊢⊢	╶┤┤
P7.9.						⊢⊢
P7.10						-
17.10		s available after end of production for: 5 years and substance requirements				
P7.11*		cover/housing material type:				
			l type: SD-0150			
P7.12		cable insulation materials of power cables are PVC free.	21		\boxtimes	
P7.13	Electrical	cable insulation materials of signal cables are PVC free				
P7.14	All cover/	housing plastic parts >25g are free from chlorine and bromine.				
P7.15	All printe B2)	d circuit boards (without components) >25g are halogen free. as defined in IEC6124	9-2-21. (See No	te		
P7.16	Flame ret	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:				
P7.17	Marking: Alt. 1					
	Chemica	specifications of flame retardants in printed circuit boards >25g (without components) additive) , TBBPA (reactive) , Other; chemical name:, CAS #:):			
	Alt. 2 Chemica 1043-4:	l specifications of flame retardants in printed circuit boards (without components) >25	g according ISO			
P7.18		etarded plastic parts >25g contain the following flame retardant substance: ations above 0.1%:	s/preparations	in 🗌		\boxtimes
	Provide a complete 1. Chemi	t: No legal limits exist, this is a market requirement. a list of all used flame retardants including MSDS for each flame retardant. The chemical name, CAS number and supplier. cal name: , CAS #: , Supplier: cal name: , CAS #: , Supplier:	list must conta	in		
	Alt. 2	cal name: , CAS #: , Supplier: I specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19		arts >25g are free from flame retardant substances/ preparations above 0.1% classifie 3, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	d as R45, R40,			
P7.20	Of total p calculati	lastic parts' weight >25g, recycled material content is 55.95% (EPEAT calculation) / ion)	/ 85% (TCO			
P7.21		lastic parts' weight >25g, biobased material content is 0%.				
P7.22	Light sou	rces are free from mercury				
P8	Batteries					
P8.1*	-	hemical composition:				
P8.2	Batteries	meet the requirements of the following voluntary program/s:				\bowtie

Annex B of ECMA-370 4th edition, June 2009

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model num	ber *	T236	4pA					
Issue date	*	2015-3-2				Logo	Lenovo	
Product e	nvironn	nental a	ttributes - Marke	t requirements (c	continued)		Requirement	
met				requirements (e	,ontinucuy		Requirement	
Item							Yes No	n.a.
P9	Energy of	consumpt	tion					
9.1			following power level ped w/ WOL Enabled		tions are reported:	See P14		
Energy mod	e *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standar test method *	d for energy modes and	
Peak (On-n	nax)		15.3W	14.8 ₩	15.0W	Full load		
Category								
Idle State -	WOL Ena	abled	15.3W	1 4.8 W	15.0W	Use for Energy Sta	r V5 registration(P _{idle})	
Sleep (S3) ·	WOL En	abled	0.6W	0.6W	0.6W	Use for Energy Sta	r V5 registration(P _{sleep})	
Sleep (S3) ·	WOL Di	sabled	0.6W	0.6W	0.6W	Reference		
Off (S5) - W	/OL Enab	oled	0.11W	0.11W	<i>0.15</i> ₩	Use for Energy Sta	r V5 registration(Poff)	
Off (S5) - W	/OL Disal	bled	0.11W	0.11W	0.15 ₩	Use for ErP		
Category	<u> </u>							
			W	W	W	(P _{idle})		
			W	W	W	(P _{sleep})		
			W	W	W			
			W	W	W	(P _{off})		
			W	W	W			
EPS No-load (External po charger plug outlet but dis the product.)	wer suppl ged in the sconnecte	e wall	W	W	W			
TEC Typical Ener	rgy Consu	Imption	kWh/week	kWh/week	kWh/week			
ETEC * Annual Ener	gy Consu	Imption	41.31 kWh/year	40.0 kWh/year	40.73 kWh/year	$E_{TEC} = (8760/1000)$ + $P_{idle} \times 0.3$	$x (P_{off} \times 0.6 + P_{sleep} \times 0.1)$	
			Poff: Off Mode(S5) - I	NOL Enabled; P _{sleep} :	Sleep Mode(S3) - WO	L Enabled; P _{idle} : Idle S	tate - WOL Enabled	
Display reso	lution :	1 <mark>92</mark> 0*108	80 Megapixels					
Print Speed	:	Images p	er minute					\square
Default time	to enter e	energy sav	e mode: 15 seconds					
P9.2*	Informatio	on about th	he energy save function	on is provided with th	e product.			
P9.3*	ENERGY	STAR®	the energy requirement version: Version6.0					
P10	Others sp Emission							
			Declared according to	o ISO 9296				
P10.1	Mode		Mode description		Declared		A-weighted	
					A-weighted sound power	sound pressure	e level $L_{p{\sf Am}}$ (dB)	
					level L_{WAd} (B)	Operator position Desktop or Desk side	Bystander positions	
F	Idle	*	* HDD: Idle		*		· · · · · · · · · · · · · · · · · · ·	
	Operation		* HDD: Operating		*			
Ļ	Other mo							
	Measured	d accordin	ig to: ISO7779	ECMA-74 (only if not covere	d by ECMA-74 with	L _{pAm} measurement dis	stance m)	
P10.2	The prod	uct meets	the acoustic noise re					

Model nur	mber *	T2364pA			
Issue date	; *	2015-3-21 Logo	Lenc	VO.	
Product	environ	mental attributes - Market requirements (continued)	Require	ement	
met					
Item			Yes	No	n.a.
		al emissions from printing products			
P10.3*		formed according to ECMA-328 (ISO/IEC 28360) standard 📃, other specify:			\square
P10.4	Typical e	emission rate (print phase) is (mg/h):			\boxtimes
		Dust Ozone Styrene Benzene TVOC			
P10.5		al emission requirements of the following voluntary program/s are met for : Dust Ozone Styrene Benzene TVOC			\square
	Electror	magnetic emissions			
P10.6		er display meets the requirement for low frequency electromagnetic fields of the following voluntary /s: TCO 6.0			
P11		nable materials for printing products			
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			\boxtimes
P11.2*	EN1228		of		
P11.3*					\boxtimes
P12	Ergono	mics for computing products			
P12.1*	The disp	play meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			
P12.2*	The phy:	sical input device meets the requirements of ISO 9995 and ISO 9241-410.		Ē	
P13	. ,	ing and documentation			<u> </u>
P13.1*	Product Product Product	packaging material type(s): EPSweight (kg): 0.37packaging material type(s): PE Bagweight (kg): 0.04packaging material type(s): Paperweight (kg): 0.08packaging material type(s):Cartonweight (kg): 1.02			
P13.2*	Product	plastic packaging is free from PVC.	\triangleleft		С
P13.3*		media for user and product documentation (tick box): ic 🔯, Paper 🔯, Other 📃			
P13.4*	For pape	er user and product documentation, please specify contained percentage of post-consumer fiber: 70% (Japan only 70%)			\geq
P14	Addition	nal information (See Note B4)			
	informati available	Supplier makes no representations, guarantees, assurances or warranties whether express or implied, i ion contained in this document. All information provided by supplier in this document is provided based o e at the time of completion, and supplier shall have no obligation to update such information. The informat nate and provided for informational purposes only. See a Lenovo Account Representative for more inform	on supplier' ation provide	's know	

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19