



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

| Brand * | Lenovo | Logo | | | | |
|------------------------|--------------------------------------------------------------------|------|--------|--|--|--|
| Company name * | Lenovo | | | | | |
| Contact information * | Lenovo Global Environmental Affairs | ODO | | | | |
| e-mail address | Alvin L Carter | | Lenovo | | | |
| | alcarter@lenovo.com | | | | | |
| Internet site * | http://www.lenovo.com/social_responsibility/us/en/environment.html | | | | | |
| Additional information | | | | | | |

| The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration. | | | | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|--|--|--|
| Type of product * | Monitor | | | |
| Commercial name * | ThinkVision T24d-10 | | | |
| Model number * | 61B4 | | | |
| Issue date * | 2017/03/22 | | | |
| Intended market * | ☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other | | | |
| Additional information | | | | |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

| | ımber " | 61B4 | Logo | Long | | |
|-------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------|--------|-------|------|
| Issue date * | | 2017/3/22 | | Lenovo | | |
| Product environmental attributes - Legal requirements | | | Require | ment | t met | |
| Item | | <u> </u> | | Yes | No | n.a. |
| P1 | Hazardo | us substances and preparations | | | | |
| P1.1* | | | | | | |
| P1.2* | 1* Products do comply with current European RoHS Directive. (See legal reference and NOTE B1) 2* Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value. | | | | | |
| P1.3* | | | | | | |
| P1.4* | terpheny | do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych (PCT) in preparations (see legal reference). | | | | |
| P1.5* | | do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference). | bon atoms in the | e 🔀 | | |
| P1.6* | (see lega | h direct and prolonged skin contact do not release nickel in concentrations above (al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5. |),5 μg/cm²/week | | | |
| P1.7* | REACH | Article 33 information about substances in articles is available at (add URL or mail w.lenovo.com/social_responsibility/us/en/environment.html | contact): | | | |
| | | | | | | |
| P2 | Batterie | | | | | |
| P2 P2.1* | If the pro | duct contains a battery or an accumulator, the battery/accumulator is labeled with information on proper disposal is provided in user manual. (See legal reference) | • | | | |
| | If the pro | duct contains a battery or an accumulator, the battery/accumulator is labeled with a Information on proper disposal is provided in user manual. (See legal reference) or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadn | • | | | |
| P2.1* | If the pro symbol. Batteries reference | duct contains a battery or an accumulator, the battery/accumulator is labeled with a Information on proper disposal is provided in user manual. (See legal reference) or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadn | • | | | |
| P2.1* P2.2* | If the prosymbol. Batteries reference Batteries Conform | duct contains a battery or an accumulator, the battery/accumulator is labeled with a Information on proper disposal is provided in user manual. (See legal reference) or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadnet and accumulators are readily removable. (See legal reference) inity verification & Eco design (ErP) | nium. (See legal | | | |
| P2.1* P2.2* P2.3* | If the prosymbol. Batteries reference Batteries Conform | duct contains a battery or an accumulator, the battery/accumulator is labeled with a Information on proper disposal is provided in user manual. (See legal reference) or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadnet and accumulators are readily removable. (See legal reference) nity verification & Eco design (ErP) luct is CE-marked to show conformance with applicable legal requirements (see legal) | nium. (See legal | | | |
| P2.1* P2.2* P2.3* P3 | If the prosymbol. Batteries reference Batteries Conform The proceed The procee | duct contains a battery or an accumulator, the battery/accumulator is labeled with a Information on proper disposal is provided in user manual. (See legal reference) or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadnet and accumulators are readily removable. (See legal reference) inity verification & Eco design (ErP) | nium. (See legal | | | |
| P2.1* P2.2* P2.3* P3 P3.1* | If the prosymbol. Batteries reference Batteries Conform The proceute The proceute Conform The | duct contains a battery or an accumulator, the battery/accumulator is labeled with a Information on proper disposal is provided in user manual. (See legal reference) or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadnes. In and accumulators are readily removable. (See legal reference) Inity verification & Eco design (ErP) Ituation of Conformity can be requested at (add link or e-mail address): Ituation of Conformity can be requirements for energy-related products, all reference). It information is; Information is; Information is given in item P15 or added to this document, | nium. (See legal | | | |
| P2.1* P2.2* P2.3* P3 P3.1* P3.2* | If the prosymbol. Batteries reference Batteries Conform The proce The proce (see legal Required | duct contains a battery or an accumulator, the battery/accumulator is labeled with a Information on proper disposal is provided in user manual. (See legal reference) or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadnets and accumulators are readily removable. (See legal reference) Inity verification & Eco design (ErP) Iluct is CE-marked to show conformance with applicable legal requirements (see legal arration of Conformity can be requested at (add link or e-mail address): Iluct complies with the Eco design requirements for energy-related products, all reference). If information is; If given in item P15 or added to this document, available at (add URL): | nium. (See legal | | | |
| P2.1* P2.2* P2.3* P3 P3.1* | If the prosymbol. Batteries reference Batteries Conform The proc The Dec The proc (see legal Required Product Packagin | duct contains a battery or an accumulator, the battery/accumulator is labeled with a Information on proper disposal is provided in user manual. (See legal reference) or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadned and accumulators are readily removable. (See legal reference) Inity verification & Eco design (ErP) Ituat is CE-marked to show conformance with applicable legal requirements (see legal ration of Conformity can be requested at (add link or e-mail address): Ituat complies with the Eco design requirements for energy-related products, all reference). It information is; | nium. (See legal | | | |
| P2.1* P2.2* P2.3* P3 P3.1* P3.2* | If the prosymbol. Batteries reference Batteries Conform The proc (see legal Required Packagii hexavale The pack | duct contains a battery or an accumulator, the battery/accumulator is labeled with a Information on proper disposal is provided in user manual. (See legal reference) or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadned and accumulators are readily removable. (See legal reference) Inity verification & Eco design (ErP) Ituct is CE-marked to show conformance with applicable legal requirements (see legal ration of Conformity can be requested at (add link or e-mail address): Ituct complies with the Eco design requirements for energy-related products, all reference). It information is; | gal reference). | | | |
| P2.1* P2.2* P2.3* P3 P3.1* P3.2* | If the prosymbol. Batteries reference Batteries Conform The proc (see lega Required Product Packagii hexavale The pac used (se The pro | duct contains a battery or an accumulator, the battery/accumulator is labeled with information on proper disposal is provided in user manual. (See legal reference) or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadned and accumulators are readily removable. (See legal reference) Inity verification & Eco design (ErP) Ituat is CE-marked to show conformance with applicable legal requirements (see legal reference) Ituat complies with the Eco design requirements for energy-related products, all reference). It information is; given in item P15 or added to this document, available at (add URL): Packaging Ing and packaging components do not contain more than 0,01% lead, mercurent chromium by weight of these together. It is packaging materials are marked with abbreviations and numbers indicating the nature | gal reference). y, cadmium an of the material(s | | | |

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Information for recyclers/treatment facilities is available (see legal reference).

P6.1*

| Model number * | 61B4 | Logo | Lonovo | | |
|-----------------------------------------------------------------------------------------|------------------------------------|------|-----------|--|--|
| Issue date * | Error! Reference source not found. | | Lei IOVO. | | |
| | | | | | |
| Burdent and income at letter that a Market and income to (O a O a and NOTE ON training) | | | | | |

| Produc | t environmental attributes - Market requirements (See General NOTE GN below) | | | |
|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-------------|------|
| | - Environmental conscious design | Require | ment | met |
| Item | *=mandatory to fill in. Additional information regarding each item may be found under P14. | Yes | No | n.a. |
| P7 | Design Disassembly, recycling | | | |
| P7.1* | Parts that have to be treated separately are easily separable | | | |
| P7.2* | Plastic materials in covers/housing have no surface coating. | | | 市 |
| P7.3* | Plastic parts > 100 g consist of one material or of easily separable materials. | | | 市 |
| P7.4* | Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. | | | Ħ |
| P7.5 | Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. | | | |
| P7.6* | Labels are easily separable. (This requirement does not apply to safety/regulatory labels). | | | |
| | Product lifetime | | | |
| P7.7* | Upgrading can be done e.g. with processor, memory, cards or drives | \boxtimes | | |
| P7.8* | Upgrading can be done using commonly available tools | \boxtimes | | |
| P7.9 | Spare parts are available after end of production for: 5 years | | | |
| P7.10 | Service is available after end of production for: 5 years | | | |
| | Material and substance requirements | | | |
| P7.11* | Product cover/housing material type (e.g. plastics, metal, aluminum): | | | |
| | Material type: ABS Material type: PC Material type: | | | |
| P7.12 | Insulation materials of external electrical cables are PVC free. | <u> </u> | | |
| P7.13 | Insulation materials of internal electrical cables are PVC free. | | \boxtimes | |
| P7.14 | External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, an | | | |
| | polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in part | | | |
| | containing more than 25% post-consumer recycled content. | | | |
| P7.15 | Printed circuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 g 🗌 are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2) | N L | \boxtimes | Ш |
| P7.16 | Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: | | | |
| | Marking: | | | |
| P7.17 | Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): | | | |
| | TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: chemical name, CAS #: | \boxtimes | | Ш |
| | Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g | | | |
| | according ISO 1043-4: | | \boxtimes | Ш |
| P7.18 | Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations is concentrations above 0,1%: | n | | |
| | 1. Chemical name: , CAS #: (See NOTE B4) | | M | |
| | 2. Chemical name: , CAS #: "Good No. 12 5.17 | | | |
| | 3. Chemical name: , CAS #: " | | | |
| | Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: | | \boxtimes | |
| P7.19 | In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been | | | |
| | assigned the following Risk phrases; and Hazard statements: | _ | | _ |
| | The source(s) for these classifications is/are found at (add URL(s)): , (See note B5) | | | |
| P7.20* | Postconsumer recycled plastic material content is used in the product (See Note B6): | \boxtimes | | |
| | If YES; at least one of the two alternatives below shall be answered; | | | |
| | a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as | | | |
| | a percentage of total plastic by weight) is 46.85%. | | | |
| | or b) The weight of recycled material is <i>801.5</i> g. | | | |
| L | b) The weight of recycled material is 001.0 g. | | | |

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

| Model number * 61B4 | | | | Logo | Lon | | | | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|----------------------------------------|-----------------------------------------|--------------------------------------------------------|---------------------|----------------------|-------------|--|--|
| Issue date * Error! R | date * Error! Reference source not found. | | | | | Lenovo. | | | |
| Product environmental attributes - Market requirements (continued) Requirement met | | | | | | | t met | | |
| Item Yes No | | | | | | No | n.a. | | |
| Material and substance requirements (continued) | | | | | | | | | |
| P7.21* Biobased plastic material content is used in the product (See NOTE B7): | | | | | | \boxtimes | | | |
| If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. or b) The weight of the biobased plastic material is g. | | | | | | | | | |
| P7.22* Light sources are | | less than 0,1 mg/lamp | num mercury content pe | er lamp: mg | | | | | |
| P8 Batteries | | | • | | | | | | |
| P8.1* Battery chemical of | composition: | | | | | | \boxtimes | | |
| P9 Energy consump | tion (See NOTE B8) | | | | | | | | |
| | | ls or energy consumpti | ons are reported: | | | | | | |
| Energy mode * | Power level at 100 V AC | Power level at 115 V AC | Power level at 230 V AC | Reference/Standa modes and test m | | nergy | | | |
| ENERGY STAR® On Mode* (System Idle) | 14.61W | 14.38W | 14.59W | ENERGY STAR® Requirements for Monitors: Ver. 7.0 | Program Computer | | | | |
| ENERGY STAR® Low Power Sleep Mode* | ENERGY STAR® Low Power 0.36W 0. 37W 0.47W ENERGY STA Requirements | | | ENERGY STAR® Requirements for Monitors: Ver. 7.0 | Computer | | | | |
| ENERGY STAR® Off / Apparent Off Mode* | 0.11W | 0.12W | 0.21W | ENERGY STAR® Requirements for Monitors: Ver. 7.0 | Computer | | | | |
| PTEC * | l w | W | l w | T | | | | | |
| Typical Energy Consumption | | | | | | | <u> </u> | | |
| ETEC * Annual Energy Consumption | 49.98 kWh/year | 49.28 kWh/year | 50.54 kWh/year | | | | | | |
| External Power Supply Efficier | ncy Level (Internationa | I Efficiency Marking Pr | otocol) * : VI | | | | | | |
| Display resolution*: 1920X1200 megapixels ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 | | | | | | | | | |
| | Default time to enter energy save mode: 15 seconds ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 | | | | | | | | |
| | | on is provided with the | • | | | | | | |
| | s the energy requirement version: 7.0 Product of | ents of the following vo | luntary program/s: | | | | | | |
| P10 Emissions | | | | | | | | | |
| | | o ISO 9296 (See NOTE | | | | | | | |
| | Mode description | | Statistical upper lim | it A-weighted sound | power leve | l, L _{WA,c} | (B) | | |
| | HDD: Idle | | , · | | | | Щ_ | | |
| | HDD: Operating | | * | | | | | | |
| | | od pressure level (dB) $L_{p m Ar}$ | | sition desktop – idle) | | | | | |
| Other mode L | Declared A-weighted sour | od pressure level (dB) $L_{p{\sf Ar}}$ | (operator position desktop – operating) | | | | | | |
| l ———————————————————————————————————— | ng to: 🔀 ISO 7779 🗌 | ECMA-74 | • | | | | | | |

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

| Model nu | umber * | 61B4 | | | Logo | Long | 1/0 | |
|----------|--------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|-------------------------------------------------------------|-----------------------|--------------------|-------------|
| Issue da | te * | Error! Reference | source not found. | | | Lenc | VO | TM |
| Product | t environr | nental attributes | - Market requirements (| continued) | | Require | ment | met |
| Item | | | | | | Yes | No | n.a |
| | | nagnetic emission | | | | | | |
| P10.4 | Compute program | | e requirement for low frequenc | cy electromagnetic | fields of the following volunt | ary | | X |
| P12 | Ergonoi | nics for computin | g products | | | | | |
| P12.1* | The disp | lay meets the ergo | nomic requirements of ISO 92 | 241-307 for visual o | display technologies. | \boxtimes | | |
| P12.2* | The phys | sical input device m | eets the requirements of ISO | 9995 and ISO 924 | 11-410. | | | \boxtimes |
| P13 | Packagi | ng and document | ation | | | | | |
| P13.1* | Product | | type(s): Pulp type(s): Paper(Cushion) type(s): Paper(Carton) | weight (kg): 0. weight (kg): 0. weight (kg): 1. | 58 | | | |
| P13.2* | Product | plastic primary pacl | kaging is free from PVC. | | | \boxtimes | | |
| P13.3* | | luct primary corruger recovered fiber c | pated fiberboard packaging, sontent: 0 % | specify the contain | ned percentage of minimum | post- | | |
| P13.4* | | media for user and ronic, Paper, | product documentation (tick b Other | oox): | | | | |
| P13.5 | User and | | tem if paper documentation u tation on paper media is chlor | | | | | |
| | Element | hlorine-free al chlorine-free | | | | | | |
| | | ed chlorine-free | | | | | | |
| P14 | | ry programs | | | | | | |
| P14.1 | The prod | duct meets the requ | irements of the following volu | ntary program(s): | | | | |
| | Eco-labe | el: | Criteria version: Criteria version: Criteria version: | Date: Date: Date: | Product category: Product category: Product category: | | | |
| P15 | | nal information (Se | | | | | | |
| P9 | | | pecific configuration may va | | | | | |
| | informati knowled | ion contained in this ge available at the there is approximate | epresentations, guarantees, as document. All information pr time of completion, and suppli te and provided for information | ovided by supplier ier shall have no ol | in this document is provided bligation to update such infor | l based on supportant | plier's formati | ion |
| P9 | See Energy Star Qualified Monitors & Displays for the latest information: https://www.energystar.gov/products/office_equipment/displays | | | | | | | |
| | | | | | | | | |
| | | · · · · · · · · · · · · · · · · · · · | · | · · · · · · · · · · · · · · · · · · · | | | | |

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

| Reference | Declaration item |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|
| Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications. | P1.1 |
| Regulation (EC) 1907/2006(REACH, Annex XVII | P1.2, P1.4, P1.6, P1.7 |
| Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances) | P1.3, P5.3 |
| Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002 | P1.5 |
| Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator. | P2.1, P2.2, P2,3, P8.1 |
| Directive 2006/95/EC (Low Voltage Directive) | P3.1 |
| Directive 2004/108/EC (EMC Directive) | P3.1 |
| Directive 1999/5/EC (R&TTE Directive) | P3.1 |
| Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions | P3.1, P3.2 |
| Regulation (EC) No 1272/2008 (CLP Regulation) | P7.19 |
| Directive 2004/12/EC (Packaging Directive) | P5.1 |
| Decision 97/129/EC (Secondary packaging legislation) | P5.2 |
| Directive 2012/19/EU (WEEE directive) | P6.1 |