

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs					
e-mail address	Alvin L Carter	Lenovo				
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information						

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Monitor					
Commercial name *	Thinkvision S22e-19					
Model number *	61C9					
Issue date *	2018/6/4					
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	mber *	61C9	Logo				
Issue date *		2018/6/4		Leno		Эт	
Product	environ	mental attributes - Legal requirements		Require	ment	t met	
Item				Yes	No	n.a.	
P1		us substances and preparations					
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)	\square			
P1.2*	Commer	o do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\boxtimes			
P1.3*	hydrobro trichloro	e do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), profluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m ation values.					
P1.4*	terpheny	e do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych I (PCT) in preparations (see legal reference).		\boxtimes			
P1.5*		o do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in t	he 🔀			
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/we	ek 🔀			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): Image: Control of the state according to ENTOT 1.2011-0. http://www.lenovo.com/social_responsibility/us/en/environment.html Image: Control of the state according to ENTOT 1.2011-0.						
P2	Batterie	S					
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)						
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal						
P2.3*	Batteries and accumulators are readily removable. (See legal reference)						
P3	Conformity verification & Eco design (ErP)						
P3.1*	The proo	luct is CE-marked to show conformance with applicable legal requirements (see leg laration of Conformity can be requested at (add link or e-mail address): ww3.lenovo.com/us/en/social_responsibility/EU_DoC_monitors	gal reference)	-			
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).						
	Required information is; Z given in item P15 or added to this document, Z						
DE	Dueducet	available at (add URL):					
P5.1*		packaging	(codmium (and M			
	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.						
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) 🛛 🗌 🗌 used (see legal reference).						
P5.3*	3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol 🛛 🗌						
DC	Comment: Legal reference has no maximum concentration values. Treatment information						
P6							
P6.1*	informati	on for recyclers/treatment facilities is available (see legal reference).		\square			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		61C9	Logo				
Issue da	Issue date * 2018/6/4			Len	ovo	DTH	
Product		mental attributes - Market requirements (See General NOTE GN onmental conscious design	below)	Require	ment	met	
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.	
P7	Design Disasse	mbly, recycling					
P7.1*		t have to be treated separately are easily separable		\square			
P7.2*	Plastic m	naterials in covers/housing have no surface coating.					
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.						
P7.4*	Plastic pa	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			Ē	Ē	
P7.5	Plastic pa	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.		Ħ	Ē	
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).			Ħ	Ħ	
	Product						
P7.7*		ng can be done e.g. with processor, memory, cards or drives		\square			
P7.8*	Upgradir	ng can be done using commonly available tools			Π		
P7.9		arts are available after end of production for: 5 years				Ħ	
P7.10	Service i	s available after end of production for: 5 years				-Ħ-	
	Material	and substance requirements					
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):					
			al type:				
P7.12		n materials of external electrical cables are PVC free.					
P7.13		n materials of internal electrical cables are PVC free.			\boxtimes		
P7.14	weight (´ polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine i in 25% post-consumer recycled content.	e retardants, an	nd 🔼			
P7.15	Printed c	ircuit boards, PCBs (without components) are low halogen: all ⊠ PCBs > 25 g ad in IEC 61249-2-21. (See 1NOTE B2)	are low haloge	en 🗌	\square		
P7.16	Marking:						
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c PA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	omponents):				
		nemical specifications of flame retardants in printed circuit boards (without compon- g ISO 1043-4:	ents) > 25 g				
P7.18	concentr 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	es/preparations i	in			
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 104					
P7.19	assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which I the following Risk phrases; and Hazard statements:					
P7.20*	The source(s) for these classifications is/are found at (add URL(s)): (See note B5) * Postconsumer recycled plastic material content is used in the product (See Note B6): Image: Content is content is used in the product (See Note B6):						
	lfYES;a a) Oft ape or	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conter ercentage of total plastic by weight) is <i>43.9%</i> . <i>(EPEAT calculation) / 85% (TCO ca</i>					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number * 61C9		Logo	Lonovo		
Issue date *	2018/6/4		Lenovo		
Product environm	nental attributes - Market requirements (continued)		Requirement met		

Item

Requirement met Yes No n.a.

DT 0.44	Material and substance requirements (continued)								
P7.21*	Biobased plastic material content is used in the product (See NOTE B7):								
	If YES; at least on	YES; at least one of the two alternatives below shall be answered;							
	, ,	Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of							
	•	y weight) is <mark>0</mark> %.							
	or b) The weight o	f the highered plactic r	notorial in Or						
P7.22*	.,	f the biobased plastic r	less than 0,1 mg/lamp.						
F1.22	0	specify: Number of lan	, , ,	um mercury content pe	r lamp: mg				
P8	Batteries				i i i i i i i i i i i i i i i i i i i				
P8.1*	Battery chemical composition:								
P9	Energy consumption (See NOTE B8)								
P9.1			s or energy consumptio	ons are reported:					
Energy mo		Power level at	Power level at	Power level at	Reference/Standard for energy				
		100 V AC	115 V AC	230 V AC	modes and test method *				
ENERGY S	STAR® On Mode*	14.3W	14.2W	14.3W	ENERGY STAR® Program				
(System Id	le)	14.300	14.200	14.500	Requirements for Computer				
					Monitors: Ver. 7.0 ENERGY STAR® Program				
	STAR® Low Power	0.1W	0.2W	0.2W	Requirements for Computer				
Sleep Mod	e				Monitors: Ver. 7.0				
					ENERGY STAR® Program				
	STAR® Off /	0.12W	0.13W	0.18W	Requirements for Computer				
Apparent C					Monitors: Ver. 7.0				
PTEC *		W	W	W					
Typical Ene	ergy Consumption								
ETEC *		38.3kWh/year	38.0 kWh/year	39.3 kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.6 +				
Annual Ene	ergy Consumption				$P_{sleep} \times 0.1 + P_{idle} \times 0.3)$				
External Po	ower Supply Efficier	ncy Level (International	Efficiency Marking Pro	tocol) * :					
					ENERGY STAR® Program				
Display res	olution* : 1920*10	80 megapixels			Requirements for Computer Monitors: Ver. 7.0				
					ENERGY STAR® Program				
Default time	e to enter energy sa	ave mode: 15 seconds			Requirements for Computer				
Doradit	e te enter entergy et				Monitors: Ver. 7.0				
P9.2*	Information about	the energy save function	on is provided with the	product.					
P9.3*	The product meets	s the energy requireme	ents of the following volu	untary program/s:					
	ENERGY STAR® version: 7.0 Product category: Display.								
P10	Emissions								
546.4	Noise emission – Declared according to ISO 9296 (See NOTE B9)								
P10.1					t A-weighted sound power level, <i>L_{WA,c}</i> (B)				
		HDD: Idle		^					
	Operation * HDD: Operating		*						
	Other mode Declared A-weighted sound pressure level (dB) L _{pAm}								
	Other mode	Declared A-weighted soun	d pressure level (dB) L _{pAm}	(operator position desktop – operating)					
	Measured accordi	ng to: 🔀 ISO 7779 🗌	ECMA-74						
		Other	only if not covered by	ECMA-74)					

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

Model nu	imber *	61C9					Logo				
Issue date *		2018/6/4					Lenovo			н	
Product	environ	nental attribu	tes - Market requirer	ments (conti	nued)				luirer		met
ltem								`	Yes	No	n.a
		nagnetic emiss									
P10.4	program	(s):	the requirement for low	frequency elec	tromagnetic fie	ds of the foll	owing volur	tary			
P12	Ergonomics for computing products The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies. Image: Compute State Sta										
P12.1*							gies.		\boxtimes		
P12.2*	The phy	sical input devic	e meets the requirement	ts of ISO 9995	and ISO 9241-4	10.					\boxtimes
P13	Packagi	ng and docum	entation								
P13.1*	Product Product	packaging mate packaging mate	rial type(s): <i>EPS</i> rial type(s): <i>PE Bag</i> rial type(s): <i>Paper</i> rial type(s): <i>Carton</i>	weight (kg): weight (kg): weight (kg): weight (kg):	0.05 0.03						
P13.2*			ackaging is free from P	VC.					\boxtimes		
P13.3*		duct primary con er recovered fibe	rugated fiberboard pacl r content: 0 %	kaging, specif	/ the contained	percentage	of minimur	n post-			
P13.4*	Specify media for user and product documentation (tick box):										
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:										
	Totally chlorine-free										
P14	Volunta	ry programs									
P14.1	The proc	duct meets the re	equirements of the follow	ving voluntary	program(s):						
	Eco-labe Eco-labe	el:	Criteria version: 7. Criteria version: Criteria version:	[Date: 4/25/18 Date: Date:	Product	category: Di category: category:	splays			
P15			(See NOTE B10)								
P9			f specific configuration								
	informat knowled	ion contained in ge available at t I here is approxi	no representations, guara this document. All inform ne time of completion, ar mate and provided for in	nation provide nd supplier sha	l by supplier in t all have no oblig	this documer ation to upda	nt is provide ate such info	d based on ormation. Tl	supp he info	lier's ormati	ion
P9	See Ene	rgy Star Qualifie	ed Monitors & Displays fo jov/products/office_equi	or the latest inf pment/displays	ormation:						

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1