



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2- Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

| Brand *                | Lenovo  | Logo   |        |  |  |  |  |  |
|------------------------|---|--|--------|--|--|--|--|--|
| Company name *         | Lenovo  |  |        |  |  |  |  |  |
| Contact information *  | Lenovo Global Environmental Affairs                           |  | ODOVO  |  |  |  |  |  |
| e-mail address         | Alvin L Carter  |  | Lenovo |  |  |  |  |  |
|                        | alcarter@lenovo.com   |  |        |  |  |  |  |  |
| Internet site *        | http://www3.lenovo.com/us/en/social_responsibility/environmen | nttp://www3.lenovo.com/us/en/social_responsibility/environment |        |  |  |  |  |  |
| Additional information |   |  |        |  |  |  |  |  |

| The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration. |   |  |  |  |  |
|--|---|--|--|--|--|
| Type of product *  | Display   |  |  |  |  |
| Commercial name *  | ThinkVision S23d-10                               |  |  |  |  |
| Model number *   | 61C4  |  |  |  |  |
| Issue date *   | 2018/05/31  |  |  |  |  |
| Intended market *  | Global Europe Asia, Pacific &Japan Americas Other |  |  |  |  |
| Additional information   |   |  |  |  |  |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

| Model number *  |   | Error! Reference source not found.61C4  | Logo            | Lon         |      |                        |
|-----------------|---|---|-----------------|-------------|------|------------------------|
| Issue date *    |   | 2018/05/31  |                 | Len         |      | <b>J</b> <sub>TM</sub> |
| Product environ |   | mental attributes - Legal requirements  |                 | Require     | men  | t met                  |
| Item            | m   |   | Yes             | No          | n.a. |                        |
| P1              |   | ous substances and preparations   |                 |             |      |                        |
| P1.1*           | Products  | s do comply with current European RoHS Directive. (See legal reference and NOTE   | EB1)            |             |      |                        |
| P1.2*           | Commer  | s do not contain Asbestos (see legal reference).<br>nt: Legal reference has no maximum concentration value.   |                 |             |      |                        |
| P1.3*           | hydrobro<br>trichloro   | s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),<br>omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach<br>ethane, methyl bromide (see legal reference). Comment: Legal reference has no metation values. | , , ,           |             |      |                        |
| P1.4*           |   | do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychol (PCT) in preparations (see legal reference).   | lorinated       | $\boxtimes$ |      |                        |
| P1.5*           | Products  | do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car<br>ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).  | bon atoms in th | e 🔀         |      |                        |
| P1.6*           | Parts wit   | th direct and prolonged skin contact do not release nickel in concentrations above (<br>al reference).<br>nt: Max limit in legal reference when tested according to EN1811:2011-5.  | ),5μg/cm²/week  |             |      |                        |
| P1.7*           |   |   |                 |             |      |                        |
| P2              | Batterie  | s   |                 |             |      |                        |
| P2.1*           |   | duct contains a battery or an accumulator, the battery/accumulator is labeled with<br>Information on proper disposal is provided in user manual. (See legal reference)  | the disposal    |             |      | $\boxtimes$            |
| P2.2*           |   |   | ıl              |             |      |                        |
| P2.3*           | Batteries   | and accumulators are readily removable. (See legal reference)   |                 |             |      | X                      |
| P3              | Conforn   | nity verification& Eco design (ErP)   |                 |             |      |                        |
| P3.1*           | The Dec   | duct is CE-marked to show conformance with applicable legal requirements (see legal legal requirements):  w3.lenovo.com/us/en/social_responsibility/EU_DoC_monitors   | gal reference). |             |      |                        |
| P3.2*           | The prod  | duct complies with the Eco design requirements for energy-related products,   |                 |             |      |                        |
|                 | (see legal reference).  Required information is; ☐ given in item P15 or added to this document, ☐ available at (add URL): |   |                 |             |      |                        |
|                 | http://ww   | /w3.lenovo.com/us/en/social_responsibility/datasheets_monitors/   |                 |             |      |                        |
| P5              |   | packaging   |                 |             |      |                        |
| P5.1*           |   | ng and packaging components do not contain more than 0,01% lead, mercurent chromium by weight of these together.  | y, cadmium ar   | nd 🔀        |      |                        |
| P5.2*           |   | The packaging materials are marked with abbreviations and numbers indicating the nature of the material(sused (see legal reference).  |                 | s) 🔀        |      |                        |
| P5.3*           | Protocol  | The product packaging material is free from ozone depleting substances as specified in the Montrea<br>Protocol (see legal reference).   |                 | al 🔀        |      |                        |
| P6              |   | nt information  |                 |             |      |                        |
| P6.1*           | Informati   | on for recyclers/treatment facilities is available (see legal reference).   |                 | $\boxtimes$ |      |                        |

NOTE B1Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

| Model number * | Error! Reference source not found.61C4 | Logo | Lanava    |  |  |
|----------------|--|------|-----------|--|--|
| Issue date *   | 2018/05/31                             |      | LEI IOVO. |  |  |
| •              |  | •    | •         |  |  |

| Product | environmental attributes - Market requirements (See General NOTE GN below)   |                         |             |               |  |  |  |  |  |
|---------|--|-------------------------|-------------|---------------|--|--|--|--|--|
|         | Environmental conscious design Requirement met   |                         |             |               |  |  |  |  |  |
| Item    | *=mandatory to fill in. Additional information regarding each item may be found under P14.   | Yes                     | No          | n.a.          |  |  |  |  |  |
| P7      | Design Disassembly, recycling  |                         |             |               |  |  |  |  |  |
| P7.1*   | Parts that have to be treated separately are easily separable  |                         |             |               |  |  |  |  |  |
| P7.2*   | Plastic materials in covers/housing have no surface coating.   |                         | H           | $\overline{}$ |  |  |  |  |  |
| P7.3*   | Plastic parts > 100 g consist of one material or of easily separable materials.  | $\overline{\mathbb{X}}$ | $\dashv$    | $\vdash$      |  |  |  |  |  |
| P7.4*   | Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.  | $\overline{X}$          | +           | -             |  |  |  |  |  |
| P7.5    | Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.   |                         | +           |               |  |  |  |  |  |
| P7.6*   | Labels are easily separable. (This requirement does not apply to safety/regulatory labels).  |                         | +           |               |  |  |  |  |  |
| 1 7.0   | Product lifetime   |                         |             |               |  |  |  |  |  |
| P7.7*   | Upgrading can be done e.g. with processor, memory, cards or drives   |                         |             |               |  |  |  |  |  |
| P7.8*   | Upgrading can be done using commonly available tools   |                         | $\vdash$    | $\boxtimes$   |  |  |  |  |  |
| P7.9    | Spare parts are available after end of production for: 5 years   |                         |             |               |  |  |  |  |  |
| P7.10   | Service is available after end of production for: 5 years  |                         |             | -             |  |  |  |  |  |
| 1 7.10  | Material and substance requirements  |                         |             |               |  |  |  |  |  |
| P7.11*  | Product cover/housing material type(e.g. plastics, metal, aluminum):   |                         |             |               |  |  |  |  |  |
|         | Material type: ABS Material type: STEEL Material type:   |                         |             |               |  |  |  |  |  |
| P7.12   | Insulation materials of external electrical cables are PVC free.   |                         | $\boxtimes$ |               |  |  |  |  |  |
| P7.13   | Insulation materials of internal electrical cables are PVC free.   |                         | $\boxtimes$ |               |  |  |  |  |  |
| P7.14   | External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%  |                         | T           |               |  |  |  |  |  |
|         | weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and  |                         |             | _             |  |  |  |  |  |
|         | polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.   |                         |             |               |  |  |  |  |  |
| P7.15   | Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low   |                         | $\square$   |               |  |  |  |  |  |
|         | halogen as defined in IEC61249-2-21. (See NOTE B2)   |                         |             |               |  |  |  |  |  |
| P7.16   | Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:  |                         |             | $\boxtimes$   |  |  |  |  |  |
| D7 47   | Marking: no flame retardant  |                         |             |               |  |  |  |  |  |
| P7.17   | Alt. 1:Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):  TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: brominated epoxy resin, CAS #: | $\square$               |             |               |  |  |  |  |  |
|         | 68928-70-1   |                         | ш           | ш             |  |  |  |  |  |
|         | Alt. 2:Chemical specifications of flame retardants in printed circuit boards (without components)> 25 g  | $\boxtimes$             |             |               |  |  |  |  |  |
|         | according ISO 1043-4: FR16   |                         | Ш           | ш             |  |  |  |  |  |
| P7.18   | Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in   |                         |             |               |  |  |  |  |  |
|         | concentrations above 0,1%:   |                         |             | $\boxtimes$   |  |  |  |  |  |
|         | 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "  |                         |             |               |  |  |  |  |  |
|         | 3. Chemical name: , CAS #: "   |                         |             |               |  |  |  |  |  |
|         | Alt. 2:Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:   |                         |             | $\square$     |  |  |  |  |  |
| P7.19   | In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been   | -                       | +           |               |  |  |  |  |  |
|         | assigned the following Risk phrases; and Hazard statements:  | Ш                       | ш           |               |  |  |  |  |  |
|         | The source(s) for these classifications is/are found at (add URL(s)):  (See note B5)   |                         |             |               |  |  |  |  |  |
| P7.20*  | Postconsumer recycled plastic material content is used in the product (See Note B6):   |                         |             |               |  |  |  |  |  |
|         |  | <u> </u>                |             |               |  |  |  |  |  |
|         | If YES; at least one of the two alternatives below shall be answered;  |                         |             |               |  |  |  |  |  |
|         | <ul> <li>a) Of total plastic parts' weight &gt; 25 g, the postconsumer recycled plastic material content (calculated as a<br/>percentage of total plastic by weight) is 41%.</li> </ul>            |                         |             |               |  |  |  |  |  |
|         | Or   |                         |             |               |  |  |  |  |  |
|         | b) The weight of recycled material is 586.8g.  |                         |             |               |  |  |  |  |  |

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

| wodei nur  |   | 61C4<br>2018/05/31 Lenovo   |                                |   |  |  |             |          |                        |
|--|---|---|--------------------------------|---|--|--|-------------|----------|------------------------|
| Issue date   | *   | 2018/05/31  |                                |   |  |  | тм          |          |                        |
| Product environmental attributes – Market requirements (continued)  Requirement me   |   |   |                                |   |  |  | nt met      |          |                        |
| Item   | Yes No  |   |                                |   |  |  |             | No       | n.a.                   |
|  | Material and substance requirements (continued)   |   |                                |   |  |  |             |          |                        |
| P7.21*   |   |   |                                | d in the product (See N                 | IOTEB7):   |  |             |          |                        |
| If YES; at least one of the two alternatives below shall be answered;  a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %.  Or  b) The weight of the biobased plastic material is g. |   |   |                                |   |  |  |             |          |                        |
| P7.22*   | If mercur   | y is used   |                                | less than 0,1 mg/lampmps: 0 and maximum | o.<br>mercury content per la                           | mp: <b>0</b> mg  |             |          |                        |
| P8   | Batteries   |   |                                |   |  |  |             |          |                        |
| P8.1*  | Battery c   | hemical c   | omposition:                    |   |  |  |             |          | $\boxtimes$            |
| P9   |   |   | tion (See NOTEB8)              |   |  |  |             |          |                        |
| P9.1   |   | roduct the  |                                | ls or energy consumpt                   |  |  |             |          |                        |
| Energy mo  | ide *   |   | Power level at<br>100 V AC     | Power level at<br>115V AC               | Power level at<br>230 V AC                             | Reference/Standa<br>modes and test m                   | nethod *    | nergy    |                        |
| ENERGY S<br>Mode*(Sys  |   | ı   | 13.50W @ 50Hz<br>13.53W @ 60Hz | 13.55W                                  | 13.69W   | ENERGY STAR®<br>Requirements for<br>Monitors: Ver. 7.0 | Computer    |          |                        |
|  |   | 0.20W@ 50Hz<br>0.20W @ 60Hz   | 0.20W                          | 0.24W                                   | ENERGY STAR®<br>Requirements for<br>Monitors: Ver. 7.0 | Computer   |             |          |                        |
| ENERGY S<br>Apparent C   |   | STAR® Off / 0.10W @ 50Hz 0.10W @ 60Hz 0.10W 0.15W ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0 |                                |   |  |  |             |          |                        |
| PTEC *<br>Typical En   | ergy Cons   | umption   | 42.50W @ 50Hz<br>42.53W @ 60Hz | 42.44W                                  | 42.8W  | $E_{TEC} = 8.76 \times (P_{c} \times 0.65)$            | on x 0.35 + | Psleep   |                        |
| ETEC * Annual Ene  | ergy Consi  | umption   | 42.53KWh/year                  | 42.44KWh/year                           | 42.8KWh/year   |  |             |          |                        |
| External Po  | ower Supp   | ly Efficien   | cy Level (Internationa         | I Efficiency Marking Pr                 | otocol) * :  |  |             |          | $\boxtimes$            |
| Display resolution*: 2.3 megapixels  ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0   |   |   |                                |   |  |  |             |          |                        |
| Default tim  | Default time to enter energy save mode: 60 seconds  ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0                       |   |                                |   |  |  |             |          |                        |
| P9.2*  |   |   |                                | ion is provided with the                |  |  |             |          |                        |
| P9.3*  | P9.3* The product meets the energy requirements of the following voluntary program/s:  ENERGY STAR® version: 7.1 Product category: Display. |   |                                |   |  |  |             |          |                        |
| P10  |   |   |                                |   |  |  |             |          |                        |
|  |   |   | Declared according to          | o ISO 9296 (See NOTI                    | E B9)  |  |             |          |                        |
| P10.1  | Mode  |   | Node description               |   | Statistical upper lim                                  | nit A-weighted sound                                   | power leve  | I, LWA,c | (B)                    |
|  | Idle  | N   | I/A                            |   | N/A  |  |             |          | $\boxtimes$            |
|  | Operation   | n N   | I/A                            |   | N/A  |  |             |          | $\overline{\boxtimes}$ |
|  | Other mo  | ode N   | I/A                            |   | N/A  |  |             |          |                        |
|  | Other mo  |   | I/A                            |   | N/A  |  |             |          |                        |
|  | Measured according to: ISO 7779 ECMA-74   |   |                                |   |  |  |             |          |                        |

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8A Guidance document on Energy Efficiency is available; see<a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9A Guidance document on Acoustic Noise is available;

 $see \hspace{0.1cm} \underline{\text{http://www.ecma-international.org/publications/standards/Ecma-370.htm}$ 

| Model number * |   | 61C4                                     |  |              |                      |                 | Logo             | Long        | \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |             |
|----------------|---|--|--|--------------|----------------------|-----------------|------------------|-------------|--|-------------|
| Issue date *   |   | 2018/05/31                               |  |              |                      |                 | Lenovo           |             |  |             |
| Product        | Product environmental attributes – Market requirements (continued)  |  |  |              |                      | Require         | ment             | met         |  |             |
| Item           |   |  | -  | •            | •                    |                 |                  | Yes         | No                                     | n.a.        |
|                |   | nagnetic emission                        |  |              |                      |                 |                  |             |  |             |
| P10.4          |   |  | requirement for low find the start of the st |              |                      | lds of the foll | owing voluntary  |             |  |             |
| P12            |   | mics for computing                       |  |              |                      |                 |                  |             |  |             |
| P12.1*         | The disp  | lay meets the ergor                      | nomic requirements of  | f ISO 9241-  | -307 for visual disp | lay technolo    | gies.            | $\boxtimes$ |  |             |
| P12.2*         | The phys  | sical input device m                     | eets the requirements  | of ISO 99    | 95 and ISO 9241-4    | 10.             |                  |             |  | $\boxtimes$ |
| P13            |   | ng and documenta                         |  |              |                      |                 |                  |             |  |             |
| P13.1*         |   | packaging material<br>packaging material |  | weight (kg   |                      |                 |                  |             |  |             |
|                |   | packaging material                       |  | weight (k    | g): <b>0.245</b>     |                 |                  |             |  |             |
| P13.2*         | Product   | plastic primary pack                     | caging is free from PV   | C.           |                      |                 |                  | $\boxtimes$ |  |             |
| P13.3*         | consume   | er recovered fiber co                    |  |              | •                    | percentage      | of minimum po    | ost-        |  |             |
| P13.4*         |   | media for user and pronic, Paper, Other  | product documentation  | n (tick box) | :                    |                 |                  |             |  |             |
| P13.5          |   |  |  |              |                      |                 |                  |             |  |             |
| P14            | Volunta   | ry programs                              |  |              |                      |                 |                  |             |  |             |
| P14.1          |   |  | irements of the followi  | ing volunta  | ry program(s):       |                 |                  |             |  |             |
|                | ENERGY STAR® Criteria version: 7.1 Date: 3/19/2018 Product category: Display TCO Certified Displays Criteria version: 7.0 Date: 4/11/2018 Product category: Display TCO Certified Edge Displays Criteria version: 2.0 Date: 4/12/2018 Product category: Display CECP (China) Criteria version: / Date: 4/20/2018 Product category: Display Low Blue Light Criteria version: / Date: 3/30/2018 Product category: Display China CEC Criteria version: HJT2536-2014 Date: 5/31/2018 Product category: Display                  |  |  |              |                      |                 |                  |             |  |             |
| P15            |   | nal information (Se                      |  | 200 2011     | 24(0.070172010       |                 | atogoty: Diopiay |             |  |             |
| P9             |   |  | pecific configuration  | may vary,    | description of th    | e tested pro    | oduct configura  | ation:      |  |             |
|                | NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information. |  |  |              |                      |                 |                  |             |  |             |
| P9             | See Energy Star Qualified Monitors & Displays for the latest information: https://www.energystar.gov/products/office_equipment/displays   |  |  |              |                      |                 |                  |             |  |             |
|                | ·   |  |  | ·            |                      |                 |                  |             |  |             |

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

| Reference  | Declaration item       |
|--|------------------------|
| Directive 2011/65/EU (RoHS Directive)* *Specific exemptions apply for certain products and applications.   | P1.1                   |
| Regulation (EC) 1907/2006(REACH, Annex XVII  | P1.2, P1.4, P1.6, P1.7 |
| Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)  | P1.3, P5.3             |
| Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002   | P1.5                   |
| Directive 2013/56/EC (Battery and accumulators Directive)*  *These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.               | P2.1, P2.2, P2,3, P8.1 |
| Directive 2006/95/EC (Low Voltage Directive)   | P3.1                   |
| Directive 2004/108/EC (EMC Directive)  | P3.1                   |
| Directive 1999/5/EC (R&TTE Directive)  | P3.1                   |
| Regulation (EC)801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions | P3.1, P3.2             |
| Regulation (EC) No 1272/2008 (CLP Regulation)  | P7.19                  |
| Directive 2004/12/EC ( Packaging Directive)  | P5.1                   |
| Decision 97/129/EC (Secondary packaging legislation)   | P5.2                   |
| Directive 2012/19/EU (WEEE directive)  | P6.1                   |