

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2- Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs	Lenovo				
e-mail address	Alvin L Carter	LEIIOVO				
	alcarter@lenovo.com					
Internet site *	http://www3.lenovo.com/us/en/social_responsibility/environment					
Additional information						

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Display				
Commercial name *	ThinkVision T24V-10				
Model number *	61BC				
Issue date *	2017/09/27				
Intended market *	🔀 Global 🗌 Europe 🔤 Asia, Pacific &Japan 🔤 Americas 🔄 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	Error! Reference source not found.61BC Logo				
Issue da	te *	2017/09/27	Leno	JVC	Этн	
Produc	t environ	mental attributes - Legal requirements	Require	ment	t met	
Item			Yes	No	n.a.	
P1		ous substances and preparations				
P1.1*	Product	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	$\boxtimes$			
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	$\square$			
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated /l (PCT) in preparations (see legal reference).	$\boxtimes$			
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the Intaining at least 48% per mass of chlorine in the SCCP (see legal reference).	•			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5µg/cm <sup>2</sup> /week (see legal reference). (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.					
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):       Image: Contact in the image is a contact in the image					
P2	Batterie	S				
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Symbol. Information on proper disposal is provided in user manual. (See legal reference)				$\square$	
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal 🦳 📃 🔀 reference)					
P2.3*	Batteries and accumulators are readily removable. (See legal reference)					
P3	Conformity verification& Eco design (ErP)					
P3.1*	The Dec	duct is CE-marked to show conformance with applicable legal requirements (see legal reference). claration of Conformity can be requested at (add link or e-mail address): vw3.lenovo.com/us/en/social_responsibility/EU_DoC_monitors				
P3.2*	The pro	duct complies with the Eco design requirements for energy-related products, al reference).	$\boxtimes$			
		d information is; given in item P15 or added to this document, available at (add URL): ww3.lenovo.com/us/en/social_responsibility/datasheets_monitors/				
P5		t packaging				
P5.1*	Packagi	ng and packaging components do not contain more than 0,01% lead, mercury, cadmium and ent chromium by weight of these together.	d 🔀			
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature of the material(s ee legal reference).	;) 🔀			
P5.3*	Protoco	duct packaging material is free from ozone depleting substances as specified in the Montrea (see legal reference). nt: Legal reference has no maximum concentration values.	al 🔀			
P6	Treatme	nt information				

NOTE B1Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		Error! Reference source not found.61BC	Logo					
Issue date *		2017/09/27		Len	ovc	тн		
Product	Product environmental attributes - Market requirements (See General NOTE GN below)							
		conscious design	,	Require	ment i	net		
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.		
P7	Design	mbly, recycling						
P7.1*		at have to be treated separately are easily separable						
P7.2*		naterials in covers/housing have no surface coating.			Ħ	Ħ		
P7.3*		arts > 100 g consist of one material or of easily separable materials.			H	H		
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			H	H		
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.		H	Ħ		
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).			H	Ħ		
	Product							
P7.7*		ng can be done e.g. with processor, memory, cards or drives				$\square$		
P7.8*	Upgradir	ng can be done using commonly available tools						
P7.9	Spare pa	arts are available after end of production for: 5 years				Ē		
P7.10	Service i	s available after end of production for: 5 years						
	Material	and substance requirements						
P7.11*		cover/housing material type(e.g. plastics, metal, aluminum):						
		type: ABS Material type: STEEL Materia	al type:					
P7.12		n materials of external electrical cables are PVC free.						
P7.13		n materials of internal electrical cables are PVC free.			$\square$			
P7.14	weight (' polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) ng more than 25% post-consumer recycled content.	e retardants, a	nd				
P7.15	Printed	circuit boards, PCBs (without components) are low halogen: all PCBs >: as defined in IEC61249-2-21. (See NOTE B2)	25 g 🗌 are lo	ow 🗌	$\square$			
P7.16	Flame re Marking:	<pre>atarded plastic parts &gt; 25 g in covers / housings are marked according ISO 1043-4:</pre>						
P7.17		emical specifications of flame retardants in printed circuit boards > 25 g (without co			_	_		
	TBBF 68928-7	PA (additive),	e <mark>sin</mark> , CAS #:					
		emical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: <i>FR16</i>	ents)> 25 g	$\boxtimes$				
P7.18		ame retarded plastic parts > 25 g contain the following flame retardant substance	s/preparations	in				
		ations above 0,1%: ical name: , CAS #: (See NOTE B4)				X		
		ical name: , CAS #: "						
	3. Chem	ical name: , CAS #: "						
		emical specifications of flame retardants in plastic parts > 25 g according ISO 1043				$\square$		
P7.19	•	parts > 25 g, flame retardant substances/preparations above 0,1% are used which	n have been			$\boxtimes$		
	•	the following Risk phrases; and Hazard statements:						
<b>D7 00</b>			ee note B5)					
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):		$\boxtimes$				
	a) Of t pero	It least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conten centage of total plastic by weight) is <b>45.78%</b> .	t (calculated as	a				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Issue date *     2017/09/27       Product environmental attributes - Market requirements (continued)     Requi	ovc								
	remen	t met							
Item Yes	No	n.a.							
Material and substance requirements (continued)									
P7.21* Biobased plastic material content is used in the product (See NOTEB7):									
If YES; at least one of the two alternatives below shall be answered;									
a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage									
of total plastic by weight) is %. or									
b) The weight of the biobased plastic material is g.									
P7.22* Light sources are free from mercury, i.e. less than 0,1 mg/lamp.									
If mercury is used specify: Number of lamps: <b>0</b> and maximum mercury content per lamp: <b>0</b> mg									
P8 Batteries									
P8.1* Battery chemical composition:									
P9         Energy consumption (See NOTEB8)           P9.1         For the product the following power levels or energy consumptions are reported:									
Energy mode * Power level at Power level at Power level at Reference/Standard for e	nerav								
100 V AC 115V AC 230 V AC modes and test method *	nergy								
ENERGY STAR® On 12.70W @ 50Hz ENERGY STAR® Program									
Mode*(System Idle) 13.09W @ 60Hz 13.14W 13.68 W Requirements for Computer									
Monitors: Ver. 7.0           ENERGY STAR® Low Power         6.42W @ 50Up									
0.43W @ 50HZ 0.44W 0.46W Boguirements for Computer									
0.44W @ 60Hz 0.44 W 0.44 W 0.44 W Monitors: Ver. 7.0									
ENERGY STAR® Off / 0.26W @ 50Hz 0.25 W D 20 W ENERGY STAR® Program									
Apparent Off Mode* 0.26W @ 60Hz 0.25 W 0.29 W Requirements for Computer Monitors: Ver. 7.0									
PTEC *         41.39W @ 50Hz         42.79W         44.56W         E <sub>TEC</sub> = 8.76 x (P <sub>on</sub> x 0.35 + x 0.65)           Typical Energy Consumption         42.64W @ 60Hz         42.79W         44.56W         x 0.65)	<b>P</b> <sub>sleep</sub>								
ETEC * 54.12Wh/year 54.12Wh/year									
Annual Energy Consumption External Power Supply Efficiency Level (International Efficiency Marking Protocol) * :									
ENERGY STAR® Program									
Display resolution* : 2.1 megapixels Requirements for Computer									
Monitors: Ver. 7.0									
ENERGY STAR® Program									
Default time to enter energy save mode: 20 minutes Requirements for Computer Monitors: Ver. 7.0									
P9.2* Information about the energy save function is provided with the product.									
P9.3* The product meets the energy requirements of the following voluntary program/s:									
ENERGY STAR® version: 7.0 Product category: Display.									
P10 Emissions									
Noise emission – Declared according to ISO 9296 (See NOTE B9)	1.7	(D)							
P10.1         Mode         Mode description         Statistical upper limit A-weighted sound power level           Idle         N/A         N/A	el, L <sub>WA,c</sub>								
Other mode         N/A         N/A           Other mode         N/A         N/A									
Measured according to: SISO 7779 ECMA-74									
Other (only if not covered by ECMA-74)									

NOTE B8A Guidance document on Energy Efficiency is available; see<u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

Model number * Issue date *		61BC 2017/09/27				Logo				
							Lenc	<b>OVO</b>	тн	
Product	environ	mental attribute	es - Market requirer	nents (cor	ntinued)			Require	ment	met
Item								Yes	No	n.a.
		magnetic emissio								
P10.4	program	(s): <b>TCO7.0, TUV</b>	ne requirement for low GS, Energy Star7.0, I			ds of the foll	lowing volunta	ary 🔀		
P12		mics for computi								
P12.1*		,	onomic requirements c			,	gies.	$\square$		
P12.2*	The phy	sical input device	meets the requirement	ts of ISO 999	95 and ISO 9241-4	10.				$\boxtimes$
P13	Packag	ing and documer	ntation							
P13.1*	Product	packaging materia	al type(s): <i>Carton</i> al type(s): <i>Cushion</i> al type(s): <i>EPE Bag</i>	weight (ko weight (ko weight (ko	g): <b>0.386</b>					
P13.2*	Product	plastic primary pa	ckaging is free from P	VC.				$\boxtimes$		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-									
P13.4*	Specify media for user and product documentation (tick box):									
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:									
	Totally o	hlorine-free								
	•	ental chlorine-free						H		
		ssed chlorine-free						H		
P14	Volunta	ry programs								
P14.1			uirements of the follow	ving voluntar	y program(s):					
	Eco-labe Eco-labe	el: TCO edge	Criteria version: 7. Criteria version: 7. Criteria version: 2.	0	Date: 2017/7/31 Date: 2017/9/8 Date: 2017/9/8	Product	category: <i>Mo</i> category: <i>Dis</i> category: <i>Dis</i>	plays		
P15		nal information (	/							
P9			specific configuration							
	informat knowled	ion contained in the ge available at the density of the second seco	representations, guara is document. All inform a time of completion, ar ate and provided for in	nation provic nd supplier s	led by supplier in the supplier in the supplier in the supplication of the supplicit is the supplicit of the	nis documer ation to upda	nt is provided ate such infor	based on supp mation. The in	olier's format	ion
P9			Monitors & Displays fover the second							

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)* *Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive)* *These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC)801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1