

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs	Lenovo				
e-mail address	Alvin L Carter	LEI IOVO.				
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statements given in this declaration.						
Type of product *	Monitor					
Commercial name *	ThinkVision T24i-19					
Model number *	61D6					
Issue date *	2018/10/25					
Intended market *	🔀 Global 📃 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials P9.1 TEC and Print speed P10.2 - P10.3 Chemical emissions from printing products P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	61D6 Log	0	-		-		
Issue date *		2018/10/25	L	_enc	JVC)		
Produc	Product environmental attributes - Legal requirements				Requirement met			
ltem				Yes	No	n.a.		
P1		ous substances and preparations						
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE B1)		\boxtimes				
P1.2*	Commer	e do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\boxtimes				
P1.3*	hydrobro trichloro	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), profluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride ethane, methyl bromide (see legal reference). Comment: Legal reference has no maxim ration values.						
P1.4*	terpheny	do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorina (I (PCT) in preparations (see legal reference).		\boxtimes				
P1.5*	Products chain co	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon a ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).		\square				
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	/cm ² /week					
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail conta w.lenovo.com/social_responsibility/us/en/environment.html	ct):	\square				
P2	Batterie	S						
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)					\boxtimes		
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal 🦳 🗌				\boxtimes			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)				\mathbf{X}			
P3	Conformity verification & Eco design (ErP)							
P3.1*	The proo	luct is CE-marked to show conformance with applicable legal requirements (see legal re laration of Conformity can be requested at (add link or e-mail address): ww.lenovo.com/us/en/social_responsibility/EU_DoC_monitors/	ference).					
P3.2*		luct complies with the Eco design requirements for energy-related products, al reference).		\square				
	Required information is; Z given in item P15 or added to this document,							
DE	Duciday	available at (add URL):						
P5.1*		packaging	dmium and	N 7				
	hexavale	ng and packaging components do not contain more than 0,01% lead, mercury, ca ent chromium by weight of these together.						
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) 🛛 🗌 🛄 used (see legal reference).							
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.							
P6	Treatment information							
P6.1*		on for recyclers/treatment facilities is available (see legal reference).						

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number * Issue date *		61D6	Logo	Lon		4	
		2018/10/25		Len	Lenovo		
Product	t environ	mental attributes - Market requirements (See General NOTE GN	below)				
		onmental conscious design		Require		met	
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.	
P7	Design Disasse	mbly, recycling					
P7.1*	Parts tha	t have to be treated separately are easily separable		\boxtimes			
P7.2*	Plastic m	aterials in covers/housing have no surface coating.			\times		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.						
P7.4*	Plastic pa	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		\boxtimes			
P7.5	Plastic pa	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.				
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).			Π	Π	
	Product	lifetime					
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives		\square			
P7.8*	Upgradir	ig can be done using commonly available tools		\square			
P7.9	Spare pa	arts are available after end of production for: 5 years					
P7.10	Service i	s available after end of production for: 5 years					
	Material	and substance requirements					
P7.11*	Product	cover/housing material type (e.g. plastics, metal, aluminum):					
D7 40		type: ABS Material type: PC Materia	al type:				
P7.12		n materials of external electrical cables are PVC free.		<u> </u>		<u>Ц</u>	
P7.13		n materials of internal electrical cables are PVC free.					
P7.14	weight (´ polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in n 25% post-consumer recycled content.	e retardants, an	id 🔼			
P7.15		ircuit boards, PCBs (without components) are low halogen: all ⊠PCBs > 25 g ed in IEC 61249-2-21. (See 1NOTE B2)	are low haloge	n	\boxtimes		
P7.16	Flame re Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				\square	
P7.17	<u>Alt. 1: </u> Ch	nemical specifications of flame retardants in printed circuit boards > 25 g (without co TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS	• •	\square			
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g				
P7.18	concentr 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	es/preparations i	in			
		ical name: , CAS #: " nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4:			\boxtimes	
P7.19	•	parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; and Hazard statements:	have been				
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)						
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):		\boxtimes			
	a) Oft ape or	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is 53.01% .	t (calculated as				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	I number * 61D6		Lonovo		
Issue date *	2018/10/25		Lenovo		
Product environ	nental attributes - Market requirements (continued)		Requirement met		

Item

Requirement met

es N	o n	.a.
es N	o n	.a.

	Material and su	bstance requirements	(continued)					
P7.21*	Biobased plastic material content is used in the product (See NOTE B7):							
	If YES: at least of	one of the two alternativ	es below shall be answe	ered:				
		Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of						
	•	otal plastic by weight) is %.						
	or b) The weight	or b) The weight of the biobased plastic material is g.						
P7.22*		e free from mercury, i.e.						
		ed specify: Number of la		um mercury content pe	er lamp: mg			
P8	Batteries							
P8.1*	Battery chemical composition:							
P9		nption (See NOTE B8)						
P9.1 Energy m		the following power leve Power level at	Power level at	Power level at	Reference/Standard for energy			
		100 V AC	115 V AC	230 V AC	modes and test method *			
Peak (On	-max)	42.56W	42.64W	43.22W	Full load			
<u>Catego</u>	<u>ry</u>							
	e State - WOL	13.13W	13.29W	13.67W	U (Pidle)			
Enabled								
	e State - WOL	13.13W	13.29W	13.67W	Use for ENERGY STAR V7			
Enabled					registration (P _{idle})			
Sleep (S3	3) - WOL Enabled	0.22W	0.22W	0.28W	Use for ENERGY STAR V7 registration(P _{sleep})			
					• • • •			
Off (S5) -	WOL Enabled	0.09W	0.09W	0.15W	Use for ENERGY STAR V7 registration(Poff)			
EPS No-lo	oad	W	W	W				
(External powe wall outlet but d	r supply / charger plugged in t disconnected from the product.	he)						
PTEC *		12.59 W	12.76 W	13.13 W				
	nergy Consumptior							
ETEC *	aray Consumption	39.85 kWh/year	40.37kWh/year	41.85kWh/year				
	nergy Consumption) x (Poff x 0.6 + Psleep	x 0.1 + Pidle x 0.3)				
		ency Level (Internationa	al Efficiency Marking Pro					
	esolution * : 1920 *1	÷ ·						
		save mode: 30 minutes						
P9.2*		ut the energy save funct	•	product.				
P9.3		y class (monitors only):	EPA7.0					
P10	Emissions	Declared a set of the		D ()				
P10.1		Declared according t Mode description		B9) Statistical upper limit	it A-weighted sound power level, <i>L_{WA,c}</i> (B)			
F IU.I	Idle	* HDD: Idle		*	It A-weighted sound power level, $L_{WA,c}$ (B)			
	Operation	* HDD: Operating		*	A			
	Operation Declared A-weighted sound pressure level (dB) L_{pAm} (operator position desktop – idle)							
	Other mode		nd pressure level (dB) L_{pAm}		sition desktop – operating)			
			1		3 /			
	Measured accor	ding to: ISO 7779	ECMA-74 (only if not covered by	ECMA-74)				
	1		, , , , , , , , , , , , , , , , , , , ,	/				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}$

Model nu	ımber *	61D6			Logo	Lores		
Issue date *		2018/10/25				Lenovo		
Product	environ	nental attribut	es - Market requirements	(continued)		Require	ment	me
ltem						Yes	No	n.a
		magnetic emissi						
P10.4	Comput program		he requirement for low freque	ncy electromagnetic fields	s of the following volunta	ary		\square
P12		gonomics for computing products						
P12.1*	The disp	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.						
P12.2*	The phy	sical input device	meets the requirements of ISC	O 9995 and ISO 9241-41	0.			
P13	Packag	ing and docume	ntation					
P13.1*	Product	packaging mater	al type(s): <i>EPS(Cushion)</i> al type(s): <i>Paper(Carton)</i> al type(s): <i>HDPE/LDPE/EPE</i>	weight (kg): 0.38 weight (kg): 1.613 weight (kg): 0.306				
P13.2*			ackaging is free from PVC.	0 (0)		\boxtimes		
P13.3*		duct primary corr	ugated fiberboard packaging, content: 100 %	specify the contained p	percentage of minimum	post-		
P13.4*	Specify media for user and product documentation (tick box):							
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:							
	Totally c	hlorine-free						
	Element	al chlorine-free						
	Process	ed chlorine-free				H		
P14	Volunta	ry programs						
P14.1			quirements of the following vol	untary program(s):				
	ENERG Eco-labe Eco-labe		Criteria version: 7 Criteria version: Criteria version:	Date: 2018/10/17 Date: Date:	Product category: Mo Product category: Product category:	nitor		
P15	Additio	nal information (See NOTE B10)					
P9			specific configuration may					
	NOTE: S informat knowled	Supplier makes no ion contained in t ge available at th I here is approxin	o representations, guarantees, his document. All information p e time of completion, and supp nate and provided for informati	assurances or warrantie provided by supplier in thi plier shall have no obligat	s whether express or im s document is provided ion to update such infor	plied, regardin based on supp mation. The int	olier's formati	ion
P9	See Ene	ergy Star Qualified	d Notebooks & Tablet Compute //index.cfm?fuseaction=find_a					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1