

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com		<b>Lenovo</b> "		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Monitor				
Commercial name *	TIO22Gen3Touch				
Model number *	MT: 10R0				
Issue date *	2017/6/26				
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	MT: 10R0 Logo				
Issue date *		2017/6/20	Len	<b>OV</b>	Эт	
Produc	t environ	mental attributes - Legal requirements	Require	emen	t met	
Item			Yes	No	n.a.	
P1		ous substances and preparations				
P1.1*	Product	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	$\boxtimes$			
P1.2*	Comme	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	$\boxtimes$			
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1 ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.	-			
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated yl (PCT) in preparations (see legal reference).	$\square$			
P1.5*	Product	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in ontaining at least 48% per mass of chlorine in the SCCP (see legal reference).	n the  🔀			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm <sup>2</sup> /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.					
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):					
P2	Batterie	S				
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal					
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal					
P2.3*	Batteries and accumulators are readily removable. (See legal reference)					
P3	Confor	nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see legal reference claration of Conformity can be requested at (add link or e-mail address):	e). 🔀			
P3.2*	The pro	duct complies with the Eco design requirements for energy-related products, al reference).	$\boxtimes$			
	Required information is; given in item P15 or added to this document,					
P5	Droduce	available at (add URL):			_	
P5.1*		<b>t packaging</b> ng and packaging components do not contain more than 0,01% lead, mercury, cadmium	and 🔀			
	hexaval	ent chromium by weight of these together.				
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) 🛛 🗌 🛄 used (see legal reference).					
P5.3*	Protoco	The product packaging material is free from ozone depleting substances as specified in the Montreal X I Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.				
P6	Ireatmo	ent information				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		10R0	Logo						
Issue date *		2017/6/26		Len	ovc	Тм			
Product environmental attributes - Market requirements (See General NOTE GN below)									
Itom	Environmental conscious design     Requirement met								
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.a. Design								
• •		mbly, recycling							
P7.1*		t have to be treated separately are easily separable		$\square$					
P7.2*	Plastic m	naterials in covers/housing have no surface coating.			$\square$				
P7.3*	Plastic pa	arts > 100 g consist of one material or of easily separable materials.							
P7.4*	Plastic pa	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.							
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.						
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).			Ē	Ē			
	Product	lifetime							
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives		$\square$					
P7.8*	Upgradin	ng can be done using commonly available tools		$\square$					
P7.9	Spare pa	arts are available after end of production for: 5 years							
P7.10	Service i	s available after end of production for: 5 years							
	Material	and substance requirements							
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: <i>ABS</i> Material type: <i>POM</i> Materia	al type:						
P7.12	Insulatio	n materials of external electrical cables are PVC free.			$\boxtimes$				
P7.13	Insulatio	n materials of internal electrical cables are PVC free.							
P7.14	weight (´ polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) ng more than 25% post-consumer recycled content.	e retardants, and	1 <b>2</b>					
P7.15	Printed	circuit boards, PCBs (without components) are low halogen: all 🛛 PCBs > as defined in IEC 61249-2-21. (See 1NOTE B2)	25 g 🗌 are lov	v 🗌	$\square$				
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				$\boxtimes$			
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c PA (additive), TBBPA (reactive) (See NOTE B3), Other: <i>chemical name</i> , CA							
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g		$\boxtimes$				
P7.18	concentr 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	es/preparations ir						
	<u>Alt. 2: </u> Ch	nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4:						
P7.19	•	parts > 25 g, flame retardant substances/preparations above 0,1% are used which	have been	$\boxtimes$					
		I the following Risk phrases; and Hazard statements:	Soo noto BE)						
P7.20*		rce(s) for these classifications is/are found at (add URL(s)): , (S sumer recycled plastic material content is used in the product (See Note B6):	See note B5)	$\square$					
	lfYES;a a) Oft ape or	it least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content ercentage of total plastic by weight) is 55.1%. (EPEAT calculation) / 85% (TCO calculation) / 85%							

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model num	ber * MT:	10R0			Logo	Lon				
Issue date * 2017/6/26					Len		ти			
Product environmental attributes - Market requirements (continued)						Requi	remer	nt met		
Item	tem Yes No n.a									
	Material and substance requirements (continued)									
P7.21* I	7.21* Biobased plastic material content is used in the product (See NOTE B7):									
		t one of the two alternativ								
	<ul> <li>a) Of total plastic parts' weight &gt; 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is 0%.</li> <li>or</li> </ul>									
	b) The weight of the biobased plastic material is <i>0</i> g.									
	Light sources	are free from mercury, i.e	. less than 0,1 mg/lamp			$\boxtimes$				
	,	sed specify: Number of la	mps: and maxin	num mercury content pe	er lamp: mo	)				
	Batteries Battery chemic	al composition:						$\square$		
-		mption (See NOTE B8)								
		t the following power leve	els or energy consumpt	ions are reported:						
Energy mode		Power level at	Power level at	Power level at	Reference/Star	ndard for e	nergy			
		100 V AC	115 V AC	230 V AC	modes and test					
ENERGY ST (System Idle	FAR® On Mod :)	e* 15.1W	15.1W	15.7W	ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.0					
	TAR® Low Pov	ver 0.4W	0.4W	0.4W	ENERGY STAR® Program					
Sleep Mode	*				Monitors: Ver.	Requirements for Computer				
		0.25W	0.25W	0.33W	ENERGY STAF					
ENERGY ST Apparent Off					Requirements f					
					Monitors: Ver.	7.0				
			1	1	1			_		
PTEC *	av Concumpti	15.69W	16.04 W	16.13 W						
ETEC *	rgy Consumpti	48.9kWh/year	48.9 kWh/year	51.0kWh/year	E <sub>TEC</sub> = (8760/10	)))) x (P., x)	06+			
_	gy Consumpti		lore ittring your	o montrin y our	$P_{sleep} \times 0.1 + P_{i}$					
External Pov	ver Supply Eff	ciency Level (Internationa	al Efficiency Marking Pr	otocol) * : VI						
					ENERGY STAF	•				
Display reso	lution* : <b>1920</b>	*1080 megapixels			Requirements f	•				
					Monitors: Ver. 7					
Default time	to enter energ	y save mode: 15 seconds	3		Requirements f					
	Monitors: Ver. 7.0									
	P9.2* Information about the energy save function is provided with the product.									
P9.3*	P9.3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: <b>7.0</b> Product category: <b>Display</b> .									
P10	Emissions									
		n – Declared according t	to ISO 9296 (See NOT							
	Mode         Mode description         Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (Idle           Idle         * HDD: Idle         *			<u>, (В)</u>						
				*				_ <u>H</u> _		
	Operation	* HDD: Operating	nd procesure level (dP) t	(		(-)				
	Other mode		nd pressure level (dB) $L_{pA}$		osition desktop – id	· · · · ·				
	Other mode	Declared A-weighted sou	nd pressure level (dB) $L_{pA}$	m (operator po	osition desktop – op	perating)				
[	Measured acc	ording to: 🔀 ISO 7779	ECMA-74							
		Other	(only if not covered b	ECMA-74)						

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	mber *	MT: 10R0				Logo			
Issue date *		2017/6/26					Leno	<b>VO</b>	тн
Product	environm	ental attribut	es - Market requirer	ments (continued)			Require	ment	met
Item							Yes	No	n.a
		agnetic emissi							
P10.4	Computer program(s		the requirement for low	frequency electromagn	etic fields of the foll	owing volunt	ary		$\boxtimes$
P12		ics for comput							
P12.1*				of ISO 9241-307 for visu		gies.	$\square$		
P12.2*	The physi	cal input device	meets the requirement	s of ISO 9995 and ISO	9241-410.				$\boxtimes$
P13	Packagin	g and docume	ntation						
P13.1*	Product packaging material type(s): EPSweight (kg): 0.37Product packaging material type(s): PE Bagweight (kg): 0.05Product packaging material type(s): Paperweight (kg): 0.05Product packaging material type(s): Cartonweight (kg): 1.08								
P13.2*	Product p	lastic primary pa	ackaging is free from P	VC.			$\boxtimes$		
P13.3*		ct primary corr recovered fiber		kaging, specify the cor	ntained percentage	of minimun	n post-		
P13.4*	Specify media for user and product documentation (tick box):								
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:								
	Totally chlorine-free								
P14		/ programs							
P14.1	The produ	ict meets the re	quirements of the follow	ving voluntary program(	s):				
	ENERGY Eco-label: Eco-label:		Criteria version: Criteria version: Criteria version:	Date: Date: Date:	Product	category: category: category:			
P15			See NOTE B10)						
P9	NOTE: Su informatio knowledge	ipplier makes no n contained in t e available at th nere is approxim	o representations, guara his document. All inforn e time of completion, au	n may vary; descriptic antees, assurances or v nation provided by supp nd supplier shall have n formational purposes o	varranties whether lier in this documer o obligation to upda	express or in nt is provided ate such info	nplied, regardin I based on supp rmation. The int	olier's format	ion
P9	See Energ	gy Star Qualified	d Monitors & Displays fo ov/products/office_equi	or the latest information pment/displays	:				

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1