

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com		Lenovo			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information						

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Monitor					
Commercial name *	Tiny-In-One 24 Gen 3 Touch					
Model number *	MT: 10QX					
Issue date *	2017/6/26					
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 🗌 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	MT: 10QX	Logo				
Issue date *		2017/6/20		Lenovo			
Produc	t environ	mental attributes - Legal requirements	•	Require	ment	met	
Item				Yes	No	n.a.	
P1	Hazard	ous substances and preparations					
P1.1*	Product	s do comply with current European RoHS Directive. (See legal reference and NOTE	E B1)	\boxtimes			
P1.2*	Comme	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\boxtimes			
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no n ration values.					
P1.4*	terphen	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych yl (PCT) in preparations (see legal reference).		\square			
P1.5*	Product	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ontaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in	the 🔀			
P1.6*							
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): Image: Contact of the state						
P2	Batterie						
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposal			\square	
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal						
P2.3*	Batteries and accumulators are readily removable. (See legal reference)						
P3	Confor	nity verification & Eco design (ErP)					
P3.1*	The pro	duct is CE-marked to show conformance with applicable legal requirements (see leg claration of Conformity can be requested at (add link or e-mail address):	gal reference)). 🔀			
P3.2*		duct complies with the Eco design requirements for energy-related products.		\square			
	(see leg	al reference).					
	Require	d information is; given in item P15 or added to this document,		\boxtimes			
		available at (add URL):					
P5	Produc	t packaging					
P5.1*	Packagi	ng and packaging components do not contain more than 0,01% lead, mercur ent chromium by weight of these together.	y, cadmium	and 🔀			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).						
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal 🛛 🗌 🔤 Protocol (see legal reference).						
		nt: Legal reference has no maximum concentration values.					
P6		ent information					
P6.1*	Informat	ion for recyclers/treatment facilities is available (see legal reference).					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	ımber *	MT: 10QX	Logo					
Issue date *		2017/6/26		Len	ovc	Тм		
Product environmental attributes - Market requirements (See General NOTE GN below)								
lite are		onmental conscious design		Require				
Item	Design	tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.		
F /		mbly, recycling						
P7.1*		t have to be treated separately are easily separable						
P7.2*	Plastic m	naterials in covers/housing have no surface coating.						
P7.3*								
P7.4*	Plastic pa	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.						
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.			Π		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).						
	Product	lifetime						
P7.7*	Upgradin	ng can be done e.g. with processor, memory, cards or drives		\boxtimes				
P7.8*	Upgradir	ng can be done using commonly available tools		\boxtimes				
P7.9	Spare pa	arts are available after end of production for: 5 years						
P7.10	Service i	s available after end of production for: 5 years						
		and substance requirements						
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: ABS Material type: POM Materia	al type:					
P7.12	Insulatio	n materials of external electrical cables are PVC free.			\boxtimes			
P7.13	Insulatio	n materials of internal electrical cables are PVC free.						
P7.14	weight (´ polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) ng more than 25% post-consumer recycled content.	e retardants, an	d 🔼				
P7.15	Printed	circuit boards, PCBs (without components) are low halogen: all 🛛 PCBs >: as defined in IEC 61249-2-21. (See 1NOTE B2)	25 g 🗌 are lov	v 🗌	\square			
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				\boxtimes		
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co PA (additive), TBBPA (reactive) (See NOTE B3), Other: <i>chemical name</i> , CA		\boxtimes				
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g		\square			
P7.18	concentr 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	es/preparations i	n				
	<u>Alt. 2: </u> Ch	nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4:					
P7.19	•	parts > 25 g, flame retardant substances/preparations above 0,1% are used which	have been	\boxtimes				
	-	I the following Risk phrases; and Hazard statements:						
D7 20*		rce(s) for these classifications is/are found at (add URL(s)): , (S sumer recycled plastic material content is used in the product (See Note B6):	See note B5)					
P7.20*	lfYES;a a) Oft ape or	sumer recycled plastic material content is used in the product (See Note B6): it least one of the two alternatives below shall be answered; iotal plastic parts' weight > 25 g, the postconsumer recycled plastic material content ercentage of total plastic by weight) is 53.1%. (EPEAT calculation) / 85% (TCO calculation)						

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

		MT: 10Q				Logo	Len			
Issue date	Issue date * 2017/6/26					Len		тн		
Product environmental attributes - Market requirements (continued)							Requi	emer	nt met	
Item	Item Yes No n.a.									
	Material and substance requirements (continued)									
P7.21*	P7.21* Biobased plastic material content is used in the product (See NOTE B7):									
	If YES; at least one of the two alternatives below shall be answered;									
	a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is 0%.									
	or total plastic by weight) is 0 %.									
	b) The weight of the biobased plastic material is 0g.									
P7.22*				less than 0,1 mg/lamp						
P8	Batteries	is used	specify: Number of lar	nps: and maxim	um mercury content pe	er lamp: m	g			
P8.1*		emical c	omposition:							
P9			tion (See NOTE B8)							
P9.1				ls or energy consumpti	ons are reported:					
Energy mo			Power level at	Power level at	Power level at	Reference/Sta	ndard for e	nergy		
			100 V AC	115 V AC	230 V AC	modes and tes				
ENERGY S		Mode*	17.9W	17.9W	18.5W	ENERGY STA Requirements				
(System Id	ie)					Monitors: Ver.				
ENERGY S	STAR® Low	Power	0.3W	0.3W	0.4W	ENERGY STA	R® Program			
Sleep Mod	e*					Requirements				
			0.27W	0.28W	0.35W	Monitors: Ver.				
	STAR® Off	/	0.27 🗤	0.2000	0.5544	ENERGY STAR® Program Requirements for Computer				
Apparent C	off Mode*					Monitors: Ver.				
PTEC *			W	W	W					
Typical Ene	ergy Consu	mption								
ETEC *			48.72kWh/year	48.78 kWh/year	50.81 kWh/year	$E_{TEC} = (8760/1)$).6 +		
	ergy Consu		cy Level (Internationa	I Efficiency Marking Pr	otocol) * :	$P_{sleep} \times 0.1 + P$	idle X U.3)			
External r		, Emolen				ENERGY STA	R® Program			
Display res	olution* :	1920*108	0 megapixels			Requirements				
			0.1			Monitors: Ver.				
						ENERGY STA				
Default time	e to enter e	nergy sa	ve mode: 15 seconds			Requirements Monitors: Ver.				
P9.2*	Informatio	n about t	the energy save functi	on is provided with the	product.	Monitors. Ver.				
P9.3*	P9.3* The product meets the energy requirements of the following voluntary program/s:									
ENERGY STAR® version: 7.0 Product category: Display. P10 Emissions										
FIV			Declared according to	o ISO 9296 (See NOTE	E B9)					
P10.1	Mode Mode description Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B)						。(B)			
Idle *		HDD: Idle		*						
	Operation * HDD: Operating *									
	Other mod	de D	eclared A-weighted sour	d pressure level (dB) L_{pAr}	n (operator po	sition desktop – ic	lle)			
*					n (operator po	ntor position desktop – operating)				
	Measured		ng to: 🔀 ISO 7779 🗌	ECMA-74						
	Mousureu	accordi	Other	(only if not covered by	(ECMA-74)					

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	mber * MT: 1	0QX				Logo			
Issue dat	te * 2017/	2017/6/26				-	Lend	OVO	тм
Product	environmental	attributes	s - Market require	ments (continued	I)		Require	ment	met
Item							Yes	No	n.a.
	Electromagnet								
P10.4	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary								
P12	Ergonomics fo								
P12.1*	The display mee	ets the ergo	nomic requirements	of ISO 9241-307 for	visual display technolo	gies.	\square		
P12.2*	The physical inp	put device n	neets the requiremen	ts of ISO 9995 and I	SO 9241-410.				\boxtimes
P13	Packaging and	document	tation						
P13.1*	Product packag	ing materia ing materia	l type(s): PE Bag	weight (kg): 0.36 weight (kg): 0.05 weight (kg): 0.05 weight (kg): 1.17					
P13.2*	Product plastic	primary pac	kaging is free from P	VC.			\square		
P13.3*	For product pri consumer recov			kaging, specify the	contained percentage	of minimur	n post-		
P13.4*	Specify media for user and product documentation (tick box):								
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:								
	Totally chlorine- Elemental chlor Processed chlo	ine-free							
P14	Voluntary prog								
P14.1	The product me	ets the requ	uirements of the follow	ving voluntary progra	am(s):				
	ENERGY STAF Eco-label: Eco-label:		Criteria version: Criteria version: Criteria version:	Date: Date: Date:	Product	category: category: category:			
P15	Additional info								
P9	NOTE: Supplier information con knowledge avai	r makes no tained in thi lable at the	representations, guar s document. All inforr time of completion, a	antees, assurances nation provided by s nd supplier shall hav	otion of the tested pro- or warranties whether upplier in this document re no obligation to upd s only. See a Lenovo a	express or in t is provide ate such info	mplied, regardir d based on sup ormation. The in	plier's format	ion
P9	See Energy Sta		Monitors & Displays f /products/office_equi		ion:				

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1