



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	Manual Control of the Control
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo.
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html
Additional information	The latest version of this document can be found at: http://www.lenovo.com/ecodeclaration	

The company declares (	based on product specification or test results based obtained from sample testing), that the product
conforms to the statemen	nts given in this declaration.
Type of product *	Notebook
Commercial name *	Lenovo YOGA 720-12
Model number *	81B5
Issue date *	2017-8-24
Intended market *	Global Europe Asia, Pacific & Japan Americas Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	ımber *	81B5	Logo	Lon	21/6	4
Issue dat	te *	Error! Reference source not found.		Len		<b>)</b> ,,,
Product environ		mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	$\boxtimes$		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		$\boxtimes$		
P1.3*	hydrobro trichloro	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.				
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychol (PCT) in preparations (see legal reference).	lorinated	$\boxtimes$		
P1.5*	Products	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	on atoms in th	e 🔀		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/weel	k 🔀		
P1.7*		Article 33 information about substances in articles is available at (add URL or mail ow.lenovo.com/social_responsibility/us/en/environment.html	contact):	$\boxtimes$		
P2	Batterie	s				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal	$\boxtimes$		
P2.2*	Batteries referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	ium. (See lega	ıl 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		$\boxtimes$		
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The Dec	duct is CE-marked to show conformance with applicable legal requirements (see legal laration of Conformity can be requested at (add link or e-mail address):	gal reference).			
P3.2*		ww.lenovo.com/social_responsibility/us/en/ec_doc_notebooks/ duct complies with the Eco design requirements for energy-related products,				
1 3.2		al reference).			Ш	
	, ,	d information is; given in item P15 or added to this document, available at (add URL):				
	httn://w	ww.lenovo.com/social responsibility/us/en/datasheets notebooks/				
P5		packaging				
P5.1*	Packagii	ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.	/, cadmium ar	nd 🔀		
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature of legal reference).	of the material(	s) 🔀		
P5.3*	The prod	duct packaging material is free from ozone depleting substances as specified in the N al reference).	Iontreal Protoc	ol 🔀		
De		nt: Legal reference has no maximum concentration values.				
P6.1*		nt information on for recyclers/treatment facilities is available (see legal reference).				_
ru. I	mormati	on for recyclers/ifeatifient facilities is available (see legal reference).		$\boxtimes$		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	81B5	Logo	Lanava
Issue date *	2017-8-24		LEI IOVO.

Product	environmental attributes - Market requirements (See General NOTE GN below)			
		Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	$\boxtimes$		
P7.2*	Plastic materials in covers/housing have no surface coating.		$\boxtimes$	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	$\boxtimes$		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\boxtimes$		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$		
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: >PC+ABS< Material type: Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		$\boxtimes$	
P7.13	Insulation materials of internal electrical cables are PVC free.		$\boxtimes$	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%	$\boxtimes$		
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing			
	more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen		$\square$	
	as defined in IEC 61249-2-21. (See 1NOTE B2)	ш		ш
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:	$\square$		
	Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	☐TBBPA (additive), ☐TBBPA (reactive) (See NOTE B3), ☐Other: Brominated epoxy resin, CAS #: 26265—08—7			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
1 7.10	concentrations above 0,1%:			
	1. Chemical name: BDP, CAS #: 181028-79-5 (See NOTE B4)			ш
	2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "	_		
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
			_	_
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been		$\boxtimes$	
	assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): European Council Directive			
	67/548/EEC , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):			$\boxtimes$
	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is <b>0%</b> .			
	or			
	b) The weight of recycled material is g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	81B5	Logo	Lonovo
Issue date *	2017-8-24		Lei IOVO.

Product environmental attributes - Market requirements (continued)	Requi	remer	nt met
Item	Yes	No	n.a.

		stance requirements				
P7.21*	Biobased plastic	material content is used	d in the product (See N	OTE B7):		
	If YES; at least or	ne of the two alternative	es below shall be answe	ered;		
			the biobased plastic m	aterial content (calcula	ated as a percentage of	
	total plastic	by weight) is %.				
	or	of the biobased plantic	matarial ia a			
P7.22*		of the biobased plastic	material is g. less than 0,1 mg/lamp.			$\overline{}$
F1.22		l specify: Number of lar		um mercury content pe	er lamp: mg	
P8	Batteries	e opeony. I tallibor of lar	mpo. una maxim	an moreary content po	or ramp.	
P8.1*	Battery chemical	composition: LI-ION	I			П
P9	Energy consumi	ption (See NOTE B8)				
P9.1			ls or energy consumption	ons are reported:		
Energy mo		Power level at	Power level at	Power level at	Reference/Standard for energy	
		100 V AC	115 V AC	230 V AC	modes and test method *	
Peak (On-	max)	<b>45</b> W	<b>45</b> W	<b>45</b> W	Full load	
Categor	<u>y</u>					
Short Idlo	State - WOL	6.56W	6.41W	6.54W	Use for ENERGY STAR V6	
Enabled	State - WOL	0.30VV	0.4700	0.34	registration (P <sub>idle</sub> )	
					. ,	
	State - WOL	<b>4.56</b> W	<b>4.57</b> W	<b>4.76</b> W	Use for ENERGY STAR V6	
Enabled					registration (P <sub>idle</sub> )	
Cloop (C2)	- WOL Disabled	0.59W	0.57 W	0.64 W	Reference	
Off (S5) - V	WOL Disabled	<b>0.19</b> W	<b>0.19</b> W	<b>0.23</b> W	Use for ErP	
EPS No-loa		0.066 W	0.069 W	<b>0.107</b> W		
(External powers	supply / charger plugged in the connected from the product.)					
PTEC *		W	W	W		
	ergy Consumption					
ETEC *		18.7 kWh/year	<b>18.8</b> kWh/year	<b>18.9</b> kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$	
Annual Ene	ergy Consumption				+ P <sub>sleep</sub> x 0.35 + P <sub>long_ldle</sub> x 0.10+	
		P: Off Mode(\$5) - W	Ol Fnahled: Pages Sleen	Mode(\$3) - WOL Fnahl	P <sub>short_Idle</sub> x 0.30) ed; P <sub>idle</sub> : Idle State - WOL Enabled	
External Po	ower Supply Efficie		I Efficiency Marking Pro		r laie. Idic State - WSE Enabled	
	solution * : 1920*10		Emolority Marking 1 10			╬
						+
P9.2*		ave mode: 30 minutes	ion is provided with the	product		#
P9.3			ion is provided with the	product.		
		class (monitors only):				
P10	Emissions Noise emission	Doclared according t	o ISO 9296 (See NOTE	: P0\		
P10.1		Mode description	0 130 9290 (366 1101 5		it A-weighted sound power level, $L_{WA,c}$	(B)
1 10.1		* Fan:Idle		* 19.0	it A-weighted sound power level, LWA,c	
		* Fan: Operating		* 32.1		+
			ad pressure level (dB) $L_{p{\sf An}}$		ition desktop – idle)	
	Other mode	Declared A-weighted sour	ad pressure level (dB) $L_{p{\sf An}}$	29 2 (operator posi	ition desktop – operating)	
				n   20.2 (operator posi	aon acomop – operanisy	
	Measured accord	ing to: X ISO 7779	ECMA-74			
		Other	(only if not covered by	ECMA-74)		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model nur	nber *	81B5					Logo	Leno	1/0	
Issue date	*	2017-8-24						Leilo	VU.	174
Product	environn	nental attribute	s - Market require	ments	(continued)			Require	ment	met
Item					•			Yes	No	n.a.
		nagnetic emissio								
P10.4	Compute program		e requirement for low	frequen	cy electromagnetic	fields of the follo	wing voluntary			
P12	Ergonor	nics for computir	ng products							
P12.1*	The disp	lay meets the ergo	pnomic requirements	of ISO 9	241-307 for visual	display technolog	es.	$\boxtimes$		
P12.2*	The phys	sical input device r	neets the requiremen	ts of ISC	9995 and ISO 924	41-410.				
P13		ng and documen								
P13.1*	Product	packaging materia packaging materia packaging materia		weigh	nt (kg): <b>0.49</b> nt (kg): <b>0.013</b> nt (kg):					
P13.2*	Product	plastic primary pac	kaging is free from P	VC.				$\boxtimes$		
P13.3*		duct primary corruer recovered fiber of	gated fiberboard pac content: 100 %	kaging,	specify the contai	ned percentage	of minimum po	st-		
P13.4*			product documentati Other	on (tick	box):					
P13.5	Ùser and		item if paper docume ntation on paper medi							
	•	hlorine-free al chlorine-free						$\boxtimes$		
	Processe	ed chlorine-free						Π		
P14	Voluntai	ry programs								
P14.1	The proc	duct meets the req	uirements of the follo	wing volu	untary program(s):					
	ENERGY Eco-labe Eco-labe		Criteria version: Criteria version: Criteria version:	6.1	Date: Date: Date:	Product ca Product ca Product ca	ategory:			
P15		nal information (S								
P9			pecific configuration							
	informati knowledg provided informati	ion contained in thi ge available at the l here is approximation.	representations, gual is document. All infor- time of completion, a ate and provided for in	mation p and supp aformation	rovided by supplier lier shall have no o onal purposes only.	r in this document bligation to updat See a Lenovo Ad	is provided base such informat	sed on supp tion. The inf	olier's ormati	ion
P9			Notebooks & Tablet ( index.cfm?fuseaction				ode=CO			
1										

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# **Lenovo ErP Lot3 Information Sheet** - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo YOGA 720-12IKB	Logo
Model Number	81B5	Longvo
Issue Date	2017-8-24	Lenovo
Additional information		

(d)	Year of manufacture:				2017
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
f)	Etec value (kWh) per ErP Lot 3 Categor enable	y and capability adjust	ments applied when <b>a</b>	II discrete graphics o	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	12			
ents	Additional internal storage	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
ability a lied du	Discrete Audio Card	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
cap	Discrete graphics Card(s) [number / #]	NO #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)				
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	18.96			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
g)	Idle state power demand (Watts);	1	<u> </u>	1	6.54
h)	Sleep mode power demand (Watts);				0.64
i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		
j)	Off mode power demand (Watts);				0.23
k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		
1)	Internal power supply efficiency at 10 %,	, 20 %, 50 % and 100 9	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	ige		
m)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: 45W:87.73%	65W:88%			
o)	*internal note: show values for all available external p Minimum number of loading cycles that t		tand (applies only to n	otebook computers):	
			(- FF )		800 cycles
(p-1)	Measurement methodology used to dete	ermine information men	tioned in points (I) – ir	nternal PSU efficiency:	

(p-2) Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:  ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies  Eligibility Criteria (Version 2.0)				
(p-3) Measurement method	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries:  ≥70% of Cmin			
(p-4) Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:  IEC 62623				
(q) Sequence of steps for	Sequence of steps for achieving a stable condition with respect to power demand::  **Power on -> Wait 5 minutes -> Stable condition**			
(r) Description of how sleep and/or off mode was selected or programmed:  **Begin menu -> Power -> Select sleep or off mode**				
(s) Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:  NA				
	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):			
(u) Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):			NA	
(v) Length of time befo	Length of time before the display sleep mode is set to activate after user inactivity (in minutes): 10min			
(w) Information on the energy-saving potential of power management functionality:  **Refer to User Guide**				
(x) User information on how to enable the power management functionality:  **Refer to User Guide**				
(z) Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:				
230V50HZ-2%-Edition 2.0, 2011-01, Section 4, IEC62301				
Additional Notebook Batte		<u>,                                      </u>		
	Battery[ies] <u>not</u> user replaceable  The battery[ies] in this product cannot be easily	Battery[ies] user replaceable	n/a	
	replaced by users themselves. 1)			
Internal/built-in Battery				
External/detachable Battery				
Bios Backup Battery				
Other:				
Additional information				
1)				

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tigi/jigu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.

The battery[ies] in this product cannot be easily replaced by users themselves.