

## Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lenovo				
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information	The latest version of this document can be found at				
	http://www.lenovo.com/social_responsibility/us/en/datasheets_/	notebooks.html			

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.								
Type of product *	Notebook PC							
Commercial name *	Lenovo Yoga 3 14							
Model number *	80JH; 80KQ; 80M9; 80MA							
Issue date *	2015-01-13							
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other							
Additional information								

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Quality Control R				
Item		Yes	No		
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$			
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀			

Model number *	80JH; 80KQ; 80M9; 80MA		
Issue date *	2015-01-13	Logo	lenovo

Product	environmental attributes - Legal requirements	Require	ment	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	$\boxtimes$		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-	$\boxtimes$		
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	$\boxtimes$		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	$\boxtimes$		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			$\boxtimes$
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			$\square$
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).			$\square$
	Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm <sup>2</sup> /week (see legal reference).	$\square$		
	Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html	$\square$		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is			
P2.2*	provided in user manual. (See legal reference) Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or			$\boxtimes$
	accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical	$\square$		
<b>D</b> 2	or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).			$\square$
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\square$		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			$\square$
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			$\mathbb{X}$
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\boxtimes$		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model nu		80JH; 80KQ; 80M9; 80MA				
lssue da	te *	2015-01-13 L	ogo	leno	<b>vo</b> .	
Product	tenviron	mental attributes - Market requirements - Environmental conscious des	ian E	Require	mont	mot
Item		itory to fill in. Additional information regarding each item may be found under P14.	ngn r	Yes	No	n.a.
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		$\boxtimes$		
P7	Design					
P7.1*		mbly, recycling				
		t have to be treated separately are easily separable				<u> </u>
P7.2*		naterials in covers/housing have no surface coating.				<u> </u>
P7.3*	•	arts >100g consist of one material or of easily separable materials.			<u> </u>	⊢⊢
P7.4*		arts >25g have material codes according to ISO 11469 referring ISO 1043.			<u>Ц</u>	<u> </u>
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly ava	ilable tools.		<u> </u>	<u> </u>
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).		$\boxtimes$		
<u> </u>	Product					
P7.7*		g can be done e.g. with processor, memory, cards or drives			<u> </u>	<u> </u>
P7.8*		g can be done using commonly available tools				<u> </u>
P7.9.		irts are available after end of production for: 5 years		-		
P7.10		s available after end of production for: 5 years				
		and substance requirements				
P7.11*		cover/housing material type: type: >PA+GF50-FR(40)< Material type: >PC+ABS-TD15-FR(40)< Material type:	/pe: >PC+G45	0_EP(40	-	
P7.12		I cable insulation materials of power cables are PVC free.	/pe. <b>// 0104</b> 0			
P7.13		I cable insulation materials of signal cables are PVC free		<u> </u>		⊢⊢
P7.14		/housing plastic parts >25g are free from chlorine and bromine.				╞
P7.15		d circuit boards (without components) >25g are halogen free. as defined in IEC612	10-2-21 (See			⊢⊢
F7.15	Note B2		49-2-21. (366			
P7.16	/	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:				
P7.17	Alt. 1 Chemica	I specifications of flame retardants in printed circuit boards >25g (without components additive) , TBBPA (reactive) , other; chemical name: <b>Brominated Epoxy Res</b>				
		I specifications of flame retardants in printed circuit boards (without components) >25 3-4: <i>FR(16)</i>	g according			
P7.18		etarded plastic parts >25g contain the following flame retardant substances/plations above 0.1%:	reparations in			
	1. Chem 2. Chem 3. Chem	ent: No legal limits exist, this is a market requirement. ical name: <i>YGN5001RFL</i> , CAS #: <i>confidential</i> ical name: <i>HTNFR55G50NHLW</i> , CAS #: <i>confidential</i> ical name: <i>GN2403FT</i> , CAS #: <i>confidential</i>				
	FR(40)	I specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19	R40, R40	arts >25g are free from flame retardant substances/ preparations above 0.1% classifie 5, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	ed as R45,	$\bowtie$		
P7.20		plastic parts' weight >25g, recycled material content is 0%.				
P7.21 P7.22		astic parts' weight >25g, biobased material content is 0%. arcs are free from mercury		$\boxtimes$		
		y is used specify: Number of lamps: and max. mercury content per lamp:	mg			
P8	Batterie					
P8.1*		hemical composition: LI-ION				
P8.2	Batteries JBRC	meet the requirements of the following voluntary program/s: US Call2Recycle, and a	dd EPBA,			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	80JH;	80KQ; 80	M9; 80MA			
	2015-01-13				Logo lenovo	
Product environm	ental attri	butes - Market I	requirements (d	continued)	Requirement	met
Item				, , , , , , , , , , , , , , , , , , , ,	Yes No	n.a.
	onsumptio					
	oduct the fo	ollowing power leve				
Energy mode *		Power level at <b>100</b> V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *	
Peak (On-max)		<b>40</b> W	40W	<b>40</b> W	Full load	
Category 0						
Short Idle State - WC	OL Enabled	W	W	W	Use for ENERGY STAR V6 registration (P <sub>idle</sub> )	
Long Idle State - WO	L Enabled	W	W	W	Use for ENERGY STAR V6 registration (P <sub>idle</sub> )	
Sleep (S3) - WOL En	abled	W	W	W	Use for ENERGY STAR V6 registration(P <sub>sleep</sub> )	
Sleep (S3) - WOL Dis	sabled	W	W	W	Reference	
Off (S5) - WOL Enab	led	W	W	W	Use for ENERGY STAR V6 registration(Poff)	
Off (S5) - WOL Disab	oled	W	W	W	Use for EuP	
Category I1						
Short Idle State - WC	OL Enabled	7.07 W	7.21 W	<mark>8.19</mark> W	Use for ENERGY STAR V6 registration(P <sub>idle</sub> )	
Long Idle State - WO	L Enabled	2.98W	3.08 W	3.1W	Use for ENERGY STAR V6 registration(P <sub>idle</sub> )	Ē
Sleep (S3) - WOL En	abled	0.54 W	0.61 W	0.57 W	Use for ENERGY STAR V6 registration (P <sub>sleep</sub> )	
Sleep (S3) - WOL Dis	sabled	0.58 W	0.55 W	0.55 W	Reference	
Off (S5) - WOL Enab		0.35 W	0.30 W	0.33 W	Use for ENERGY STAR V6 registration(Poff)	H
Off (S5) - WOL Disab		0.29 W	0.30 W	0.31 W	Use for EuP	
EPS No-load		0.065 W	0.077 W	0.0887 W		H
(External power suppl plugged in the wall ou disconnected from the	tlet but					
PTEC * Typical Energy Consu	Imption	W	W	W		
TEC * Typical Energy Consu	Imption	kWh/week	kWh/week	kWh/week		
ETEC * Annual Energy Consu	mption	27.0 kWh/year	27.58 kWh/year	28.52 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35 + P_{long_{ldle}} \times 0.10 + P_{short_{ldle}} \times 0.30)$	
		Poff: Off Mode(St	5) - WOL Enabled; I	P <sub>sleep</sub> : Sleep Mode	(S3) - WOL Enabled; P <sub>idle</sub> : Idle State - WOL Enabled	
Display resolution* :	1920*1080	Megapixels				
Print Speed * :	Im	ages per minute				$\square$
Default time to enter e	energy save	mode: 10 minutes	;			
P9.2* Informatio	n about the	energy save funct	tion is provided wit	th the product.		
ENERGY	STAR® ve	e energy requirem rsion: 6.1 dated Se			gram/s: uct category: 11	
Others sp P10 Emission	,					
		eclared according t	to ISO 9296			
P10.1 Mode	Мо	de description		Declared	Declared A-weighted	
				A-weighted sound powe	er $E_{pAm}$ (dB)	
				level $L_{WAd}$	(B) Operator position Bystander positions	
					Desktop (only if product is not or Desk side (only if product is not operator attended)	
Idle	*	HDD:Idle		* 2.4	18.3	
Operation	*	HDD: Operating		* 3.2	25.6	
Other mod		A		N/A	23.0	╎└┘
	according		ECMA-74			1
	Ū	Other	(only if not co		74 with L <sub>pAm</sub> measurement distance m)	L
P10.2 The produ	ict meets th	e acoustic noise re	equirements of the	following volunt	ary program/s:	$\square$

Model nu	mber *	80JH; 80KQ; 80M9; 80MA				
Issue dat	e *	2015-01-13	Logo	leno	VO	
Product	environr	nental attributes - Market requirements (continued)		Require	ment	met
Item				Yes	No	n.a.
	Chemic	al emissions from printing products				
P10.3*	Test per				$\boxtimes$	
P10.4	Typical e					
		Dust Ozone Styrene Benzene TVOC				
P10.5	Chemica	al emission requirements of the following voluntary program/s are met for				$\square$
	[	Dust Ozone Styrene Benzene	TVOC			
	Electror	nagnetic emissions				
P10.6	Compute	er display meets the requirement for low frequency electromagnetic fields of the foll	owing voluntary	$\boxtimes$		
	program					
P11		able materials for printing products				
P11.1*	,	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ	,			$\square$
P11.2*	Paper c EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets th 1.	e requirements	of 🗌		$\boxtimes$
P11.3*	2-sided	(duplex) printing/copying is an integrated product function.				$\boxtimes$
P12	Ergono	nics for computing products				
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technolo	gies.		$\times$	
P12.2*	The phy	sical input device meets the requirements of ISO 9995 and ISO 9241-410.			$\boxtimes$	
P13	Packagi	ng and documentation				
P13.1*		packaging material type(s): CARTON weight (kg): 0.396				
		packaging material type(s): CUSHION weight (kg): 0.058				
		packaging material type(s): Gift BOX weight (kg): 0.072				
P13.2*		plastic packaging is free from PVC.		$\square$		
P13.3*		media for user and product documentation (tick box):				
		ic 🔀, Paper 🔀, Other 📃				
P13.4*	fiber: 1		nsumer recycled			
P14		nal information (See Note B4)				
	informati knowled	Supplier makes no representations, guarantees, assurances or warranties whether on contained in this document. All information provided by supplier in this documer ge available at the time of completion, and supplier shall have no obligation to update here is approximate and provided for informational purposes only. See a Lenovo A on	it is provided base ite such information	ed on supp on. The inf	olier's formati	ion
P9	See Ene	ergy Star Qualified Notebooks & Tablet Computers for the latest information: ww.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup	%pgw_code=CC	)		

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

## Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

## Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo Yoga 3 14	Logo
Model Number	80JH; 80KQ; 80M9; 80MA	_
Issue Date	2015-01-13	lenovo
Additional information		

P7.1.1	Product environmental attributes	
(d)	year of manufacture:	2014
(e)	<b>E TEC value</b> (kWh) per ErP Lot 3 Category and capability adjustments applied when <b>all discrete graphics ca disabled</b> and if the system is tested with switchable graphics mode with UMA driving the display:	rds (dGfx) are
	Category (according to ErP Lot 3): A Etec: 17.51	
(f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics car enabled:	rds (dGfx) are
	Category (according to ErP Lot 3): B Etec: 17.12	
(g)	idle state power demand (Watts);	5.43
(h)	sleep mode power demand (Watts);	0.71
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);	0.73
(j)	off mode power demand (Watts);	0.42
(k)	off mode with WOL enabled power demand (Watts) (where enabled);	0.43
(I)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):	
	10% 20% 50% 100% Average	
(m)	external power supply efficiency (if applicable): Average*: 40W:89.26%,87.59%,88.37%,65W:89.07%,89.74%,88.91%	
	*internal note: show values for all available external power supplies	
(0)	the minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):	300CYCLES
(p-1)	the measurement methodology used to determine information mentioned in points (I) - internal PSU efficiency:	
	NA	
(p-2)	the measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:	
	Energy-star requirement	
(p-3)	the measurement methodology used to determine information mentioned in points (o) - loadingcycles batteries:	
	IEC 61960 measurement methodology	

(p-4)				o determine information mentioned in maximum, idle, sleep, off mode Product IT Eco Declaration:					
				Energy-star requirement					
(q)	sequence of steps for achieving a stable condition with respect to power demand:: Based on user manual								
(r)	description	of how sleep and/o	r off mo	de was selected or programmed:					
				Based on user manual					
(S)	sequence off mode:	of events required to	reach t	the mode where the equipment automatically changes to sleep and/or					
				Based on user manual					
(t)				pefore the computer automatically reaches sleep mode, or another pplicable power demand requirements for sleep mode (in minutes):	25				
(u)				ser inactivity in which the computer automatically reaches a demand requirement than sleep mode (in minutes):	NA				
(V)	the length	of time before the	display	sleep mode is set to activate after user inactivity (in minutes):	10				
(w)	informatior	on the energy-savi	ng potei	ntial of power management functionality:					
				Based on user manual					
(x)	user inform	nation on how to ena	ble the	power management functionality:					
				Based on user manual					
(z)		supply system, — in		test voltage in V and frequency in Hz, — total harmonic distortion of the n and documentation on the instrumentation, set-up and circuits used					
			230V/	50Hz, Total Harmonic Distortion <2 %					
Addition	Notebook B	attery Information:							
Yes (Battery replaceal	not user	No (Battery user replaceable)	n/a	This notebook computer is operated by battery/ies that cannot be access by a non-professional user. The battery[ies] in this product cannot be easily repla themselves					
				-					

Г