



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2017)

## Annex B2 - Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs		Lenovo
e-mail address	Alvin L Carter		LEITOVO
	alcarter@lenovo.com		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html	
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

The company declares (	based on product specification or test results based obtained from sample testing), that the product
conforms to the statement	nts given in this declaration.
Type of product *	Desktop
Commercial name *	IdeaCentre Gaming5 14ACN6
Model number *	90RW
Issue date *	2021.4.28
Intended market *	☐ Global ☐ ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other
Additional information	NA .

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nu	mber *	90RW	Logo	Long	)\/O	
Issue date	e *	2021.4.28		Lend	JVO	тн
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*		do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	X		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		$\boxtimes$		
P1.3*	hydrobro trichloroe	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.				
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych (PCT) in preparations (see legal reference).	lorinated			
P1.5*	Products	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in th			
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/wee	k 🔀		
P1.7*	REACH.	Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batteries	S				
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal	$\boxtimes$		
P2.2*		or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm	nium. (See lega	al 🔀		
P2.3*		and accumulators are readily removable. (See legal reference)		$\square$	П	П
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The prod	luct is CE-marked to show conformance with applicable legal requirements (see legal large) large and the legal requirements (see legal large) large and the large and the large and large				
P3.2*	The prod	luct complies with the Eco design requirements for energy-related products, al reference).				
		I information is;  given in item P15 or added to this document,	,	$\boxtimes$		
	declarat	available at: https://www.lenovo.com/us/en/complian	ce/eco-			
P5		packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury	/ cadmium a	nd 🔀		
_	hexavale	ent chromium by weight of these together.				
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature $\mathfrak e$ e legal reference).		,		
P5.3*	(see lega	luct packaging material is free from ozone depleting substances as specified in the N al reference). nt: Legal reference has no maximum concentration values.	Montreal Protoc	col 🔀		
P6		nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).		$\boxtimes$		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	90RE	Logo	Lanava
Issue date *	2021.3.29		Lei IOVO.

Product	t environmental attributes - Market requirements (See General NOTE GN below) - Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	$\boxtimes$		
P7.2*	Plastic materials in covers/housing have no surface coating.	$\boxtimes$		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	$\boxtimes$		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\boxtimes$		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$		
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: ABS Material type: PC+ABS Material type: SGCC			
P7.12	Insulation materials of external electrical cables are PVC free.	<u></u> _		
P7.13	Insulation materials of internal electrical cables are PVC free.		$\boxtimes$	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing	t		
	more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)	า 🗌		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #: 79-94-7		Ш	
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
	ů			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:  1. Chemical name: , CAS #: (See NOTE B4)	۱ 		
	2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			$\boxtimes$
	assigned the following Risk phrases; and Hazard statements:	_		
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	$\boxtimes$		
	If YES; at least one of the two alternatives below shall be answered;  a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 13.6%.  or  b) The weight of recycled material is 26 g			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	90RE	Logo	Lanava
Issue date *	2021.3.29		Lei IOAO"

Product environmental attributes - Market requirements (continued)	Requi	emen	t met
Item	Yes	No	n.a.

	Material and sub	otopoo roguiromonto	(continued)		
P7.21*		stance requirements naterial content is use	d in the product (See N	OTE B7):	
	If YES; at least on	e of the two alternative ic parts' weight > 25 g	es below shall be answe	ered;	ated as a percentage of
	or	y weight) is 70.			
		f the biobased plastic			
P7.22*	U	• .	less than 0,1 mg/lamp.		
Do		specify: Number of la	mps: and maximi	um mercury content pe	er lamp: mg
<b>P8</b> P8.1*	Batteries Battery chemical of	composition: Lithium I	Manganese Diovide		
P9		•	wallyallese bloxide		
P9.1		e following power leve	ls or energy consumption	one are reported:	
Energy mo		Power level at	Power level at	Power level at	Reference/Standard for energy
Lilorgy	,40	100 V AC	115 V AC	230 V AC	modes and test method *
Peak (On-	max)	W	W	W	Full load
Categor	y D2				
Short Idle Enabled	State - WOL	27.01 W	28.23 W	26.67 W	Reference (P <sub>idle</sub> )
Long Idle Enabled	State - WOL	24.69 W	25.55 W	24.35 W	Reference (P <sub>idle</sub> )
Sleep (S3)	) - WOL Enabled	0.86 W	0.85 W	0.86W	Reference (P <sub>sleep</sub> )
Off (S5) -	WOL Enabled	0.56 W	0.57 W	0.57 W	Reference (Poff)
EPS No-lo		W	W	W	
(External power	supply / charger plugged in the sconnected from the product.)				_
PTEC *	soomooda nem dio product.)	W	W	W	
Typical En	ergy Consumption				
ETEC * Annual En	ergy Consumption	<b>96.74</b> kWh/year	100.67 kWh/year	<b>95.56</b> kWh/year	E <sub>TEC</sub> = (8760/1000) x (P <sub>off</sub> x 0.45 + P <sub>sleep</sub> x 0.05 + P <sub>long_Idle</sub> x 0.15+ P <sub>short Idle</sub> x 0.35)
					Enabled; P <sub>idle</sub> : Idle State - WOL Enabled
		` `	l Efficiency Marking Pro	otocol) * :	
Display res	solution * : m	egapixels			
Default tim	e to enter energy sa	ave mode: 25 minutes			
P9.2*	Information about	the energy save funct	ion is provided with the	product.	
P9.3	Energy efficiency	class (monitors only):	NA		
P10	Emissions				
	Noise emission -	<ul> <li>Declared according to</li> </ul>	o ISO 9296 (See NOTE	B9)	
P10.1		Mode description			nit A-weighted sound power level, $L_{WA,c}$ (B)
	Idle '	HDD:Idle		* 3.3	
	Operation '	HDD: Operating		* 3.6	
			ad pressure level (dB) $L_{p m Am}$	22 (operator position	on desktop – idle)
	Other mode	Declared A-weighted sour	ad pressure level (dB) $L_{p m Am}$	24 (operator position	on desktop – operating)
	Measured accordi	ng to: 🔀 ISO 7779 🗌	ECMA-74		·
		Other	(only if not covered by	ECMA-74)	

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

Model nu	ımber *	90RE							Logo	Long		
Issue dat	te *	2021.3	.29							Leno	VO,	
Product	environr	nental	attributes - Mark	cet requirem	ents (c	ontinu	ied)			Require	ment	met
Item										Yes	No	n.a.
			c emissions									
P10.4	Compute program		y meets the require	ment for low fi	requency	/ electro	magnetio	c fields of the fol	lowing volunta	ary		
P12			computing produ									
P12.1*			ts the ergonomic re	•				•	ogies.			$\boxtimes$
P12.2*			ut device meets the	requirements	of ISO 9	9995 an	d ISO 92	41-410.			$\boxtimes$	
P13			documentation									
P13.1*	Product Product	packagii packagii	ng material type(s): ng material type(s): ng material type(s): ng material type(s):	LEPE Corrugated s	weight single w	(kg): 0.	26	ght (kg): 0.96 ght (kg): 0.11				
P13.2*	Product	plastic p	rimary packaging is	s free from PV	C.							
P13.3*			nary corrugated fibered fibered fiber content:		aging, sp	pecify t	ne contai	ined percentage	e of minimum	post-		
P13.4*			r user and product Paper, Other	documentation	n (tick bo	x):						
P13.5	(Please	only con	nplete this item if pa									
	,	hlorine-fal chlorir										
	Process	ed chlori	ine-free									
P14	Volunta	ry progr	rams									
P14.1	The prod	duct mee	ets the requirement	s of the followi	ng volun	tary pro	gram(s):					
	Eco-labe	el:	Criter Criter	ia version: ia version: ia version:		Dat Dat Dat	e:	Product	category: category: category:			
<b>P15</b>			mation (See NOTI					<i>-</i>				
P9			nption of specific of CPU	Memory	HDD	ssD	Graphics	power supply		p mode		
	ES	)2	Ryzen 7 5700G	32GB	2TB 3.5"HDD	1TB	DIS	380W	S3			
	informat knowled provided informat	ion conta ge availa I here is ion.	makes no represent ained in this docume able at the time of capproximate and p	ent. All information and completion, and rovided for info	ation pro d supplie ormation	vided b er shall l al purpo	y supplier nave no co oses only.	r in this docume obligation to upd . See a Lenovo	nt is provided ate such infori	based on sup mation. The in	plier's formati	ion
P9			Qualified Noteboo gystar.gov/index.cfn						code=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaCentre Gaming5 14ACN6	Logo
Model Number	90RW	Lenovo
Issue Date	2021.4.28	Lellovo.
Additional information	NA	

d)	year of manufacture:				2021	
e)	Etec value (kWh) per ErP Lot 3 Categor disabled and if the system is tested with				cards (dGfx) are	
)	Etec value (kWh) per ErP Lot 3 Categor enable	ry and capability adjust	ments applied when a	all discrete graphics	cards (dGfx) are	
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)	
	Memory over base [GB]				28	
ents ting	Additional internal storage	(Yes / No)	(Yes / No)	(Yes / No)	Yes (Yes / No)	
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)	
ability a lied du	Discrete Audio Card	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)	
caps	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)	Yes #: 1 (Yes / No)	
	Category of discrete graphics Card(s)				G6	
saults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)				NA	
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				96.43	
)	Idle state power demand (Watts);	ı	I	ı	26.63	
)	Sleep mode power demand (Watts);				0.84	
	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		0.85	
	Off mode power demand (Watts);				0.56	
)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.57	
)	Internal power supply efficiency at 10 %,	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):		
	10% 20% 50%	100% Avera	ige			
n)	External power supply efficiency (if appli	cable)*:				
	Average active efficiency:					
	*internal note: show values for all available external p	ower supplies				
)	Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):  NA					
)-1)	Measurement methodology used to dete	ermine information men 80 plus program		nternal PSU efficiency:		
)-2)	Measurement methodology used to dete	ermine information men	tioned in points (m) -	external PSU efficience	cy:	

(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries:  NA					
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode					
(P ·)	power as defined in Point P9.1 in the Product IT Eco Declaration:					
	refer to IEC62623:2013-Desktop and notebook computers-Measurement of energy consumption					
(q)	Sequence of steps for achieving a stable condition with respect to power demand:					
	Based on user manual/Power on->Wait 5 minutes->Stable condition					
(r)	Description of how sleep and/or off mode was selected or programmed:					
	Based on user manual-Set power button behaviors					
	Set power button behaviors					
	You can define what the power button does according to your preference. For example, by pressing the power button, you can turn off the computer or put the computer to sleep or hibernation mode.					
	To change what the power button does:					
	1. Go to Control Panel and view by large icons or small icons.					
	2. Click Power Options → Choose what the power buttons do.					
	3. Change the settings as you prefer.					
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:					
	Based on user manual/Control Panel->Power Options-> Change Settings-> Restore default settings for this plan					
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):	25				
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):	NA				
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes):	10				
(w)	Information on the energy-saving potential of power management functionality:					
	NA NA					
(x)	User information on how to enable the power management functionality:					
	Based on user manual-Set the power plan					
	Set the power plan					
	For ENERGY STAR® compliant computers, the following power plan takes effect when your computers have been idle for a specified duration:					
	Table 1. Default power plan (when plugged into ac power)					
	Turn off the display: After 10 minutes					
	Put the computer to sleep: After 25 minutes					
	To awaken the computer from Sleep mode, press any key on your keyboard.					
	To reset the power plan to achieve the best balance between performance and power saving:					
	Go to Control Panel and view by large icons or small icons.					
	2. Click Power Options, and then choose or customize a power plan of your preference.					

(z) Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:								
Test voltage in V and frequency in Hz: 230V/50Hz  Total harmonic distortion of the electricity supply system: ≤2%								
	AC Power Source		1~300VAC;1~550Hz; 1000VA	NF; EC1000S				
	Power M	leter	1~500V;0~20A	YOKOGAWA; WT310				
	Digital W	atch/	Full Range	CASIO; HS-70W				
	Ambient M	lonitor	-10~60°C; 0~100&RH	Testo; 622				
	Anemom	neter	0~20m/s	Testo; 425				
Additional Notebook Battery Information:								
		Battery[ies] <u>not</u> user replaceable		Battery[ies] user replaceable	n/a			
			s] in this product cannot be easily ers themselves. 1)					
Internal/built-in Battery								
External/detachable Battery								
Bios Back	up Battery							
Other:								
Additional information								

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

reasulatura et as selle toucle adurantura i se inoipsasir assiruadur. Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotăji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi usor înlocuită (înlocuite) de utilizatorii înșiși. Batériu(-ie) v tomto výrobku nemôže vymieñať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.