



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2017)

Annex B2 - Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs		Lenovo		
e-mail address	Alvin L Carter		LEITOVO		
	alcarter@lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Desktop					
Commercial name *	IdeaCentre Gaming5 17ACN7					
Model number *	90TQ					
Issue date *	2022/3/23					
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nu	number * 90TQ Logo					
Issue date			Lend	JVC	TH.	
Product	environ	mental attributes - Legal requirements		Require		met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*		s do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\boxtimes		
P1.3*		s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		\square		
	hydrobro trichloroe concentr	omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m eation values.	aximum			
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych l (PCT) in preparations (see legal reference).	lorinated			
P1.5*	Products	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in th	ne 🔀		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/wee	ek 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batterie					
P2.1*		educt contains a battery or an accumulator, the battery/accumulator is labeled with the Information on proper disposal is provided in user manual. (See legal reference)	he disposal			
P2.2*	Batteries	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	nium. (See lega	al 🔀		
P2.3*		s and accumulators are readily removable. (See legal reference)		X	П	П
P3		nity verification & Eco design (ErP)				
P3.1*	The proc	duct is CE-marked to show conformance with applicable legal requirements (see legal legal requirements) alaration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/uk-doc for UK	gal reference). <i>liance/eu-doc</i>			
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
	, ,	d information is; Significantly given in item P15 or added to this document, available at: https://www.lenovo.com/us/en/compliance	ce/eco-			
	declarat					
P5	Product	packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercurent chromium by weight of these together.	, cadmium a	nd 🔀		
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature one legal reference).	of the material	(s) 🔀		
P5.3*	The prod	duct packaging material is free from ozone depleting substances as specified in the Nal reference). In the standard of the standard in the Nal Research of the Nal Res	Montreal Protoc	col 🔀		
P6		nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).				
1 0.1	miormali	on for recycler streatment racinities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

wodei nt	number 90TQ Logo		Lend	21/0		
Issue dat	te *	2022/3/23		Len		тн
Product	anviron	mental attributes - Market requirements (See General NOTE GN	helow)			
1 Toduct		onmental conscious design	below)	Requirer	ment i	net
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7	Design,	Disassembly, recycling				
P7.1*	Parts tha	nt have to be treated separately are easily separable		\boxtimes		
P7.2*	Plastic m	naterials in covers/housing have no surface coating.				
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.		X		
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.				
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools.			
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\boxtimes		
	Product					
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives				
P7.8*	Upgradir	ng can be done using commonly available tools				
P7.9	Spare pa	arts are available after end of production for: 3 years				
P7.10	Service i	s available after end of production for: 3 years				
	Material	and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
		type: ABS Material type: PC+ABS Materia	al type:			
P7.12		n materials of external electrical cables are PVC free.				
P7.13		n materials of internal electrical cables are PVC free.				
P7.14	weight ('polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in 25% post-consumer recycled content.	e retardants, ar	nd		
P7.15	Printed of	ircuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 g 🗔 ed in IEC 61249-2-21. (See 1NOTE B2)	are low haloge	en 🗌		
P7.16	Flame re Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without control (with a particular point), \square TBBPA (reactive) (See NOTE B3), \square Other: , CAS #:	omponents):	\boxtimes		
	accordin	nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:				
P7.18	concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: " ical name: , CAS #: "	s/preparations	in 🔲		
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4:			
P7.19	In plastic	parts > 25 g, flame retardant substances/preparations above 0,1% are used which	have been			\boxtimes
	assigned	I the following Risk phrases; and Hazard statements:				
		() () () ()	ee note B5)			
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):		\boxtimes		
	a) Of t a pe or	It least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content ercentage of total plastic by weight) is %. weight of recycled material is 298.33 g.	t (calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	90TQ	Logo		Len	0)/(
Issue date *	2022/3/23			Len) _{TH}
Product environr	roduct environmental attributes - Market requirements (continued)					t met
Item				Yes	No	n.a.

	stance requirements							
P7.21* Biobased plastic m	naterial content is used	I in the product (See N	OTE B7):					
	If YES; at least one of the two alternatives below shall be answered;							
 a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. 								
, ,	total plastic by weight) is %.							
b) The weight of the biobased plastic material is g.								
P7.22* Light sources are free from mercury, i.e. less than 0,1 mg/lamp.								
	specify: Number of lar	nps: and maxim	um mercury content per	lamp: mg				
P8 Batteries P8.1* Battery chemical c	omposition: Lithium	Managana Diawida						
<u> </u>		wanganese Dioxide						
P9 Energy consumption P9.1 For the product the	tion (See NOTE B8)	s or energy consumption	one are reported:					
Energy mode *	Power level at	Power level at	Power level at	Reference/Standard for energy				
Energy mode	100 V AC	115 V AC	230 V AC	modes and test method *				
Peak (On-max)	W	W	W	Full load				
Cotogony I2								
Category I2 -								
Short Idle State - WOL	17.14 W	17.14 W	16.56 W	ENERGY STAR Computers				
Enabled				V8(P _{idle})				
Long Idle State - WOL	16.15 W	17.45 W	15.58 W	ENERGY STAR Computers				
Enabled				V8(P _{idle})				
Sleep (S3) - WOL Enabled	1.47 W	1.47 W	1.47 W	ENERGY STAR Computers				
				V8(P _{idle})				
Off (S5) - WOL Enabled	0.57 W	0.57 W	0.57 W	ENERGY STAR Computers				
				V8(P _{idle})				
0.1								
Category -D2-								
Short Idle State - WOL	36.62 W	36.87 W	36.46 W	ENERGY STAR Computers				
Enabled				V8(P _{idle})				
Long Idle State - WOL	34.96 W	35.91 W	34.66 W	ENERGY STAR Computers				
Enabled				V8(P _{idle})				
Sleep (S3) - WOL Enabled	1.6 W	1.6 W	1.6 W	ENERGY STAR Computers				
Sleep (33) - WOL Ellabled	7.0 VV	7.0 **	7.0 VV	V8(P _{idle})				
05 (05) 1401 5 11 1	0.0014/	0.0010/	0.00144					
Off (S5) - WOL Enabled	0.63 W	0.63 W	0.63 W	ENERGY STAR Computers V8(P _{idle})				
EPS No-load	W	W	W					
(External power supply / charger plugged in the wall outlet but disconnected from the product.)								
PTEC *	W	W	W					
Typical Energy Consumption ETEC *	12: 65 74 MMh/1055	12: 66 97 1/1/15/105=	/2: 63.71 kWh/year	E - (9760/4000) x /D × 0.45				
Annual Energy Consumption	12: 65.74 kWh/year D2: 134.0 kWh/year	12: 66.87 kWh/year	D2: 133.31 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.45)$ + $P_{sleep} \times 0.05 + P_{long_idle} \times 0.15 +$				
7 tillidal Ellorgy Colladiliption	22. 104.0 KWII/yeai	kWh/year	22. 700.07 KWII/year	P _{short Idle} x 0.35)				
		55) - WOL Enabled; Psleep		Enabled; Pidle: Idle State - WOL Enabled				
External Power Supply Efficien	cy Level (International	Efficiency Marking Pro	otocol) *:					
Display resolution *: me	egapixels							
Default time to enter energy sa	ve mode: 25 minutes							
P9.2* Information about	the energy save functi	on is provided with the	product.					
P9.3 Energy efficiency of	class (monitors only): /	V/A						

NOTE B8 A Guidance document on Energy Efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available;

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

P10	Emissions								
	Noise emission	Noise emission – Declared according to ISO 9296 (See NOTE B9)							
P10.1	Mode	Mode description	Statistical upper limit A-weighted sound power level, L _{WA,c} (B)						
Ì	Idle	* HDD:Idle	* 3.4						
ĺ	Operation	* HDD: Operating	* 3.6						
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p m Am}$	25 (operator position desktop – idle)						
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p m Am}$	28 (operator position desktop – operating)						
	Measured according to: SO 7779 ECMA-74 Other ISO 9296 (only if not covered by ECMA-74)								

Model nur	nber *	90TQ							Logo	Long)//O	
Issue date	*	2022/3	3/23							Lend		H.
Product	environ	mental	attributes - I	Market r	equireme	nts (co	ntinued)			Require	ement	met
Item										Yes	No	n.a.
	Electro	magneti	ic emissions									
P10.4			y meets the re	quiremen	t for low fre	equency e	lectromagne	tic fields of the foll	owing volunt	ary 🔲		\boxtimes
P12	program		r computing n	raduata								
P12.1*			r computing p		ements of L	SO 9241.	307 for visua	al display technolo	nies			
P12.2*			out device meet						9100.			$-\frac{\square}{\square}$
P13			documentatio		uncincino	JI 100 33.	oo and 100 s	241-410.				
P13.1*			ing material typ		Cushion			weight (kg	n): 0.24			
	Product packaging material type(s): Corrugated Fiberboard BOX Product packaging material type(s): PS BAG weight (kg): 1.10 weight (kg): 0.01											
	1 10000	. paonagi	ing material typ	0(0). 1 0	5 7.0			oigni (itg). Oid i				
P13.2*	Product	t plastic p	orimary packag	ing is free	e from PVC					\boxtimes		
P13.3*	For pro	duct prir	mary corrugate ered fiber conte	d fiberbo	ard packa	ging, spe	cify the cont	ained percentage	of minimum	n post-		
P13.4*			or user and pro			(tick box)	:					
	⊠Elec	tronic, 🛭	☑Paper, ☐Otl	her								_
P13.5			mplete this item							_		
			ct documentatio	on on pap	er media is	chlorine-	free:			\boxtimes		
		olease sp										
	•	chlorine-								\boxtimes		
		tal chlori										
		sed chlor										
P14		ary prog					1	<u> </u>				
P14.1	The pro	duct me	ets the requirer	nents of t	he following	g volunta	ry program(s):				
	ENERG	Y STAR	® C	Criteria ve	ersion:		Date:	Product	category:			
	Eco-lab		C	Criteria ve	ersion:		Date:		category:			
	Eco-lab			Criteria ve			Date:	Product	category:			
P15			rmation (See N					£ 41 441	146"-			
P9		consun Category		Memory	I guration n ∏HDD	n ay vary; ssp	Graphics	power supply		p mode		
	item	Calcgory	0.0	Wichiory	TIDD	OOD	Graphics	ромст заррту	Oice	,p mode		
	ES	12	Ryzen 7 5700G	64GB	2TB*2	1TB	UMA	500w	Slee	р		
	ES	D2	Ryzen 5 5600X	64GB	2TB82	1TB	RTX3060Ti	500w	Slee	р		
								or warranties wh				
	tne info	ormation	i contained in Wedge availah	this doc	ument. All	Intormat Inpletion	ion provided	d by supplier in t ier shall have no	nıs aocumei obligation t	nt is provided	pased	on
	informa	ation. Th	meuge availab ne information	ne at tile provide	d here is a	nnroxima	i, and suppii ate and prov	rided for informati	tional purpo.	ses only. See	ı a Lend	ovo
	Accour	nt Repre	sentative for r	nore info	rmation.		•					
P 9								est information:				
	http://w	/ww.ene	rgystar.gov/in	dex.cfm	?fuseactio	n=find_a	_product.sh	owProductGroup	o&pgw_code	e=CO		

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Model Number 90TQ Issue Date 2022/3/23 Additional information	Commercial name	IdeaCentre Gaming5 17ACN7	Logo	
Issue Date 2022/3/23	Model Number	90TQ		Lonovo
Additional information	Issue Date	2022/3/23		reliovo"
	Additional information			_

d)	year of manufacture:			2	022		
					<u> </u>		
e)	Etec value (kWh) per ErP Lot 3 Categor disabled and if the system is tested with				cards (dGfx) are		
)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) a enable						
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)		
	Memory over base [GB]				64		
ents	Additional internal storage	(Yes / No)	(Yes / No)	(Yes / No)	Yes (Yes / No)		
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)		
ability a lied du	Discrete Audio Card	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)		
cap	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)	Yes #: 1 (Yes / No)		
	Category of discrete graphics Card(s)				G7		
saults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)				NA		
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				133.29 (Discrete)		
g)	Idle state power demand (Watts);	l		36.	94(Discrete)		
1)	Sleep mode power demand (Watts);				76(Discrete)		
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		73(Discrete)		
)	Off mode power demand (Watts);		,				
<u>()</u>	Off mode with WOL enabled power dem	and (Watts) (where en	ahled):		64(Discrete)		
	Internal power supply efficiency at 10 %,	, , ,			63(Discrete)		
l)	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	74% 100% 89.73%		еі (іі арріісаріе).			
m)	External power supply efficiency (if appli	cable)*:					
	Average active efficiency:						
	*internal note: show values for all available external pr	ower supplies					
0)	Minimum number of loading cycles that t	the batteries can withs	tand (applies only to n	otebook computers):	NA		
p-1)	Measurement methodology used to dete	rmine information men 80 plus program	,	nternal PSU efficiency:			
p-2)	Measurement methodology used to dete	rmine information men	tioned in points (m) –	external PSU efficience	cy:		

(p-3)	Measurement methodology used to determine information mentioned in points (o) - loading cycles batteries:					
	NA					
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:					
	refer to IEC62623:2013-Desktop and notebook computers-Measurement of energy consumption					
(q)	Sequence of steps for achieving a stable condition with respect to power demand:					
	Based on user manual/Power on->Wait 5 minutes->Stable condition					
(r)	Description of how sleep and/or off mode was selected or programmed:					
	Based on user manual-Set power button behaviors					
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:					
	Based on user manual/Control Panel->Power Options-> Change Settings-> Restore default settings for this plan					
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):					
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):					
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes):					
(w)	Information on the energy-saving potential of power management functionality: NA					
(x)	User information on how to enable the power management functionality:					
	Based on user manual-Set the power plan					
	Set the power plan					
	For ENERGY STAR® compliant computers, the following power plan takes effect when your computers have been idle for a specified duration:					
	Table 1. Default power plan (when plugged into ac power)					
	Turn off the display: After 10 minutes					
	Put the computer to sleep: After 25 minutes					
	To awaken the computer from Sleep mode, press any key on your keyboard.					
	To reset the power plan to achieve the best balance between performance and power saving: 1. Go to Control Panel and view by large icons or small icons. 2. Click Power Options, and then choose or customize a power plan of your preference.					

Test voltage in V and frequency in Hz: 230V/50Hz Total harmonic distortion of the electricity supply system: ≤2% Instrument Instrument Range Used Make and Model ** B63 Digital Watch Full range CASIO; HS-70W; SN:301Q02R B100 power Meter 0~600V;0~20A YOKOGAWA; WT310; SN:C2RD07008V C18 Ambient Monitor -10~60°C/0~100%RH Testo;622;SN:39504298/305 Additional Notebook Battery Information: Battery[ies] not user replaceable Battery[ies] user replaceable n/a The battery[ies] in this product cannot be easily replaced by users themselves. 1) Internal/built-in Battery □ □ □ □ External/detachable Battery □ □ □ Bios Backup Battery □ □ □ Additional information					n Hz, — total harmonic distortion of the ele o and circuits used for electrical testing:	ectricity supply
Instrument Instrument Range Used Make and Model ** B63 Digital Watch Full range CASIO; HS-70W; SN:301Q02R B100 power Meter 0~600V;0~20A YOKOGAWA; WT310; SN:C2RD07008V C18 Ambient Monitor -10~60°C/0~100%RH Testo;622;SN:39504298/305 Additional Notebook Battery Information: Battery[ies] not user replaceable The battery[ies] in this product cannot be easily replaced by users themselves. 1) Internal/built-in Battery			T	est voltage in V and frequency	/ in Hz: 230V/50Hz	
B63 Digital Watch Full range CASIO; HS-70W; SN:301Q02R B100 power Meter 0~600V;0~20A YOKOGAWA; WT310; SN:C2RD07008V C18 Ambient Monitor -10~60°C/0~100%RH Testo;622;SN:39504298/305 Additional Notebook Battery Information: Battery[ies] not user replaceable The battery[ies] in this product cannot be easily replaced by users themselves. 1) Internal/built-in Battery External/detachable Battery Bios Backup Battery Other:			Total har	rmonic distortion of the electri	icity supply system: <u>≤</u> 2%	
B100 power Meter 0~600V;0~20A YOKOGAWA; WT310; SN:C2RD07008V C18 Ambient Monitor -10~60°C/0~100%RH Testo;622;SN:39504298/305 Additional Notebook Battery Information: Battery[ies] not user replaceable The battery[ies] in this product cannot be easily replaced by users themselves. 1) Internal/built-in Battery External/detachable Battery Bios Backup Battery Other:		Instrument	Instrument	Range Used	Make and Model **	
Additional Notebook Battery Information: Battery[ies] not user replaceable The battery[ies] in this product cannot be easily replaced by users themselves. 1) External/detachable Battery Bios Backup Battery Other:	В63		Digital Watch	Full range	CASIO; HS-70W; SN:301Q02R	
Additional Notebook Battery Information: Battery[ies] not user replaceable The battery[ies] in this product cannot be easily replaced by users themselves. 1) Internal/built-in Battery External/detachable Battery Bios Backup Battery Other:	B100 p		power Meter	0~600V;0~20A	YOKOGAWA; WT310; SN:C2RD07008V	
Battery[ies] not user replaceable The battery[ies] in this product cannot be easily replaced by users themselves. 1) Internal/built-in Battery External/detachable Battery Bios Backup Battery Other: Battery[ies] user replaceable n/a S S Other: Battery[ies] user replaceable N/a S S S S S S S S S S S S S		C18 Ambient I		-10~60°C/0~100%RH	Testo;622;SN:39504298/305	
Battery[ies] not user replaceable The battery[ies] in this product cannot be easily replaced by users themselves. 1) Internal/built-in Battery External/detachable Battery Bios Backup Battery Other: Battery[ies] user replaceable n/a S S Other: Battery[ies] user replaceable N/a S S S S S S S S S S S S S						
The battery[ies] in this product cannot be easily replaced by users themselves. 1) Internal/built-in Battery External/detachable Battery Bios Backup Battery Other:	Additional I	Notebook Batt			D. (
External/detachable Battery Bios Backup Battery Other:			The battery[ies] in	this product cannot be easily		n/a
Bios Backup Battery Other:	Internal/built	t-in Battery				
Other:	External/detachable Battery					
	Bios Backup Battery					
Additional information	Other:					
	Additional in	formation				

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hölpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.
Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.
A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieñať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.