



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter Alcarter@lenovo.com	Lenovo
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/	
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook				
Commercial name *	IdeaPad Slim 3 14IAN8				
Model number *	82XA				
Issue date *	2022-12-27				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		82XA	Logo	Lend	N/0	
Issue date	*	2022-12-27		LEIK		TH.
Product e	environi	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
		us substances and preparations				
		do comply with current European RoHS Directive. (See legal reference and NOTE	B1)			
		do not contain Asbestos (see legal reference). t: Legal reference has no maximum concentration value.				
	trichloroe concentr					
	terpheny	do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychl (PCT) in preparations (see legal reference).				
		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in th	ne 🔀		
	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above ( il reference). tt: Max limit in legal reference when tested according to EN1811:2011-5.	),5 μg/cm²/wee	ek 🔀		
P1.7*	REACH A	Article 33 information about substances in articles is available at (add URL or mail	contact):			
	Batteries					
		duct contains a battery or an accumulator, the battery/accumulator is labeled with nformation on proper disposal is provided in user manual. (See legal reference)	the disposal			
	Batteries reference	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	nium. (See lega	al 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		$\boxtimes$		
P3	Conform	nity verification & Eco design (ErP)				
	The Decl	uct is CE-marked to show conformance with applicable legal requirements (see legaration of Conformity can be requested at (add link or e-mail address):  www.lenovo.com/us/en/compliance/eu-doc for EU;  www.lenovo.com/us/en/compliance/uk-doc for UK	gal reference).			
P3.2*	The prod	uct complies with the Eco design requirements for energy-related products, il reference).		$\boxtimes$		
	Required	information is;  given in item P15 or added to this document, available at (add URL):  www.lenovo.com/us/en/compliance/eco-declaration				
		packaging				
P5.1*	Packagir	gu and packaging components do not contain more than 0,01% lead, mercury nt chromium by weight of these together.	y, cadmium a	nd 🔀		
P5.2*	The pack	aging materials are marked with abbreviations and numbers indicating the nature	of the material	(s) 🔀		
P5.3*	used (see legal reference).  The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).					
		t: Legal reference has no maximum concentration values.				
		nt information				
P6.1* I	intormatio	on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

wodel number *		82XA	Logo	Len		
Issue dat	te *	2022-12-27		LEII		тн
	- Enviro	mental attributes - Market requirements (See General NOTE GN onmental conscious design	below)	Require		
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
<b>P7</b> P7.1*		Disassembly, recycling at have to be treated separately are easily separable				
P7.2*		naterials in covers/housing have no surface coating.				<u> </u>
P7.3*		arts > 100 g consist of one material or of easily separable materials.				-
P7.4*	Plastic p		H	H		
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.		$\overline{\Box}$	
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).			$\overline{\Box}$	
	Product	lifetime				
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives				
P7.8*	Upgradir	ng can be done using commonly available tools				
P7.9	Spare pa	arts are available after end of production for: 3 years				
P7.10		s available after end of production for: 5 years				
D7.44*		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: plastics Material type: metal				
P7.12	Insulatio	n materials of external electrical cables are PVC free.			$\boxtimes$	
P7.13	Insulatio	n materials of internal electrical cables are PVC free.			$\boxtimes$	
P7.14	weight (* polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in 25% post-consumer recycled content.	e retardants, a	nd		
P7.15		circuit boards, PCBs (without components) are low halogen: all ☐ PCBs > 25 g ☐ ed in IEC 61249-2-21. (See 1NOTE B2)	are low halog	en 🗌		
P7.16	Flame re Marking:	starded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: FR(40)				
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without of additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	components):		Ш	
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g			
P7.18	concentr 1. Chem 2. Chem 3. Chem	etarded plastic parts >25g contain the following flame retardant substances ations above 0.1%: ical name: CAS #:	s/preparations	in		
	Alt. 2 Chemica FR(40)	al specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19	assigned	e parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; and Hazard statements: H411;H413 rec(s) for these classifications is/are found at (add URL(s)): European Counties: (See note B5)				
P7.20*	Postcons If YES; a a) Of t a pe	sumer recycled plastic material content is used in the product (See Note B6): at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material contenercentage of total plastic by weight) is 9.99%.  The weight of recycled material is 55.47 g.	t (calculated as	;		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82XA	Logo	Lenovo			,	
Issue date *	2022-12-27			Len		) <sub>te</sub>	
Product environr	Product environmental attributes - Market requirements (continued)					t met	
Item				Yes	No	n.a.	Τ

	<mark>stance requirements</mark> naterial content is use	s (continued) ed in the product (See I	NOTE B7):				
If YES; at least or a) Of total plast	e of the two alternativic parts' weight > 25	the two alternatives below shall be answered; rts' weight > 25 g, the biobased plastic material content (clAUulated as a percentage weight) is 0%.					
or	, , ,						
	f the biobased plastic free from mercury, i.e	material is g. . less than 0,1 mg/lam	p.	$oxed{\boxtimes}$			
If mercury is used  P8 Batteries	specify: Number of la	amps: and maxir	mum mercury content p	per lamp: mg			
	composition: LI-ION P	Polymer battery and li	thium-metal battery				
	tion (See NOTE B8)						
		els or energy consump	tions are reported:				
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *			
Peak (On-max)	65 W	65 W	65 W	Full load			
Category 1							
Short Idle State - WOL Enabled	3.53 W	3.73 W	3.66 W	ENERGY STAR Computers V8			
Long Idle State - WOL Enabled	0.28 W	0.29 W	0.39 W	ENERGY STAR Computers V8			
Sleep (S3) - WOL Enabled	<b>0.28</b> W	<b>0.29</b> W	0.39W	ENERGY STAR Computers V8			
Off (S5) - WOL Enabled	0.21 W	0.24 W	0.29 W	ENERGY STAR Computers V8			
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)	0.062 W	0.065 W	0.068 W				
PTEC * Typical Energy Consumption	W	W	W				
ETEC * Annual Energy Consumption	10.82 kWh/year	11.49kWh/year	11.77kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35 + P_{long\_ldle} \times 0.10 + P_{short\_ldle} \times 0.30)$			
	P <sub>off</sub> : Off Mode(S5) - W	VOL Enabled; Psleep: Slee	ep Mode(S3) - WOL Enab	oled; P <sub>idle</sub> : Idle State - WOL Enabled			
Category 2							
Short Idle State - WOL Enabled	4.16 W	4.68 W	<b>5.24</b> W	ENERY STAR Computers V8			
Long Idle State - WOL Enabled	0.32 W	0.3 W	0.39 W	ENERY STAR Computers V8			
Sleep (S3) - WOL Enabled	<b>0.32</b> W	0.30W	0.39W	ENERY STAR Computers V8			
Off (S5) - WOL Enabled	<b>0.21</b> W	<b>0.20</b> W	0.25 W	ENERY STAR Computers V8			
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)	0.062 W	0.063W	0.068W				
PTEC * Typical Energy Consumption	W	W	W				
ETEC * Annual Energy Consumption	12.65 kWh/year	13.92kWh/year	<b>15.85</b> kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{Sleep} \times 0.35 + P_{long\_idle} \times 0.10 + P_{short\_idle} \times 0.30)$			
				oled; P <sub>idle</sub> : Idle State - WOL Enabled			
External Power Supply Efficier	ncy Level (Internation	al Efficiency Marking P	rotocol) * : VI				
Display resolution * :2.074 me	gapixels						

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available;

 $\underline{\text{http://www.ecma-international.org/publications/standards/Ecma-370.htm}}$ 

NOTE B9 A Guidance document on Acoustic Noise is available;

see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Default tir	me to enter energ	y save mode: 5 minutes				
P9.2*	Information ab	out the energy save function is provided with the p				
P9.3	Energy efficien	cy class (monitors only):				
P10	Emissions					
	Noise emission	on – Declared according to ISO 9296 (See NOTE	B9)			
P10.1	Mode	Mode description	Statistical upper limit A-weighted sound power level, L <sub>WA</sub>			
İ	Idle	* Idle (Operating)	* 2.6			
ĺ	Operation	* HDD:Operation	* N/A			
J		CPU:Operation	2.6			
	Other mode	PAM A CAPACITA PAGE A CAPACITA				
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p  m Am}$	15.6 (operator position desktop – operating)			
	Measured acco	Measured according to: SO 7779 ECMA-74				
		Other (only if not covered by I	ECMA-74)			

Model nun	nber *	82XA				Logo	Long	21/0	
Issue date	*	2022-12-27					Lend	)VO	μĪ
Product e	environn	nental attributes	- Market requirem	nents (cor	ntinued)		Require	ement	met
Item				•	-		Yes	No	n.a.
	Electron	nagnetic emission	S						
P10.4	program	(s): MPŘ-II(3 pin A	C adapter only)	requency e	lectromagnetic fiel	ds of the following volunta	ıry 🔀		
P12		mics for computing							
P12.1*			nomic requirements of				$\boxtimes$		
P12.2*	The phys	sical input device m	eets the requirements	of ISO 999	95 and ISO 9241-4	10.	$\boxtimes$		
P13		ng and document							
P13.1*	Product Product				weight (kg): <b>0.004</b> g): <b>0.015</b>				
P13.2*	Product	plastic primary pacl	aging is free from PV	C.			$\boxtimes$		
P13.3*	consume	er recovered fiber co	ontent: 81 %		•	percentage of minimum	post-		
P13.4*		media for user and ic ⊠, Paper ⊠, C	oroduct documentation	n (tick box)	:				
P13.5	Ùser and		tem if paper documen ation on paper media						
	Totally c	hlorine-free					$\boxtimes$		
	Element	al chlorine-free					$\overline{\square}$		
	Processo	ed chlorine-free					Ħ		
P14	Volunta	ry programs							
P14.1			irements of the followi	ing voluntar	y program(s):				
	Eco-labe	el:	Criteria version: <b>8.0</b> Criteria version: Criteria version:	)	Date: 2020-04 Date: Date:	Product category: 1, 2 Product category: Product category:	2		
P15		nal information (Se					_		
P9						e tested product configu			
	the info supplier informa Accoun	rmation contained r's knowledge avai tion. The informati t Representative fo	in this document. A lable at the time of c on provided here is or more information.	II informat completion approxima	ion provided by s , and supplier sha ate and provided t	rranties whether expres- supplier in this documen all have no obligation to for informational purpos	t is provided update sucl	l based h	on
P9			Notebooks & Tablet s://www.energystar.						

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaPad Slim 3 14IAN8	Logo	
Model number *	82XA		Lonovo
Issue date *	2022-12-27		Lenovo.
Additional information			
•			

(d)	Year of manufacture:				2022
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
F)	Etec value (kWh) per ErP Lot 3 Categorenable	ry and capability adjust	tments applied when a	all discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	8			
ents	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
ability a lied du	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
cap	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)	N/A			
saults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	8.81			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
g)	Idle state power demand (Watts);	l			2.78
n)	Sleep mode power demand (Watts);				0.40
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		0.40
)	Off mode power demand (Watts);				0.22
k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.22
1)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
n)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: 89.03% 89.7	70% 90.88%			
	*internal note: show values for all available external p				
0)	Minimum number of loading cycles that	the batteries can withs	tand (applies only to r	notebook computers):	300CYCLES
p-1)	Measurement methodology used to dete	ermine information mer	ntioned in points (I) - i	nternal PSU efficiency	:
p-2)	Measurement methodology used to dete	ermine information mer 63:2011 measuremen		external PSU efficiend	cy:

(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries:  EN 61960 measurement methodology						
(p-4)	Measurement metho power as defined in I	dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration:	ology used to determine information mentioned in maximum, idle, sleep, off mode sint P9.1 in the Product IT Eco Declaration:				
		EN 62623:2013 measurement methodo	ology				
(q)	Sequence of steps for	or achieving a stable condition with respect to power	demand::				
		EN 62623:2013 measurement methodo	ology				
(r)	Description of how s	eep and/or off mode was selected or programmed:					
	В	y selecting sleep and/or off mode thru Windows	operating system				
(s)	Sequence of events off mode:	required to reach the mode where the equipment au	tomatically changes to sleep and/or				
	refe	er to power management, 10mins automatically re	eaches sleep mode				
(t)		te condition before the computer automatically rendered the applicable power demand requirements		5			
(u)		a period of user inactivity in which the compute ver power demand requirement than sleep mode (in		NA			
(v)		re the display sleep mode is set to activate after		5			
(w)	Information on the er	nergy-saving potential of power management function	nality:				
	User informa	tion described in User Guide and Power Manager	under menu in all programs				
(x)	User information on	now to enable the power management functionality:					
	User informati	ion described in User Guide and Power Manager	under menu in all programs				
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the insting:					
		230V, 50GHz, Total Harmonic Distortion	1 <2 %				
Addition	al Notebook Batter	y Information:					
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a			
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)					
Internal/b	uilt-in Battery						
External/	detachable Battery						
Bios Backup Battery							
Other:	Other:						
Additiona	l information						
) he batterylies!	in this product cannot be e	peily replaced by users themselves					

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotăji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuottéen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.