



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs	0001/0			
e-mail address	Alvin L Carter	Lenovo			
	alcarter@lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html			
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statemen	conforms to the statements given in this declaration.					
Type of product *	Notebook					
Commercial name *	Legion 5 Pro 16IAH7H					
Model number *	82RF					
Issue date *	2021-12-22					
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		82RF	Logo	Long	N/C	
Issue date	*	2021-12-22		Lend	JVC	тн
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	$\boxtimes$		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*		do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		X		
	trichloroe	emofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.				
P1.4*	terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych l (PCT) in preparations (see legal reference).				
P1.5*		edo not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in t	he 🔀		
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/wee	ek 🔀		
P1.7*		Article 33 information about substances in articles is available at (add URL or mail	contact):			
	https://v	www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	,		_	
P2	Batterie	S				
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with t	he disposal	$\boxtimes$		
	symbol. Information on proper disposal is provided in user manual. (See legal reference)					
P2.2*	reference		nium. (See leg			
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)				
P3		nity verification & Eco design (ErP)				
P3.1*	The D	duct is CE-marked to show conformance with applicable legal requirements (see lege eclaration of Conformity can be requested at (add link or e- www.lenovo.com/us/en/compliance/eu-doc for EU and	gal reference). mail addres			
	https://v	www.lenovo.com/us/en/compliance/uk-doc for UK				
P3.2*		duct complies with the Eco design requirements for energy-related products,				
	` .	al reference). I information is;		$\boxtimes$		
	Required	available at (add URL):			ш	ш
	httns://v	www.lenovo.com/us/en/compliance/eco-declaration				
P5		packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury	/, cadmium a	nd 🔀	П	
	hexavale	ent chromium by weight of these together.				
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature of elegal reference).	of the material	(s) 🔀		
P5.3*	The proc	luct packaging material is free from ozone depleting substances as specified in the N al reference).	Montreal Proto	col 🔀		
		nt: Legal reference has no maximum concentration values.				
	Treatme	nt information	-			
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		82RF	Logo	Len	ovo	
Issue da	te *	2021-12-22				TH
Product		mental attributes - Market requirements (See General NOTE GN onmental conscious design	below)	Require	ment	met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7		Disassembly, recycling				
P7.1*	Parts tha	at have to be treated separately are easily separable		$\boxtimes$		
P7.2*	Plastic m	naterials in covers/housing have no surface coating.			$\boxtimes$	
P7.3*	Plastic pa	arts > 100 g consist of one material or of easily separable materials.		$\boxtimes$		
P7.4*	Plastic pa	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.				
P7.5	Plastic pa	arts are free from metal inlays or have inlays that can be removed with commonly a	available tool	S.		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).				
	Product					
P7.7*		ng can be done e.g. with processor, memory, cards or drives				
P7.8*	Upgradin	ng can be done using commonly available tools				
P7.9	Spare pa	arts are available after end of production for: 3 years				
P7.10	Service i	s available after end of production for: 5 years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
P7.12		type: <i>Plastic:PC+ABS</i> Material type: <i>aluminum</i> n materials of external electrical cables are PVC free.			$\boxtimes$	
P7.13		n materials of external electrical cables are PVC free.			$\square$	$\vdash$
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b	romine and (	0,1%		
7.14	weight (* polyvinyl	phasic cashighcover parts > 25 g contain no more than 0,1% weight (1000 ppm) of 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in 25% post-consumer recycled content.	e retardants,	and		
P7.15	Printed c	circuit boards, PCBs (without components) are low halogen: all ☐ PCBs > 25 g ⊠ed in IEC 61249-2-21. (See 1NOTE B2)	are low hal	ogen 🔀		
P7.16		starded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:	:			
P7.17		themical specifications of flame retardants in printed circuit boards > 25 g (with additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	out compone	ents):		
		nemical specifications of flame retardants in printed circuit boards (without compon- g ISO 1043-4: <i>FR(16)</i>	ents) > 25 g			
P7.18	concentr	etarded plastic parts >25g contain the following flame retardant substance: ations above 0.1%: ical name: CAS #:	s/preparation	s in		
	Alt. 2 Chemica	Il specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19	assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; and Hazard statements: H411; H413 rec(s) for these classifications is/are found at (add URL(s)): European Counter (See note B5)		<b></b>		
P7.20*	Postcons If YES; a a) Of t a pe	sumer recycled plastic material content is used in the product (See Note B6):  It least one of the two alternatives below shall be answered;  It least one o	nt (calculated	as		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82RF	Logo	Len	21/0	
Issue date *	2021-12-22		Leil		TH.
Product environr	nental attributes - Market requirements (continued)		Requir	emen	t met
Item			Yes	No	n.a.

	Motorial and auh	otonoo roguiromente	(continued)					
P7.21*		stance requirements material content is use	ed in the product (See N	OTE B7):				
	a) Of total plast		res below shall be answering the biobased plastic m	,	ated as a percentage of			
	or b) The weight of	of the highered plactic	material is					
P7.22*		of the biobased plastic free from mercury, i.e	less than 0,1 mg/lamp.			$\overline{}$		
	If mercury is used	specify: Number of la		um mercury content pe	er lamp: mg			
P8	Batteries							
P8.1*		composition: LI-ION P	olymer battery					
P9 1		inergy consumption (See NOTE B8) for the product the following power levels or energy consumptions are reported:						
P9.1 Energy mo		Power level at	Power level at	Power level at	Reference/Standard for energy	$\overline{}$		
Lifelgy inc	, de	100 V AC	115 V AC	230 V AC	modes and test method *	Ш		
Peak (On-	max)	300 W	300 W	<b>300</b> W	Full load			
Categor	<u>y 2</u>							
Short Idle Enabled	State - WOL	13.65 W	12.74 W	13.68 W	Energy Star Computers V8			
Long Idle Enabled	State - WOL	11.08 W	10.17 W	11.94 W	Energy Star Computers V8			
Sleep (S3)	- WOL Enabled	1.41 W	1.45 W	1.45 W	Energy Star Computers V8			
Sleep (S3)	) - WOL Disabled	1.41 W	1.45 W	1.45 W	Energy Star Computers V8			
Off (S5) - WOL Enabled/Disabled		0.430 W	<b>0.430</b> W	0.425 W	Energy Star Computers V8			
EPS No-Io	ad supply / charger plugged in the sconnected from the product.)	0.008 W	0.008 W	0.008W				
PTEC *	ergy Consumption	W	W	W				
ETEC *	ergy Consumption	<b>50.84</b> kWh/year	<b>47.78</b> kWh/year	<b>51.79</b> kWh/year	E <sub>TEC</sub> = (8760/1000) x (P <sub>off</sub> x 0.25 + P <sub>sleep</sub> x 0.35 + P <sub>long_idle</sub> x 0.10+ P <sub>short idle</sub> x 0.30)			
					ed; P <sub>idle</sub> : Idle State - WOL Enabled			
External P	ower Supply Efficie	ncy Level (Internation	al Efficiency Marking Pro	otocol) * : VI				
Display res	solution * : <b>4.096</b> me	egapixels						
Default tim	ne to enter energy s	ave mode: 10 minutes	<b>;</b>					
P9.2*	Information about	the energy save func	tion is provided with the	product.				
P9.3	Energy efficiency	class (monitors only):				$\boxtimes$		
P10	Emissions				·			
			to ISO 9296 (See NOTE			<u></u> `		
P10.1	Mode Mode description			Statistical upper limit A-weighted sound power level, L <sub>WA,c</sub> (E				
		* Idle (Operating)		* 2.8				
		* HDD:Operation CPU:Operation		* NA(No HDD) 5.4				
			nd pressure level (dB) $L_{p m Am}$	19.6 (operator posi	ition desktop – idle)			
	Other mode	Declared A-weighted sou	nd pressure level (dB) $L_{p m Am}$	46.2 (operator posi	ition desktop – operating)			
	Measured accord	ing to: SO 7779	ECMA-74	ECMA 74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model number *	82RF				Logo	Long	VO	
Issue date * 2021-12-22					Leno	VO.		
Product environn	nental attributes	- Market requireme	nts (continued)			Require	ment	met
Item						Yes	No	n.a.
	nagnetic emission							
program	(s): MPR-II(3 pin A		quency electromagnetic	fields of the foll	owing volunta	ıry 🔀		
	mics for computing							
	•	omic requirements of IS			gies.			
P12.2* The phys	sical input device m	eets the requirements o	f ISO 9995 and ISO 924	41-410.		$\boxtimes$		
	ng and documenta							
Product Product Product	packaging material	type(s): <b>paper(manual)</b> type(s): <b>PP</b> weight (kg) type(s): <b>PE</b> weight (kg)	: <b>0.019</b>	.424				
P13.2* Product	plastic primary pack	aging is free from PVC.						
consume	er recovered fiber co		•	ned percentage	of minimum	post-		
Electroni	media for user and լ ic 🔀, Paper 🔀, O	product documentation (	tick box):					
Ùser and		em if paper documentat ation on paper media is						
Element	hlorine-free al chlorine-free ed chlorine-free							
	ry programs	rements of the following	voluntary program(s):					
F14.1 THE PLOC	auct meets the requi	rements of the following	y voluntary program(s).					
ENERG'	Y STAR®	Criteria version:	Date:		category:			
Eco-labe		Criteria version:	Date:		category:			
Eco-labe		Criteria version:	Date:	Product	category:			
	nal information (Se		an varu description o	of the tested no	aduat configu			
		pecific configuration mappersentations, quarante					a the	
informati knowled provided informati	ion contained in this ge available at the t here is approximat	document. All informati ime of completion, and se and provided for inforr	on provided by supplier supplier shall have no o	in this documer bligation to upda	nt is provided bate such inform	based on supp mation. The inf	olier's formati	on
P9								

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name *	Legion 5 Pro 16IAH7H	Logo	
Model number *	82RF		Lonovo
Issue date *	2021-12-22		Lenovo.
Additional information			
-			-

d)	Year of manufacture:				2022
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
)	Etec value (kWh) per ErP Lot 3 Catego enable	ry and capability adjust	ments applied when a	all discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]			32	
ents ting	Additional internal storage	(Yes / No)	(Yes / No)	yes (Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)
ability a lied du	Discrete Audio Card	(Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)
capa appl	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)			G7	
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)				
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled			34.88	
1)	Idle state power demand (Watts);				11.94
)	Sleep mode power demand (Watts);				1.45
	Sleep mode with WOL enabled power d	emand (Watts) (where	enabled);		1.45
1	Off mode power demand (Watts);				0.43
.)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.43
)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	ige		
1)	External power supply efficiency (if appl	icable)*:			
	Average active efficiency: 300W: 93.33	%, 92.97% 230W:92.8	34%, 92.62%, 92.47%		
	*internal note: show values for all available external p	ower supplies			
)	Minimum number of loading cycles that	the batteries can withs	and (applies only to r	otebook computers):	300CYCLES
o-1)	Measurement methodology used to dete	ermine information mer	tioned in points (I) - in	nternal PSU efficiency	:
)-2)	Measurement methodology used to dete	ermine information men	tioned in points (m) –	external PSU efficience	

(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries:  EN 50563:2011 measurement methodology					
(p-4)		dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration:	maximum, idle, sleep, off mode			
		EN 62623:2013 measurement methodo	ology			
(q)	Sequence of steps for	or achieving a stable condition with respect to power	demand::			
	EN 62623:2013 measurement methodology					
(r)	Description of how sleep and/or off mode was selected or programmed:					
		EN 62623:2013 measurement methodo	ology			
(s)		required to reach the mode where the equipment au wer management, 30mins automatically reaches				
(t)		te condition before the computer automatically re		30min		
(u)						
(v)	Length of time before	re the display sleep mode is set to activate after	user inactivity (in minutes):	10min		
(w)	Information on the er	nergy-saving potential of power management function	nality:			
	User information	described in User Guide and Power Manager un programs	der Lenovo Vantage menu in all			
(x)		now to enable the power management functionality: o described in User Guide and Power Manager un programs	der Lenovo Vantage menu in all			
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the insting:				
		230V, 50GHz, Total Harmonic Distortion	1 <2 %			
Additio	nal Notebook Batter	v Information:				
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a		
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)				
Internal/	/built-in Battery					
Externa	l/detachable Battery					
Bios Backup Battery						
Other:						
Addition	al information			•		
)						

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.
Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.