



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo		
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs	Lenovo		
e-mail address	Alvin L Carter			
	<u>alcarter@lenovo.com</u>			
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/			
Additional information	The latest version of this document can be found at:			
	http://www.lenovo.com/ecodeclaration			

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Notebook			
Commercial name *	Legion 7 16ARHA7			
Model number *	82UH			
Issue date *	2022-4-23			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number	82UH	Logo	Lenc)\(\o)			
Issue date *	2022-4-23		Lenc				
Product envi	onmental attributes - Legal requirements		Require	ment me	et		
Item			Yes	No n.a	а.		
	rdous substances and preparations						
	icts do comply with current European RoHS Directive. (See legal reference and NOTE	E B1)	\boxtimes				
	ıcts do not contain Asbestos (see legal reference). nent: Legal reference has no maximum concentration value.		\boxtimes				
	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),						
hydr trich cond	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.						
terpl	icts do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychenyl (PCT) in preparations (see legal reference).						
	icts do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car containing at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in th	ne 🔀				
P1.6* Parts (see	with direct and prolonged skin contact do not release nickel in concentrations above (egal reference). nent: Max limit in legal reference when tested according to EN1811:2011-5.	0,5 μg/cm²/wee	ek 🔀		<u>ן</u>		
	CH Article 33 information about substances in articles is available at (add URL or mail	contact):	\square		$\neg \uparrow$		
	://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	,			۱ '		
P2 Batt	ries						
	product contains a battery or an accumulator, the battery/accumulator is labeled with	the disposal	X				
	ol. Information on proper disposal is provided in user manual. (See legal reference)		al 🔀				
refer	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)				_		
P2.3* Batte	ries and accumulators are readily removable. (See legal reference)						
	ormity verification & Eco design (ErP)						
The	roduct is CE-marked to show conformance with applicable legal requirements (see leg Declaration of Conformity can be requested at (add link or e- ://www.lenovo.com/us/en/compliance/eu-doc for EU	gal reference). -mail addres	s):]		
http	://www.lenovo.com/us/en/compliance/uk-doc for UK						
	roduct complies with the Eco design requirements for energy-related products, egal reference).				J		
•	ired information is; Silven in item P15 or added to this document,		\boxtimes		٦l		
T COQ	available at (add URL):				۱ ٦		
http	://www.lenovo.com/us/en/compliance/eco-declaration						
P5 Proc	uct packaging						
P5.1* Pack	aging and packaging components do not contain more than 0,01% lead, mercur alent chromium by weight of these together.	y, cadmium a	nd 🔀				
P5.2* The	ackaging materials are marked with abbreviations and numbers indicating the nature (see legal reference).	of the material	(s) 🔀]		
P5.3* The	roduct packaging material is free from ozone depleting substances as specified in the Negal reference).	Montreal Protoc	col 🔀]		
Com	nent: Legal reference has no maximum concentration values.						
P6 Trea	ment information						
P6.1* Infor	nation for recyclers/treatment facilities is available (see legal reference).]		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		82UH L	ogo	OB	27/6	
Issue dat	:e *	2022-4-23	-	_en		ты
Product	environ	mental attributes - Market requirements (See General NOTE GN be				
		onmental conscious design	R	equirer		
Item P7		tory to fill in. Additional information regarding each item may be found under P14. Disassembly, recycling		Yes	No	n.a.
P7.1*		It have to be treated separately are easily separable				
P7.2*		naterials in covers/housing have no surface coating.			X	\forall
P7.3*		arts > 100 g consist of one material or of easily separable materials.		H		
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			H	
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly ava	ilable tools.	\boxtimes	H	∺
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).		X	H	∺
	Product	, , , , , , , , , , , , , , , , , , ,				
P7.7*		ng can be done e.g. with processor, memory, cards or drives		\square		$\overline{\Box}$
P7.8*	Upgradir	ng can be done using commonly available tools		X	Ħ	Ħ
P7.9	Spare pa	arts are available after end of production for: 3 years				Ħ
P7.10	Service i	s available after end of production for: 3 years				Ť
	Material	and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
		type: Magnesium- Material type: PC+ABS				
P7.12	aluminiu Insulatio	n materials of external electrical cables are PVC free.		\square	$\overline{}$	$\overline{}$
P7.13		n materials of internal electrical cables are PVC free.			∺	∺
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bron	nine and 0.1%		∺	∺
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame re	etardants, and		ш	ш
		chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in pa	arts containing			
P7.15		in 25% post-consumer recycled content.			\square	$\overline{}$
7.13	as define	circuit boards, PCBs (without components) are low halogen: all ∭ PCBs > 25 g ∭ ar ed in IEC 61249-2-21. (See 1NOTE B2)	re low nalogen	Ш		ш
P7.16	Marking:					
P7.17		hemical specifications of flame retardants in printed circuit boards > 25 g (without	components):			
		additive),TBBPA (reactive) (See NOTE B3),Other: , CAS #:				
		nemical specifications of flame retardants in printed circuit boards (without components g ISO 1043-4: <i>FR(16)</i>	s) > 25 g	\boxtimes	Ш	
P7.18	Alt. 1					
		etarded plastic parts >25g contain the following flame retardant substances/prations above 0.1%:	reparations in			
		ical name: Oligomeric phosphorous compound CAS #:				
		ical name: CAS #:				
		ical name: CAS #:				
	4. Chem Alt. 2	ical name: , CAS #:				
		I specifications of flame retardants in plastic parts >25g according ISO 1043-4:		\boxtimes		
	FR(40)					
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which ha	ave been	\boxtimes		
		I the following Risk phrases; BPADP and Hazard statements: H411; H413 re(s) for these classifications is/are found at (add URL(s)): European Council	Directive			
	67/548/E		Directive			
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):		\square		
	If YES; a	t least one of the two alternatives below shall be answered;			_	
		otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (cercentage of total plastic by weight) is 1.22%.	alculated as			
	or a pe	Brochitage of total plastic by weight, is 1.22/6.				
		weight of recycled material is 4.6 g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82UH	Logo	Lenovo
Issue date *	2022-2-23		Lei IOVO.
Product environr	mental attributes - Market requirements (continued)		Requirement met
Item			Yes No n.a.

		stance requirements							
P7.21*	Biobased plastic n	naterial content is used	d in the product (See N	OTE B7):		\boxtimes			
	If YES; at least on	e of the two alternative	es below shall be answ	ered;					
			the biobased plastic m	aterial content (calcula	ited as a percentage of				
	total plastic b	y weight) is %.							
		the biobased plastic i	material is a.						
P7.22*			less than 0,1 mg/lamp			\square			
		specify: Number of lar	mps: and maxim	um mercury content pe	er lamp: mg				
P8	Batteries			h i					
P8.1*		y chemical composition: LI-ION Polymer battery and lithium-metal battery							
P9		tion (See NOTE B8)	ls or energy consumpti	one are reported:					
Energy mo		Power level at	Power level at	Power level at	Reference/Standard for energy	$\overline{\Box}$			
Liloigy illo	,40	100 V AC	115 V AC	230 V AC	modes and test method *	Ш			
Peak (On-	max)	300 W	300 W	300 W	Full load				
Categor	<u>y 2</u>								
Short Idle	State - WOL	19.80 W	17.80 W	26.55 W	ENERGY STAR Computers V8.0				
Enabled					, , , , , , , , , , , , , , , , , , , ,				
I ona Idle	State - WOL	11.67 W	12.8 W	12.52 W	ENERGY STAR Computers V8.0				
Enabled	0.0.0	11101 11	12.0 **	72.02 11	ZNZNOT OTTAK Computere vere				
Sleep (S3)) - WOL Enabled	1.97 W	2.07 W	2.07 W	ENERGY STAR Computers V8.0				
Off (S5) -	WOL Enabled	0.42 W	0.42 W	0.42 W	ENERGY STAR Computers V8.0				
EPS No-lo		0.113 W	0.114 W	0.115 W					
(External power wall outlet but dis	supply / charger plugged in the sconnected from the product.)								
PTEC *		W	W	W		\boxtimes			
	ergy Consumption	CO 00 IAM/I- /	05 05 1-10/1/1- /	00 04 1-) 1/1- /	F = (0700/4000) (D 0.05	_			
ETEC *	ergy Consumption	69.22 kWh/year	65.25 kWh/year	88.01 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35 + P_{long idle} \times 0.10 +$				
/ (IIII dai Eii	cigy consumption				P _{short Idle} x 0.30)				
					ed; P _{idle} : Idle State - WOL Enabled				
External P	ower Supply Efficien	cy Level (Internationa	I Efficiency Marking Pro	otocol) * : VI					
Display res	solution * : 4.096 me	gapixels							
Default tim	ne to enter energy sa	ve mode: 25 minutes							
P9.2*	Information about	the energy save functi	on is provided with the	product.					
P9.3	Energy efficiency	class (monitors only):				\boxtimes			
P10	Emissions								
			o ISO 9296 (See NOTE			(=)			
P10.1		Mode description		Statistical upper limit A-weighted sound power level, L _{WA,c} (B)					
		CRUsConstian		* 2.6		 			
		CPU:Operation	id proceure level (dP) :	* 5.3					
			d pressure level (dB) $L_{p{\rm Am}}$						
	Other mode L	eclared A-weighted soun	d pressure level (dB) $L_{p m Am}$	44.5 (operating)					
	Measured according	ng to: 🔀 ISO 7779 🗌				· <u> </u>			
	Other (only if not covered by FCMA-74)								

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number *		82UH					Logo		one	1/0	
Issue date	*	2022-4-23						L	enc	VO.	н
Product e	environr	nental attributes	- Market requireme	ents (contin	ued)			R	equire	ment	met
Item			•	•	•				Yes	No	n.a.
		magnetic emissions									
P10.4	program	(s): MPR-II(3 pin AC		equency elect	romagnetic fields o	of the foll	owing volunt	ary			
P12		mics for computing									
P12.1*	The disp	lay meets the ergon	omic requirements of IS	SO 9241-307	for visual display t	technolo	gies.		\boxtimes		
P12.2*	The phys	sical input device me	ets the requirements of	of ISO 9995 a	nd ISO 9241-410.				\boxtimes		
P13		ng and documenta									
P13.1*	Product Product Product Product Product	packaging material t packaging material t packaging material t packaging material t packaging material t	ype(s): Paper - Corrug ype(s): Paper - cardbo ype(s): Plastic - Solid ype(s): Plastic - PE (p ype(s): Plastic - LDPE ype(s): Plastic - LDPE ype(s): Plastic - PE (p	oard EPE (solid l polyethylene oard clow densit	Expanded polyeth y polyethylene)	nylene)	weight (kg): weight (kg): weight (kg): weight (kg): weight (kg): weight (kg):	0.48 0.162 0.080 0.593 0.006			
P13.2*			aging is free from PVC						\boxtimes		
P13.3*	consume	er recovered fiber co			the contained per	centage	of minimum	n post-			
P13.4*		media for user and p ic ⊠, Paper ⊠, Ot	roduct documentation her	(tick box):							
P13.5	Ùser and		em if paper documenta ation on paper media is		:						
	,	hlorine-free al chlorine-free							\boxtimes		
	Process	ed chlorine-free									
P14		ry programs									
P14.1	The prod	duct meets the requir	rements of the following	g voluntary p	rogram(s):						
	Eco-labe		Criteria version: Criteria version:				category:				
P15		nal information (See									
P9			ecific configuration n								<u></u>
	the info supplier informa Accoun	rm ation contained in r's knowledge avail tion. The information t Representative fo	representations, guar in this document. All able at the time of co on provided here is a r more information.	information impletion, an pproximate a	provided by supp ad supplier shall h and provided for i	olier in to nave no informat	his docume obligation to	nt is pr o upda	ovided te such	based	on
P9			Notebooks & Tablet C :://www.energystar.go				ters				
	qs.//dt	noudo.enemups		orproducts/	ooc_cquipinent	Jonipu					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name *	Legion 7 16ARHA7	Logo	
Model number *	82UH		Lonovo
Issue date *	2022-4-23		Lenovo.
Additional information			
			_

d)	Year of manufacture:				2022
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
")	Etec value (kWh) per ErP Lot 3 Categorienable	ry and capability adjust	ments applied when a	all discrete graphics o	ards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3
	Memory over base [GB]			32	
nts ng	Additional internal storage	(Yes / No)	(Yes / No)	no (Yes / No)	(Yes / No)
ustmer ig testil	Discrete television tuner	(Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete Audio Card	(Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)
capabil applied	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	Yes #: NVIDIA GeForce RTX 3080 Ti (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)			G7	
saults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)				
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled			36.92	
3)	Idle state power demand (Watts);	<u> </u>			12.52
n)	Sleep mode power demand (Watts);				2.07
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		
)	Off mode power demand (Watts);				0.42
()	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		
)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
n)	External power supply efficiency (if appli	icable)*:			
	Average active efficiency: 230W:92.849	%, 92.62%, 92.47% 30	00W: 93.33% 92.97%		
0)	*internal note: show values for all available external p Minimum number of loading cycles that		tand (applies only to n	otebook computers):	300CYCLE
p-1)	Measurement methodology used to dete	ermine information men	ationed in points (I)	aternal DSLL efficiency:	

	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies Eligibility Criteria (Version 2.0)					
(p-3) Measurement method	dology used to determine information mentioned in p <i>≥</i> 70% of Cmin	oints (o) – loading cycles batteries:				
	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:					
	IEC 62623					
(q) Sequence of steps for	or achieving a stable condition with respect to power	demand::				
	Power on -> Wait 5 minutes -> Stable con	ndition				
(r) Description of how s	eep and/or off mode was selected or programmed:					
	Begin menu -> Power -> Select sleep or o	ff mode				
(s) Sequence of events off mode:	required to reach the mode where the equipment au	omatically changes to sleep and/or				
	NA					
	te condition before the computer automatically re		30min			
(u) Length of time after						
	ver power demand requirement than sleep mode (in tre the display sleep mode is set to activate after		10min			
	nergy-saving potential of power management function					
	Refer to User Guide					
(x) User information on	now to enable the power management functionality:					
	Refer to User Guide					
	measurements: — test voltage in V and frequency in system, — information and documentation on the in- sting:					
	230V50HZ-2%-Edition 2.0, 2011-01, Section 4	I, IEC62301				
Additional Notebook Batter	y Information:					
	Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a			
	The battery[ies] in this product cannot be easily replaced by users themselves. 1)					
Internal/built-in Battery						
External/detachable Battery						
Bios Backup Battery						
Other:						
Additional information			·			
)						

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.
Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.
Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.
Det är inte enkelt för kunden att själv byta ut batteriet/batteriema.
Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.