

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2017)

### Annex B2 - Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs		novo.		
e-mail address	Alvin L Carter	LC			
	alcarter@lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	html			
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statement	nts given in this declaration.				
Type of product *	Desktop				
Commercial name *	Legion T7 34IRZ8				
Model number *	90V6,90V7,90V8,90V9				
Issue date *	2022/10/21				
Intended market *	🛛 Global 📃 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other				
Additional information	ES (90V6,90V8 only) / VOC				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	umber *	90V6,90V7,90V8,90V9 Logo			
Issue date *		2022/10/21	Leng	Lenovo	
Product	t environ	nmental attributes - Legal requirements	Require		met
Item			Yes	No	n.a.
P1		ous substances and preparations			
P1.1*		s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	$\square$		
P1.2*	Comme	s do not contain Asbestos (see legal reference). Int: Legal reference has no maximum concentration value.	$\boxtimes$		
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- bethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum tration values.			
P1.4*	Product: terpheny	$\square$			
P1.5*	Products chain co				
P1.6*	Parts wi (see leg Comme	k 🔀			
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	$\boxtimes$		
P2	Batterie	95			
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)	$\boxtimes$		
P2.2*	Batterie: referenc	al 🔀			
P2.3*	Batterie	s and accumulators are readily removable. (See legal reference)	$\square$		
P3	Conform	mity verification & Eco design (ErP)			
P3.1*	The Dec	duct is CE-marked to show conformance with applicable legal requirements (see legal reference). claration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc ; https://www.lenovo.com/us/en/compliance/uk-doc for UK			
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).	$\boxtimes$		
	Require declara	d information is;       given in item P15 or added to this document,         image: state of the state of th			
P5		t packaging			
P5.1*	Packagi	ing and packaging components do not contain more than 0,01% lead, mercury, cadmium ar ent chromium by weight of these together.	nd 🔀		
			s) 🔀		
P5.2*		ckaging materials are marked with abbreviations and numbers indicating the nature of the material ee legal reference).	3)		
	used (se The prod (see leg	ee legal reference). duct packaging material is free from ozone depleting substances as specified in the Montreal Protoc jal reference).			
P5.2*	used (se The prov (see leg Comme	ee legal reference). duct packaging material is free from ozone depleting substances as specified in the Montreal Protoc			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	90V6,90V7,90V8,90V9	Logo			
Issue da	te *	2022/10/21		Len	ovo	тн
Product	environ	mental attributes - Market requirements (See General NOTE GN	below)			
		onmental conscious design		Require		
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
<b>P7</b> P7.1*		Disassembly, recycling at have to be treated separately are easily separable				
P7.2*		naterials in covers/housing have no surface coating.			<u>+</u>	
P7.2					<u> </u>	
P7.3*		parts > 100 g consist of one material or of easily separable materials.			<u> </u>	
		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			<u> </u>	
P7.5	•	parts are free from metal inlays or have inlays that can be removed with commonly a	available tools.		<u> </u>	
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).				
P7.7*		t lifetime				
		ng can be done e.g. with processor, memory, cards or drives			<u> </u>	
P7.8*		ng can be done using commonly available tools		$\square$		
P7.9		arts are available after end of production for: <b>3</b> years				
P7.10		is available after end of production for: <b>3</b> years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
P7.12		type: ABS Material type: SGCC Materia n materials of external electrical cables are PVC free.	al type: <b>PC+AB</b>	<b>`</b>	$\boxtimes$	
P7.13		n materials of internal electrical cables are PVC free.		<u> </u>		$\dashv$
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b	ramina and 0.10			
F7.14	weight ( polyvinyl	1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame I chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in an 25% post-consumer recycled content.	e retardants, an	d 🗖		
P7.15		circuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 g 📃 ed in IEC 61249-2-21. (See 1NOTE B2)	are low haloge	n	$\square$	
P7.16		etarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				
P7.17		hemical specifications of flame retardants in printed circuit boards > 25 g (without co	omponents):			
	TBBF	PA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:		$\bowtie$		
		hemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g			
P7.18	<u>Alt. 1: </u> Fl	lame retarded plastic parts > 25 g contain the following flame retardant substance	s/preparations i	n		
	1. Chem 2. Chem	rations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "				
	Alt. 2: CI	hemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4:			
P7.19		c parts > 25 g, flame retardant substances/preparations above 0,1% are used which			Π	
		d the following Risk phrases; and Hazard statements:				<u> </u>
	The sou	rce(s) for these classifications is/are found at (add URL(s)):	See note B5)			
P7.20*	Postcon	sumer recycled plastic material content is used in the product (See Note B6):		$\boxtimes$		
	a) Of t a po or	at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is <b>5.5%</b> . e weight of recycled material is <b>112.2</b> g.	t (calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	90V6,90V7,90V8,90V9	Logo	Lenovo		
Issue date *	2022/10/21		Lenovo		
Product environmental attributes - Market requirements (continued) Requi					

Item

	Material and substance requirements (continued)							
P7.21*	Biobased plastic r	naterial content is used	I in the product (See NO	DTE B7):				
	,		s below shall be answe the biobased plastic m	,	ed as a percentage of			
	total plastic b	y weight) is %.						
		f the biobased plastic r	naterial is g.					
P7.22*			less than 0,1 mg/lamp.					
P8	If mercury is used Batteries	specify: Number of lan	nps: and maximi	um mercury content per	r lamp: mg			
P8.1*		composition: Lithium I	Manganese Dioxide					
P9	Energy consumption (See NOTE B8)							
P9.1			s or energy consumption	ons are reported.				
Energy mo		Power level at	Power level at	Power level at	Reference/Standard for energy			
		100 V AC	115 V AC	230 V AC	modes and test method *			
Peak (On-	max)	W	W	W	Full load			
Categor	<u>y -D2-</u>							
Short Idle Enabled	State - WOL	42.14 W	39.6 W	36.79 W	Use for ENERGY STAR V8 registration(P <sub>idle</sub> )			
Long Idle	State - WOL	30.96 W	33.9 W	30.68 W	Use for ENERGY STAR V8			
Enabled	State - WOL	30.90 W	33.9 W	30.00 W	registration(P <sub>idle</sub> )			
Sloop (S2)	- WOL Enabled	1.15 W	1.15 W	1.15 W	Use for ENERGY STAR V8			
Sieep (33)	- WOL Ellabled	1.15 W	1.15 W	1.15 W	registration(P <sub>idle</sub> )			
Off (S5) - V	WOL Enabled	0.7 W	0.7 W	0.7 W	Use for ENERGY STAR V8 registration(P <sub>idle</sub> )			
EPS No-loa		W	W	W				
(External power s wall outlet but dis	supply / charger plugged in the connected from the product.)							
PTEC *		W	W	W	$\square$			
	ergy Consumption							
ETEC *	ergy Consumption	<b>D2:143.32</b> kWh/year	D2:139.22 kWh/year	<b>D2:97.11</b> kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.45)$ + $P_{sleep} \times 0.05 + P_{long \ ldle} \times 0.15 +$			
	ergy consumption	-			Pshort Idle X 0.35)			
		Poff: Off Mode(S	5) - WOL Enabled; P <sub>sleep</sub>	: Sleep Mode(S3) - WOL	Enabled; Pidle: Idle State - WOL Enabled			
External Po	ower Supply Efficier	ncy Level (International	Efficiency Marking Pro	tocol) * :				
Display res	olution * : m	egapixels						
Default tim	e to enter energy sa	ave mode: 25 minutes						
P9.2*	Information about	the energy save function	on is provided with the	product.				
P9.3	Energy efficiency	class (monitors only): /	V/A					
P10	Emissions							
	Noise emission – Declared according to ISO 9296 (See NOTE B9)							
P10.1		Mode description HDD:Idle		Statistical upper limit	A-weighted sound power level, $L_{WA,c}$ (B)			
	Idle '							
ļ	Operation '	HDD: Operating		* 3.9				
			<b>d pressure level (dB)</b> L <sub>p</sub> Am	27 (operator position	n desktop – idle)			
	Other mode	Declared A-weighted sound	d pressure level (dB) $L_{p \text{Am}}$	28 (operator position	n desktop – operating)			
	Measured accordi	ng to: 🔀 ISO 7779 🗌						
	Other (only if not covered by ECMA-74)							

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a> Yes No

n.a.

Model nu	umber *	90V6,9	00V7,90V8,90V	9					Logo	Long		
Issue da	te *	2022/1	0/21							Lenc	ovo	тн
	t enviror	mental	<mark>attributes - N</mark>	larket r	equiremen	nts (cont	inued)		-	Require		me
Item										Yes	No	n.a
			c emissions									
P10.4	progra	m(s):	y meets the rec		t for low freq	uency ele	ectromagnetic	fields of the foll	lowing volunta	ary		
P12			r computing pr									
P12.1*			ts the ergonom	-					gies.			$\mathbf{X}$
P12.2*	The ph	ysical inp	ut device meets	s the requ	uirements of	ISO 9995	5 and ISO 924	1-410.			$\boxtimes$	
P13			documentatio									
P13.1*	Produc Produc	Product packaging material type(s): Corrugated Double wall       weight (kg): 1.730         Product packaging material type(s): LDPE       weight (kg): 0.860         Product packaging material type(s): PE       weight (kg): 0.078         Product plastic primary packaging is free from PVC.       Image: Content of the second s										
P13.2*	Produc	t plastic p	orimary packagi	ng is free	e from PVC.					$\boxtimes$		
P13.3*		For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-										
P13.4*	Specify media for user and product documentation (tick box):											
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:											
		chlorine-f										
	Proces	sed chlor	ine-free							H		
P14	Volunt	ary prog	rams									
P14.1			ets the requirem	nents of t	he following	voluntary	program(s):					
	Eco-la		С	riteria ve			Date: 2022.10 Date: Date:	Product	category: D2 category:			
P15	Eco-lai		mation (See N	riteria ve			Dale.	Pioduci	category:			
P15 P9	Energy	v consun	nption of speci	fic confi	ouration ma	av varv: o	description of	f the tested pr	oduct config	uration:		
	Test item			Memor Y		SSD	Graphics	power supp		ep mode		
	ES	12 D2	i7-12700	16G*2	2T 3.5HDD*2	1T M.2	NV RTX 3060TI	500W	<b>S</b> 3			
	the inf suppli inform Accou	ormation er's know ation. Th nt Repre	r makes no rep contained in t vledge available information sentative for m	this docu le at the provided nore info	tions, guara ument. All ir time of con I here is app ormation.	nformatic npletion, proximat	on provided b and supplier e and provide	y supplier in t shall have no ed for informa	his documer obligation to	nt is provided o update such	based	d on
<b>P</b> 9	See Er http://\	nergy Sta www.ene	r Qualified Not rgystar.gov/inc	tebooks dex.cfm2	& Tablet Co fuseaction	omputers =find_a_	for the lates product.show	t information: /ProductGrou	p&pgw_code	e=CO		
P9			8 are ENERGY									

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Legion T7 34IRZ8	Logo
Model Number	90V6,90V7,90V8,90V9	
Issue Date	2022/10/21	Lenovo
Additional information		

P7.1.1 Product environmental attributes									
(d)	) year of manufacture: 2022								
(e)	Etec value (kWh) per ErP Lot 3 Categor disabled and if the system is tested with				cards (dGfx) are				
(f)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enable								
	Category A (according to ErP Lot 3)     Category B (according to ErP Lot 3)     Category C (according to ErP Lot 3)     Category C (according to ErP Lot 3)     Category D (according to ErP Lot 3)								
	Memory over base [GB]				64				
ents sting	Additional internal storage	(Yes / No)	(Yes / No)	(Yes / No)	Yes (Yes / No)				
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)				
ability a	Discrete Audio Card	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)				
cap	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)	Yes #: 1 (Yes / No)				
	Category of discrete graphics Card(s)				G7				
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)				NA				
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				D130.56				
(g)	Idle state power demand (Watts);			D3	85.97				
(h)	Sleep mode power demand (Watts);			D	1.86				
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);	D	1.86				
(j)	Off mode power demand (Watts);			D	0.77				
(k)	Off mode with WOL enabled power dema	and (Watts) (where en	abled);	D	0.77				
(I)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 %	% of rated output pow	er (if applicable):					
	10% <b>81.09%</b> 20% <b>88.66%</b> 50% <b>91.0</b>	<b>3%</b> 100% <b>88.42%</b>	Average 87.3%						
(m)	External power supply efficiency (if appli	cable)*:							
	Average active efficiency: N/A								
(0)	*internal note: show values for all available external po		tand (applies only to r	otebook computers):					
	Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers): NA								
(p-1)	Measurement methodology used to dete	rmine information mer	itioned in points (I) – ii	nternal PSU efficiency					
	80 plus program								

(p-2)	Measurement methodology used to determine information mentioned in points (m) – extern	nal PSU efficiency:
	ΝΑ	
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries:	
	NA	
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:	
	refer to IEC62623:2013-Desktop and notebook computers-Measurement of energy consumption	
(q)	Sequence of steps for achieving a stable condition with respect to power demand:	
	Based on user manual/Power on->Wait 5 minutes->Stable condition	
(r)	Description of how sleep and/or off mode was selected or programmed:	
	Based on user manual-Set power button behaviors	
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:	
	Based on user manual/Control Panel->Power Options-> Change Settings-> Restore default settings for this plan	
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):	25
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):	NA
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes):	10
(w)	Information on the energy-saving potential of power management functionality:	
	NA	
(x)	User information on how to enable the power management functionality:	
	Based on user manual-Set the power plan	
	Set the power plan	
	For ENERGY STAR <sup>®</sup> compliant computers, the following power plan takes effect whe been idle for a specified duration:	
	Table 1. Default power plan (when plugged into ac power)	
	<ul> <li>Turn off the display: After 10 minutes</li> <li>Put the computer to sleep: After 25 minutes</li> </ul>	
	To awaken the computer from Sleep mode, press any key on your keyboard.	
	<ul> <li>To reset the power plan to achieve the best balance between performance and power</li> <li>1. Go to Control Panel and view by large icons or small icons.</li> <li>2. Click Power Options, and then choose or customize a power plan of your prefer</li> </ul>	
	· · · · · · · · · · · · · · · · · · ·	

(z) Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:						
Test	voltage in V and frequency in Hz: 230V/50Hz					
Total harmo	nic distortion of the electricity supply system: 🗲	2%				
Additional Notebook Batte	rv Information:					
	Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a			
	The battery[ies] in this product cannot be easily replaced by users themselves. <sup>1)</sup>					
Internal/built-in Battery						
External/detachable Battery						
Bios Backup Battery						
Other:						
Additional information	,					
	родукт не може да се замени[ят] лесно от самите потребител ser sustituidas fácilmente por los propios usuarios.	пи.				

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt. Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada. Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu. La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.

Batterief [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit produktet kan ikke lett erstattes av brukerne selv.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores. Bateria (bateriile) din acest produs nu poate (pot) fi usor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.