



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs	Lenovo				
e-mail address	Alvin L Carter					
	alcarter@lenovo.com					
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/					
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Display			
Commercial name *	Lenovo Legion Y27-30			
Model number *	66F8			
Issue date *	2022/5/28			
Intended market *	☐ Global ☐ ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 - P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number * 66F8			Logo	Lend	ovc	
Issue date	date * 2022/5/28				,,,,	тм
Product environmental attributes - Legal requirements						met
Item	<u> </u>				No	n.a.
P1	Hazardo	us substances and preparations				
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)					
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.					
P1.3*		do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		\square	П	
	trichloroe	emofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.				
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych (PCT) in preparations (see legal reference).	lorinated			
P1.5*		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in th	ne 🔀		
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above (al reference). ht: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/wee	k 🔀		
P1.7*	REACH.	Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batteries	S				
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposal			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal					
P2.3*	Batteries and accumulators are readily removable. (See legal reference)				\boxtimes	
P3	Conformity verification & Eco design (ErP)					
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): https://www.lenovo.com/us/en/compliance/eu-doc for EU and					
D0.04	https://www.lenovo.com/us/en/compliance/uk-doc for UK					
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).		\boxtimes	Ш		
	Required information is; given in item P15 or added to this document,					
	available at (add URL):					
	https://v	www.lenovo.com/us/en/compliance/eco-declaration				
P5		packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercurent chromium by weight of these together.	y, cadmium a	nd 🔀		
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).					
P5.3*		luct packaging material is free from ozone depleting substances as specified in the Nal reference).	Montreal Protoc	col 🔀		
		nt: Legal reference has no maximum concentration values.				
P6		nt information				
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	ımher *	66F8 Logo				
Issue dat		2022/5/28	_en	OVC) _{IM}	
Product		mental attributes - Market requirements (See General NOTE GN below) primental conscious design	equire	ment r	met	
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.					
P7	Design Disassembly, recycling					
P7.1*	Parts that	at have to be treated separately are easily separable	\boxtimes			
P7.2*	Plastic m	naterials in covers/housing have no surface coating.		\boxtimes		
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.	\boxtimes			
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.				
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes			
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes			
	Product					
P7.7*		ng can be done e.g. with processor, memory, cards or drives		Ш		
P7.8*		ng can be done using commonly available tools			\boxtimes	
P7.9		arts are available after end of production for: 7 years				
P7.10	Service i	s available after end of production for: 7 years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
P7.12		type: ABS Material type: SGCC Material type: AI n materials of external electrical cables are PVC free.				
P7.12		n materials of external electrical cables are PVC free.	- - -		 	
P7.13						
F7.1 4	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.					
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)					
P7.16	Flame re	etarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:		\boxtimes		
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:					
		nemical specifications of flame retardants in printed circuit boards (without components) > 25 g g ISO 1043-4:				
P7.18	concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: "				
		ical name: , CAS #: " permical specifications of flame retardants in plactic parts > 25 g according ISO 1043 4:				
D7 10		nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been		+		
P7.19	•	t parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been the following Risk phrases; and Hazard statements:				
		rce(s) for these classifications is/are found at (add URL(s)): , (See note B5)				
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):				
	If YES; a	it least one of the two alternatives below shall be answered;				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as

a percentage of total plastic by weight) is 82.5%.(EPEAT Calculation)/85%(TCO Calculation)

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

The weight of recycled material is 974.61 g.

a)

or b)

Model number *	66F8	Logo		ovo	
Issue date *	2022/5/28		Lenc		tM
Product environr	mental attributes - Market requirements (continued)		Require	ement	met
Item			Yes	Nο	n a

	Material and sub	ostance requiremen	nts (continued)						
P7.21*		material content is u		(See NO	TE B7):		$\overline{\Box}$		
	a) Of total plast total plastic or	ne of the two alternatic parts' weight > 25 by weight) is <i>0</i> %.	5 g, the biobased p			it (calculated as a percentage of			
P7.22*		free from mercury,		nd/lamn			$\overline{}$		
	· ·	d specify: Number of	,		n mercury c	content per lamp: mg	ш		
P8	Batteries	Batteries							
P8.1*	Battery chemical	composition:					\boxtimes		
P9	Energy consum	ption (See NOTE B	8)						
P9.1	For the product the	ne following power le	evels or energy con	sumption	s are report	red:			
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	1	er level at 0 V AC	Reference/Standard for energy modes and test method *			
Peak (On-	·max)	W	W	\	V				
Categor	<u>y</u>								
On Mode		16.50 W	16.40 W	16.61 V	V	ENERGY STAR Program Requirements for Displays Version 8.0(P _{On})			
Low Power Sleep Mode		0.22 W	0.23 W	0.25 W		ENERGY STAR Program Requirements for Displays Version 8.0(P _{sleep})			
Off Mode		0.22 W	0.22 W	0.24 W		ENERGY STAR Program Requirements for Displays Version 8.0(P _{off})			
PTEC * Typical En	ergy Consumption	W	W	١ ٧	V				
ETEC * Annual En	ergy Consumption	51.85 kWh/year	51.59 kWh/year	52.35 k	Wh/year	ENERGY STAR Program Requirements for Displays Version 8.0			
External D	ower Supply Efficie	 ency Level (Internation	anal Efficiency Mar	king Prote	2001/ * :				
LAternal	ower Supply Efficie	incy Level (internation	onal Emclency Man	King From	ocoi) .		\boxtimes		
Display re	solution * : 1920 x	1080 megapix	cels				\Box		
Default tim	ne to enter energy s	ave mode: 0.67 min	utes				Ť		
P9.2*		t the energy save fu		vith the pr	oduct.		ᅟ		
P9.3	The product mee	ts the energy requirements of the following voluntar version:8.0 Product category: <i>Display</i> .							
P10	Emissions	version.o.o i roduct	category. Display .						
		 Declared according 	g to ISO 9296 (See	e NOTE E	39)				
P10.1		Mode description	5	-		upper limit A-weighted sound power level, $L_{WA,c}$	(B)		
	Idle	*			*	•	X		
	Operation	*			*		$\overline{\boxtimes}$		
	Other mode	Declared A-weighted s	ound pressure level (dB) L _{pAm}	(or	perator position desktop – idle)			
	Other mode $\frac{\text{Declared A-weighted sound pressure level (dB)}}{\text{Declared A-weighted sound pressure level (dB)}}$ (operator position desktop – operating)			perator position desktop – operating)					
	Measured accord	ling to: SO 7779	ECMA-74	ered by F					

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nui	nber *	66F8			Logo		ono	V/O	
Issue date *		2022/5/28					eno	VU,	
Product	environr	mental attributes	s - Market requirements	(continued)		F	Require	ment	met
Item							Yes	No	n.a.
	Electron	magnetic emissio	ns						
P10.4	Compute	. ,	e requirement for low frequer	ncy electromagnetion	c fields of the following vo	oluntary			
P12		mics for computir	ng products						
P12.1*			nomic requirements of ISO 9	241-307 for visual	display technologies.		\square	П	$\overline{\Box}$
P12.2*	The phy	sical input device r	neets the requirements of ISC	9995 and ISO 92	41-410.				\boxtimes
P13	Packagi	ing and documen	tation						
P13.1*	Product	packaging materia	I type(s): Paper-Corrugated I type(s): Cushion-EPS I type(s): Plastic-LDPE	weight (kg): 1 weight (kg): 0 weight (kg): 0	.405				
P13.2*	Product	plastic primary pac	kaging is free from PVC.				\boxtimes		
P13.3*		duct primary corru	gated fiberboard packaging,	specify the conta	ined percentage of minir	mum post-			
P13.4*	Specify		product documentation (tick	box):					
P13.5	Ùser an		item if paper documentation tation on paper media is chlo	,					
	•	hlorine-free							
	Elemental chlorine-free Processed chlorine-free								
P14		ry programs							
P14.1	The prod	auct meets the req	uirements of the following vol	untary program(s):					
	ENERG Eco-labe Eco-labe		Criteria version: Criteria version: Criteria version:	Date: Date: Date:	Product category Product category Product category	:			
P15		nal information (S							
P9			pecific configuration may v						
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.						on		
P9			d Notebooks & Tablet Comp						
	http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO								

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1