

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Computer monitors

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs		Lenovo		
e-mail address	Alvin L Carter		LEI IOVO.		
	alcarter@lenovo.com				
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/				
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product				
conforms to the statements given in this declaration.				
Type of product *	Display			
Commercial name *	Lenovo D27-40,C27-40,D27-45			
Model number *	67A3,63DD,67A5			
Issue date *	2022/09/19			
Intended market *	🔀 Global 📃 Europe 🗌 Asia, Pacific & Japan 📃 Americas 📃 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	mber *	67A3,63DD,67A5	Logo	Lon		
Issue dat	e *	2022/09/19		Leno		<b>D</b> <sub>m</sub>
Product	environ	mental attributes - Legal requirements		Require	men	t met
Item		<b>v</b> ,		Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)	$\boxtimes$		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		$\boxtimes$		
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), profluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m ration values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych /l (PCT) in preparations (see legal reference).	lorinated	$\boxtimes$		
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in th			
P1.6*	(see lega Commer	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	/ 10	k 🔀		
P1.7*		Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):	$\boxtimes$		
P2	Batterie	S				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal			$\boxtimes$
P2.2*		s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm	nium. (See lega	I 🗌		$\square$
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)				X
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The proc The Dec https://v	duct is CE-marked to show conformance with applicable legal requirements (see leg laration of Conformity can be requested at (add link or e-mail address): <a href="http://www.lenovo.com/us/en/compliance/eu-doc">www.lenovo.com/us/en/compliance/eu-doc</a> for EU and <a href="http://www.lenovo.com/us/en/compliance/uk-doc">www.lenovo.com/us/en/compliance/uk-doc</a> for UK	gal reference).			
P3.2*	The proc	luct complies with the Eco design requirements for energy-related products, al reference).		$\square$		
	, U	d information is; given in item P15 or added to this document,				
	https://v	vww.lenovo.com/us/en/compliance/eco-declaration				
P5		packaging				
P5.1*	Packagi	ing and packaging components do not contain more than 0,01% lead, mercury	y, cadmium ar	nd 🔀		
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature of legelaterence).	of the material(	s) 🔀		
P5.3*	The proc (see lega	luct packaging material is free from ozone depleting substances as specified in the N al reference).	Iontreal Protoc	ol 🔀		
P6		nt: Legal reference has no maximum concentration values. nt information			_	
P6.1*		on for recyclers/treatment facilities is available (see legal reference).				
1.0.1	mormau					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	ımber *	67A3,63DD,67A5	Logo	1.000				
Issue dat	te *	2022/09/19		Len	ovo	<b>D</b> <sub>th</sub>		
Product		mental attributes - Market requirements (See General NOTE GN	below)					
	- Environmental conscious design Requirement met							
Item <b>P7</b>	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.a. Design							
		mbly, recycling						
P7.1*		at have to be treated separately are easily separable		$\square$				
P7.2*	Plastic m	naterials in covers/housing have no surface coating.						
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.			Π			
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			Π			
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.		Ē			
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).			Ē			
	Product	lifetime						
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives				$\boxtimes$		
P7.8*	Upgradir	ng can be done using commonly available tools				$\boxtimes$		
P7.9	Spare pa	arts are available after end of production for: 7 years						
P7.10	Service i	is available after end of production for: 7 years						
		and substance requirements						
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):						
P7.12		type: ABS Material type: PC Material n materials of external electrical cables are PVC free.	al type: <b>METAL</b>					
P7.12		n materials of external electrical cables are PVC free.		<u> </u>				
P7.13		-	namelina and 0.10		<u> </u>			
F7.14	weight ( polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine i an 25% post-consumer recycled content.	e retardants, an	d				
P7.15	Printed c	circuit boards, PCBs (without components) are low halogen: all ⊠PCBs > 25 g ed in IEC 61249-2-21. (See 1NOTE B2)	are low haloge	n 🗌	$\square$			
P7.16	Marking:					$\square$		
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c	omponents):		_	]		
	TBBF	PA (additive), 🛛 TBBPA (reactive) (See NOTE B3), 🗌 Other: , CAS #:		$\bowtie$				
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: <i>FR4</i>	ents) > 25 g					
P7.18	concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substance rations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	es/preparations i	n				
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4:			$\boxtimes$		
P7.19		c parts > 25 g, flame retardant substances/preparations above 0,1% are used which	n have been			$\boxtimes$		
	-	the following Risk phrases; and Hazard statements:						
DZ CO		rce(s) for these classifications is/are found at (add URL(s)): (See note B5	)					
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):		$\bowtie$	$\Box$	$\Box$		
	Of total p percenta or	at least one of the two alternatives below shall be answered; olastic parts' weight > 25 g, the postconsumer recycled plastic material content (cal ige of total plastic by weight) is <b>17.88</b> % weight of recycled material is <b>169.49</b> g	culated as a					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	67A3,63DD,67A5	Logo	Lonovo		
Issue date *	2022/09/19		Lenovo		
Product environm	nental attributes - Market requirements (continued)		Requirement met		

Item

1	material and Sub	stance requirements	(conunueu)					
P7.21*	Biobased plastic material content is used in the product (See NOTE B7):							
	<ul> <li>If YES; at least one of the two alternatives below shall be answered;</li> <li>a) Of total plastic parts' weight &gt; 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %.</li> </ul>							
	or b) The weight of the biobased plastic material is g.							
P7.22*			less than 0,1 mg/lamp					
		specify: Number of lar	nps: and maxin	num mercury content p				
P8	Batteries							
P8.1*	Battery chemical composition:							
<b>P9</b>		tion (See NOTE B8)		ana ava vanantadi				
P9.1 Energy mo		Power level at	s or energy consumption	Power level at	Reference/Standard for energy			
Energy mo	lue	100 V AC	115 V AC	230 V AC	modes and test method *			
ENERGY	STAR® On	20.28 W @ 50Hz	20.14 W @ 60Hz	19.96 W @ 50Hz	ENERGY STAR Program for			
Mode*(Sys	stem Idle)	20.29 W @ 60Hz			Displays V8.0			
-	STAR® Low Power	0.15 W @ 50Hz	0.18 W @ 60Hz	0.21 W @ 50Hz	ENERGY STAR Program for			
Sleep Mod	e*	<mark>0.17</mark> W @ 60Hz			Displays V8.0			
	STAR® Off /	0.11 W @ 50Hz	0.13 W @ 60Hz	0.15 W @ 50Hz	ENERGY STAR Program for			
Apparent C	Off Mode*	0.11 W @ 60Hz			Displays V8.0			
PTEC * Typical En	ergy Consumption	W	W	W		$\square$		
ETEC * Annual Ene	ergy Consumption	63.07 kWh/year @ 50Hz 63.16 kWh/year @	62.81 kWh/year	62.37 kWh/year	ETEC = 8.76 x (Pon x 0.35 + Psleep x 0.65)			
		60Hz						
External P	ower Supply Efficier	L hcy Level (International	Efficiency Marking Pro	otocol) * :		$\boxtimes$		
	solution * : 2.07 meg	, (	, ,	/				
		ave mode: 0.25 minute	s			⊢⊢		
P9.2*	0,			product		╶┝┤		
P9.2*         Information about the energy save function is provided           P9.3         Energy efficiency class (monitors only): <i>E</i>		•	product	Erp lot5 (EU)				
P10	Emissions				2019/2013			
PIU	P10 Emissions Noise emission – Declared according to ISO 9296 (See NOTE B9)							
P10.1	Mode Mode description Statistical upper limit A-weighted sound power level, L <sub>WA,c</sub> (B)							
	Operation *			*				
	Other mode	Declared A-weighted soun	d pressure level (dB) $L_{p Am}$					
	Other mode	Declared A-weighted soun	d pressure level (dB) L <sub>pAm</sub>	(operator position desktop – operating)				
	Measured accordi	ng to: 🔀 ISO 7779 🗌	ECMA-74	•				
		Other	only if not covered by	ECMA-74)				

Material and autotanas requirements (continued)

Yes No

n.a.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model n	umber *	67A3,63DD,67	'A5		Logo			
Issue date *		2022/09/19				Lenovo		
Product	t environi	nental attribu	tes - Market requirement	s (continued)		Requiren		
Item						Yes	No n.a	
		magnetic emiss						
P10.4	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program(s): <i>EITA, MPRII, TCO 9.0</i>							
P12	Ergono	mics for comp	iting products					
P12.1*			rgonomic requirements of ISC			$\square$		
P12.2*	The phy	sical input devic	e meets the requirements of I	SO 9995 and ISO 9241-41	0.			
P13	Packag	ing and docum	entation					
P13.1*	Product Product Product	packaging mate packaging mate packaging mate	rial type(s): Corrugated rial type(s): EPS Cushion rial type(s): EPE Bag rial type(s): plastic EPP tape rial type(s): paper label	weight (kg):0.903 weight (kg): 0.398 weight (kg): 0.021 weight (kg): 0.001 weight (kg): 0.001				
P13.2*			backaging is free from PVC.			$\boxtimes$		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post- consumer recovered fiber content: 90 %							
P13.4*	Specify media for user and product documentation (tick box):							
P13.5	Ùser an		nis item if paper documentatio nentation on paper media is cl					
		hlorine-free al chlorine-free						
	Process	ed chlorine-free						
P14	Volunta	ry programs						
P14.1			equirements of the following v	oluntary program(s):				
	ISO924 Eye cor		Criteria version: / Criteria version: 1.0	Date:2022-09-06 Date:2022-09-06	Product category: L Product category: L			
P15	Additio	nal information	(See NOTE B10)					
<b>P9</b>			of specific configuration mag	y vary; description of the	tested product confia	uration:		
	NOTE: the info supplie informa	Supplier makes rmation contai r's knowledge tion. The infon	no representations, guarar ned in this document. All im available at the time of com nation provided here is app	ntees, assurances or warr formation provided by su pletion, and supplier shal	anties whether expres pplier in this documer I have no obligation to	ss or implied, re nt is provided b o update such	ased on	
<b>P</b> 9	Account Representative for more information. See Energy Star Qualified Notebooks & Tablet Computers for the latest information: http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO Firmware/Software updates are available at least 7 years after the end of manufacturing of this product							

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1