



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo			
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/				
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Tablet Computer				
Commercial name *	Lenovo Tab P11 (2nd Gen)				
Model number *	ZABF,ZABG,ZABL,ZABM				
Issue date *	2022.8.31				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		ZABF,ZABG,ZABL,ZABM		Lanc	VO	
Issue dat	e *	2022.8.31		Lenc	/VU	R
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*		s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)			
P1.2*		s do not contain Asbestos (see legal reference).		\boxtimes		
P1.3*		nt: Legal reference has no maximum concentration value. s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),			$\overline{}$	
F 1.5		omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach	loride 111-		Ш	
	trichloro	ethane, methyl bromide (see legal reference). Comment: Legal reference has no m	aximum			
		ration values.				
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych	lorinated	\boxtimes		
		(PCT) in preparations (see legal reference).				
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cark	oon atoms in t	he 🔀		
P1.6*		ntaining at least 48% per mass of chlorine in the SCCP (see legal reference). The direct and prolonged skin contact do not release nickel in concentrations above 0	F alam²lusa	ek 🔀		$\overline{}$
1.0		in direct and prolonged skin contact do not release nicker in concentrations above o al reference).	,5 μg/cm /wee	ek 🔼	Ш	ш
		nt: Max limit in legal reference when tested according to EN1811:2011-5.				
P1.7*		Article 33 information about substances in articles is available at (add URL or mail	contact):	\square		
	https://v	vww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	,			
P2	Batterie	s				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t	he disposal	\boxtimes		
	symbol.	Information on proper disposal is provided in user manual. (See legal reference)				
P2.2*	Batteries reference	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	nium. (See leg	al 🔀	Ш	
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes		
P3		nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see leg	gal reference).	\boxtimes		
		laration of Conformity can be requested at (add link or e-mail address):		_		
		vww.lenovo.com/us/en/compliance/eu-doc for EU;				
D0.0*		www.lenovo.com/us/en/compliance/uk-doc for UK				
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).			Ш	Ш
		d information is; given in item P15 or added to this document,		\square		
	rtoquirot	available at (add URL):				_
	https://v	vww.lenovo.com/us/en/compliance/eco-declaration				
P5		packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury	, cadmium a	nd 🔀	П	
	hexavale	ent chromium by weight of these together.		_		
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature	of the material	(s) 🔀		
P5.3*		e legal reference). luct packaging material is free from ozone depleting substances as specified in the N	Apptroal Proto	ool M	$\overline{}$	
ro.5		iuct packaging material is free from ozone depleting substances as specified in the N al reference).	nontreal Proto	col 🔀	Ш	
		nt: Legal reference has no maximum concentration values.				
P6		nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

wodei ni	ımber *	ZABF,ZABG,ZABL,ZABW	Logo	Len	01/0	
Issue dat	te *	2022.8.31		Len		ты
Product	environ	mental attributes - Market requirements (See General NOTE GN I	below)			
	- Enviro	nmental conscious design		Require	ment ı	net
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7 P7.1*		Disassembly, recycling It have to be treated separately are easily separable				
P7.2*		naterials in covers/housing have no surface coating.			<u> </u>	<u> </u>
P7.3*		arts > 100 g consist of one material or of easily separable materials.		- 	<u> </u>	
P7.3	•	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			<u> </u>	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.					\blacksquare
P7.6*	·	· · · · · · · · · · · · · · · · · · ·	valiable tools.		 	<u> </u>
P7.0	Product	re easily separable. (This requirement does not apply to safety/regulatory labels).			<u> Ц</u>	
P7.7*		ing can be done e.g. with processor, memory, cards or drives			\square	
P7.8*		g can be done using commonly available tools		-H	X	+
P7.9		arts are available after end of production for: 1 years				\vdash
P7.10	_ ' '	s available after end of production for: 1 years				<u> </u>
17.10		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
	Material	type: PC Material type: PC+20%GF Materia	ll type: SUS304			
P7.12	Insulation	n materials of external electrical cables are PVC free.		\boxtimes		
P7.13	Insulatio	n materials of internal electrical cables are PVC free.		\boxtimes		
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) br			\boxtimes	
		1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in				
		n 25% post-consumer recycled content.	i parts containing			
P7.15		ircuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 g 🗌	are low halogen	\boxtimes		
		ed in IEC 61249-2-21. (See 1NOTE B2)				
P7.16	Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: >FR40<			Ш	Ш
P7.17	Alt. 1: Ch	nemical specifications of flame retardants in printed circuit boards > 25 g (without co				
	TBBF	'A (additive), ☐TBBPA (reactive) (See NOTE B3),⊠Other: DOPO , CAS #: 35948	3-25-5	\boxtimes		
		nemical specifications of flame retardants in printed circuit boards (without compone	ents) > 25 g	_		
	accordin	g ISO 1043-4:				
P7.18		ame retarded plastic parts > 25 g contain the following flame retardant substance	s/preparations in			
		ations above 0,1%: ical name: , CAS #: (See NOTE B4)				
		ical name: , CAS #: (See NOTE B4)				
		ical name: , CAS #:				
	Alt. 2: Ch	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043	3-4: FR40			
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which	have been			
	•	the following Risk phrases; and Hazard statements:	. 55)			
P7.20*	The source(s) for these classifications is/are found at (add URL(s)): Postconsumer recycled plastic material content is used in the product (See Note B6):					
1-1.20	rusicons	ounter recycled plastic material content is used in the product (see Note Bo):			Ш	
		t least one of the two alternatives below shall be answered;				
		otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content	t (calculated as			
	or a pe	ercentage of total plastic by weight) is 8.2% .				
		weight of recycled material is 5.72 g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	ZABF,ZABG,ZABL,ZABM	Logo	Len	01/0	
Issue date *	2022.8.31		Len		TH.
Product environr	nental attributes - Market requirements (continued)		Requi	emen	t met
Item			Yes	No	n.a.

D7 04*		stance requirements								
P7.21*	Biobased plastic m	naterial content is used	d in the product (See No	JIEB/):		Ш				
		c parts' weight > 25 g,	es below shall be answe the biobased plastic m		ited as a percentage of					
	or									
P7.22*		the biobased plastic i	material is g. less than 0,1 mg/lamp.			$\overline{}$				
P1.22"		specify: Number of lar		um mercury content pe	er lamp: mg	Ш				
P8	Batteries	<u> </u>	inpor	anning out po	g					
P8.1*	Battery chemical c	omposition: Li-ion Po	lymer			П				
P9	Energy consump	onsumption (See NOTE B8)								
P9.1			ls or energy consumption	ons are reported:						
Energy mo		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *					
Peak (On-	max)	18.0 W	18.0 W	18.0 W	Full load					
Categor	<u>y2</u>									
Short Idle Enabled	State - WOL	2.86 W	2.85 W	3.0 W	ENERGY STAR Computers V8.0 (P _{idle})					
Long Idle Enabled	State - WOL	0.498 W	0.5052 W	0.53 W	ENERGY STAR Computers V8.0 (P _{idle})					
Sleep (S3)	- WOL Disabled	0.498 W	0.5052 W	0.53 W	ENERGY STAR Computers V8.0					
Off (S5) - 1	WOL Disabled	0.43 W	0.43 W	0.47 W	ENERGY STAR Computers V8.0					
EPS No-lo (External power :	ad supply / charger plugged in the sconnected from the product.)	0.026 W	0.039 W	0.051 W						
ETEC *	ergy Consumption	10.42 W	10.42 W	10.99 W	E _{TEC} = (8760/1000) x (P _{off} x 0.25 + P _{sleep} x 0.35 + P _{long_idle} x 0.10+ P _{short idle} x 0.30)					
		Poff: Off Mode(S5) - W	OL Enabled; P _{sleep} : Sleep	Mode(S3) - WOL Enable	ed; P _{idle} : Idle State - WOL Enabled					
	117	,	I Efficiency Marking Pro	tocol) * : VI						
Display res	solution * : 2.4 mega	pixels								
Default tim	e to enter energy sa	ve mode: 0.5 minutes				\Box				
P9.2*	Information about	the energy save functi	on is provided with the	product.		一				
P9.3	Energy efficiency	class (monitors only):	•	•		X				
P10	Emissions	, ,,								
		Declared according to	o ISO 9296 (See NOTE	B9)						
P10.1						B)				
	Idle *			*		X				
	Operation *			*						
			d pressure level (dB) $L_{p m Am}$	(operator po	sition desktop – idle)					
	Other mode	Peclared A-weighted soun	d pressure level (dB) $L_{p m Am}$	(operator po	sition desktop – operating)					
	Measured according	ng to: 🔲 ISO 7779 🗌	ECMA-74							
		Other	(only if not covered by	ECMA-74)						

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nui	mber *	ZABF,ZABG,ZAB	L,ZABM		Logo	Long	WO	
Issue date	*	2022.8.31				Leno		
Product	environr	nental attributes	- Market requirements	(continued)		Require	ment	met
Item						Yes	No	n.a.
	Electron	nagnetic emission	S					
P10.4	Compute program	. ,	requirement for low freque	ency electromagnetic field	s of the following volunta	ary		
P12	Ergono	mics for computing	g products					
P12.1*	The disp	lay meets the ergor	omic requirements of ISO	9241-307 for visual displa	ay technologies.	\boxtimes		
P12.2*	. ,	<u> </u>	eets the requirements of IS	O 9995 and ISO 9241-41	0.	X		
P13		ng and documenta						
P13.1*	Product	packaging material packaging material packaging material	type(s): paper(manual) we	ght (kg): 0.279 eight (kg): 0.056 ght (kg): 0.006				
P13.2*	Product	plastic primary pack	aging is free from PVC.			\square		
P13.3*		duct primary corrug	ated fiberboard packaging ontent: %	, specify the contained	percentage of minimum	post-		
P13.4*		media for user and pronic, ⊠Paper, □	product documentation (tick Other	(box):				
P13.5	Ùser and		em if paper documentation ation on paper media is ch			\boxtimes		
	,	hlorine-free al chlorine-free						
	Process	ed chlorine-free						
P14	Volunta	ry programs						
P14.1	The prod	duct meets the requi	rements of the following vo	oluntary program(s):				
	Eco-labe	el:	Criteria version: 8.0 Criteria version: Criteria version:	Date: 2020-4 Date: Date:	Product category: 2 Product category: Product category:			
P15		nal information (Se						
P9			ecific configuration may					
	the info supplied informa	rmation contained r's knowledge avai tion. The informati	representations, guarant in this document. All info lable at the time of comp on provided here is appr or more information.	ormation provided by su letion, and supplier sha	ipplier in this documen Il have no obligation to	nt is provided update such	based	on
P9			Notebooks & Tablet Com /index.cfm?fuseaction=fi					_
	nttp://w	ww.energystar.gov	/index.cim/tuseaction=fi	mu_a_product.snowPro	ductoroup&pgw_code	-00		

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo Tab P11(2rd Gen)	Logo	
Model Number	ZABF,ZABG,ZABL,ZABM		Lonovo
Issue Date	2022.8.31		Lenovo.
Additional information			

(d)	Year of manufacture:				2022
e)	Etec value (kWh) per ErP Lot 3 Categordisabled and if the system is tested with	n switchable graphics n	mode with UMA driving	g the display.	, ,
f)	Etec value (kWh) per ErP Lot 3 Categorienable	ry and capability adjust	tments applied when a	all discrete graphics	cards (dGrx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	6			
ents	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
ability a lied du	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capa	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)	No			
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	9.28			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
(g)	Idle state power demand (Watts);	1	J		2.622
h)	Sleep mode power demand (Watts);				0.462
i)	Sleep mode with WOL enabled power d	emand (Watts) (where	enabled);		
j)	Off mode power demand (Watts);				0.378
k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		
(1)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
m)	External power supply efficiency (if appli	icable)*:			
	Average active efficiency: 86.81%				
	*internal note: show values for all available external p				
0)	Minimum number of loading cycles that	the batteries can withs	tand (applies only to r	notebook computers):	800cls ,≥70% o capacity
p-1)	Measurement methodology used to dete	ermine information mer	ntioned in points (I) - i	nternal PSU efficiency	:
p-2)	Measurement methodology used to dete	ermine information mer	ntioned in points (m) -	external PSU efficience	cy:

(p-3) Measurement metho	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: 0.5C Charge/Discharge						
	dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration:	naximum, idle, sleep, off mode					
EN 62	EN 62623:2013 Desktop and notebook computers - Measurement of energy						
(q) Sequence of steps for	or achieving a stable condition with respect to power	demand::					
EN 62	2623:2013 Desktop and notebook computers - Me	asurement of energy					
(r) Description of how sl	eep and/or off mode was selected or programmed:						
refer to power man	agement, sleep mode: ACPI system level G1/S3 (ACPI system level G2/S5 ('soft off') s						
	required to reach the mode where the equipment au wer management, 0.5mins automatically reaches						
	te condition before the computer automatically re- not exceed the applicable power demand requirement		0.5				
(u) Length of time after	a period of user inactivity in which the compute ver power demand requirement than sleep mode (in	r automatically reaches a power	NA				
(v) Length of time befo	re the display sleep mode is set to activate after	user inactivity (in minutes):	1				
(w) Information on the er	nergy-saving potential of power management function	nality:					
	refer to user manual						
(x) User information on I	now to enable the power management functionality:						
	refer to user manual						
	measurements: — test voltage in V and frequency in system, — information and documentation on the in- sting:						
	230V50HZ-2%-Edition 2.0, 2011-01, Section 4	I, IEC62301					
Additional Notebook Batter							
	Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a				
	The battery[ies] in this product cannot be easily replaced by users themselves. 1)						
Internal/built-in Battery							
External/detachable Battery							
Bios Backup Battery	Bios Backup Battery						
Other:	Other:						
Additional information							
) The battery[ies] in this product cannot be ea	asily replaced by users themselves.						

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.
Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.
Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.
A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înșiși. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.