



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/	
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

	based on product specification or test results based obtained from sample testing), that the product nts given in this declaration.
Type of product *	Notebook
Commercial name *	Lenovo V15 Gen 4 AMN
Model number *	82YU,83CQ
Issue date *	2022-12-13
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nu	mber *	82YU,83CQ	Logo	Long	N/C	
Issue dat	e *	2022-12-13		Lend	JVC) TH
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	\boxtimes		
P1.2*		do not contain Asbestos (see legal reference).		\boxtimes		
P1.3*		nt: Legal reference has no maximum concentration value. do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),			$\overline{}$	
	hydrobro trichloroe concentr	emofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.	aximum			
P1.4*	terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych l (PCT) in preparations (see legal reference).				
P1.5*		edo not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in tl	he 🔀		
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/wee	ek 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail oww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batterie					
P2.1*		educt contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal			
P2.2*	Batteries reference	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	ium. (See lega	al 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\square		
P3	Conforn	nity verification & Eco design (ErP)		<u> </u>		
P3.1*	The proc The Dec	duct is CE-marked to show conformance with applicable legal requirements (see legal legal requirements) (see legal laration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/compliance/eu-doc for EU; www.lenovo.com/us/en/compliance/uk-doc for UK	gal reference).			
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
	Required	d information is; given in item P15 or added to this document, available at (add URL): www.lenovo.com/us/en/compliance/eco-declaration				
P5		packaging				
P5.1*	Packagii	ng and packaging components do not contain more than 0,01% lead, mercury	, cadmium a	nd 🔀		
P5.2*		ent chromium by weight of these together. kaging materials are marked with abbreviations and numbers indicating the nature o	of the material		$\overline{}$	
	used (se	e legal reference).		`		
P5.3*	(see lega	luct packaging material is free from ozone depleting substances as specified in the Nal reference).	iontreal Proto	col 🔀		
P6		nt: Legal reference has no maximum concentration values.				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	ımber *	82YU,83CQ	Logo	Lond)\/O	
Issue dat	te *	2022-12-13		Lend	JVO.	c
Product		mental attributes - Market requirements (See General NOTE GN	below)			
		onmental conscious design		Requiren		
Item	*=manda	tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n. a.
P7		Disassembly, recycling				
P7.1*		at have to be treated separately are easily separable				Щ
P7.2*		naterials in covers/housing have no surface coating.				
P7.3*		arts > 100 g consist of one material or of easily separable materials.		\boxtimes		
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		\boxtimes		
P7.5	-	arts are free from metal inlays or have inlays that can be removed with commonly	available tools.	\boxtimes		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\boxtimes		
	Product					
P7.7*		ng can be done e.g. with processor, memory, cards or drives			_ <u>Ц</u>	Щ
P7.8*		ng can be done using commonly available tools		\boxtimes		
P7.9		arts are available after end of production for: 3 years				
P7.10		s available after end of production for: 5 years				
D7 44		and substance requirements				
P7.11*	Product	cover/housing material type (e.g. plastics, metal, aluminum): type: <i>PC+ABS</i> Material type: <i>SGCC</i>				
P7.12		n materials of external electrical cables are PVC free.				
P7.13		n materials of internal electrical cables are PVC free.				H
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b	promine and 0.1°	% 🔀		$^{+}$
7.14	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flam chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in 25% post-consumer recycled content.	e retardants, an	ıd		
P7.15	Printed of as define	circuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 g 🕻 ed in IEC 61249-2-21. (See 1NOTE B2)		n 🗌		
P7.16	Marking:					
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c	components):			
	TBBF	PA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:		\boxtimes		Ш
		nemical specifications of flame retardants in printed circuit boards (without compon g ISO 1043-4:	ents) > 25 g			
P7.18		retarded plastic parts >25g contain the following flame retardant substance rations above 0.1%:	es/preparations i	in 🔀		
	2. Chem 3. Chem 4. Chem Alt. 2	ical name: Oligomeric phosphorous compound CAS #: ical name: CAS #: ical name: CAS #: ical name: , CAS #: il specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19	In plastic	parts > 25 g, flame retardant substances/preparations above 0,1% are used which	h have been		$\overline{}$	Ħ
		d the following Risk phrases; and Hazard statements: H411;H413 rec(s) for these classifications is/are found at (add URL(s)): European Cour	ncil Directive			
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):		\boxtimes		
	a) Of t a po or	at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material conterercentage of total plastic by weight) is 2.05% . The weight of recycled material is 13.61 g.	nt (calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82YU,83CQ	Logo	Lanova
Issue date *	2022-12-13		LEI IOVO.

Product environmental attributes - Market requirements (continued)	Requir	remen	t met
Item	Yes	No	n.a.

	Material and subs	stance requirements	(continued)			
P7.21*			d in the product (See I	NOTE B7):		
			es below shall be ansv			
				material content (calcul	lated as a percentage of	
	total plastic by	y weight) is 0 %				
		the biobased plastic	material is g.			
P7.22*	Light sources are f	ree from mercury, i.e	. less than 0,1 mg/lam		\boxtimes	
		specify: Number of la	mps: and maxi	mum mercury content p	per lamp: mg	
P8.1*	Batteries	omposition: LI-ION P	lahimar hattani			
		<u> </u>	olymer battery			
P9		tion (See NOTE B8)	els or energy consump	tions are reported:		
Energy m		Power level at	Power level at	Power level at	Reference/Standard for energy	
Liloigy iii	lode	100 V AC	115 V AC	230 V AC	modes and test method *	ш
Peak (On	ı-max)	65 W	65 W	65 W	Full load	
Catego	<u>ry 1</u>					
Short Idle	e State - WOL	5.15 W	5.18 W	5.21 W	ENERGY STAR Computer V8	
Enabled					•	
Lona Idle	e State - WOL	1.14 W	1.14 W	1.16 W	ENERGY STAR Computer V8	
Enabled					, , , , , , , , , , , , , , , , , , , ,	
Sleep (S	3) - WOL Enabled	1.14 W	1.14 W	1.16 W	ENERGY STAR Computer V8	
Off (S5) -	WOL Disabled	0.39 W	0.41 W	0.41 W	ENERGY STAR Computer V8	
EPS No-l		0.067 W	0.068 W	0.070 W		
(External power wall outlet but of	er supply / charger plugged in the disconnected from the product.)					
PTEC *		W	W	W		
– –	nergy Consumption	VV	VV	VV		\boxtimes
		40.00134/1-7	40.001-\0/15-6	40 47100/10/10/10	F = (0700/4000) (D 0.05	
ETEC *	nergy Consumption	18.89 kWh/year	19.00 kWh/year	19.17 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35 + P_{long ldle} \times 0.10 +$	Ш
Alliluai Li	nergy consumption				P _{short Idle} x 0.30)	
		Poff: Off Mode(S5) - W	OL Enabled; Psleep: Slee	ep Mode(S3) - WOL Enab	oled; Pidle: Idle State - WOL Enabled	
Catego	ry 2					
Short Idle	e State - WOL	5.01 W	5.04 W	5.08 W	ENERGY STAR Computer V8	
Enabled						
Long Idle	e State - WOL	1.18 W	1.24 W	1.25 W	ENERGY STAR Computer V8	
Enabled						
Sleen (S	3) - WOL Enabled	1.18 W	1.24 W	1.25 W	ENERGY STAR Computer V8	
• •	•				•	
	WOL Disabled	0.41 W	0.41 W	0.43 W	ENERGY STAR Computer V8	
EPS No-I	oad er supply / charger plugged in the	0.067 W	0.068 W	0.070 W		
wall outlet but o	r supply / charger plugged in the disconnected from the product.)					
PTEC *		W	W	W		\boxtimes
Typical E	nergy Consumption	18.71 kWh/year	19.03 kWh/year	19.21 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$	
	nergy Consumption	NVVII/year	13.03 KVIII/yeai	13.21 KVVII/yeai	$+ P_{\text{sleep}} \times 0.35 + P_{\text{long Idle}} \times 0.10+$	Ш
	,				P _{short Idle} x 0.30)	
		Poff: Off Mode(\$5) - W	OL Enabled; Psleep: Slee	ep Mode(\$3) - WOL Enab	oled; Pidle: Idle State - WOL Enabled	

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available;

 $see \hspace{0.2cm} \underline{\text{http://www.ecma-international.org/publications/standards/Ecma-370.htm}}$

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

External Po	ower Supply Effici	iency Level (International Efficiency Marking Prote	ocol) * : VI	
Display res	solution * : 2.07 m	negapixels		
Default time	e to enter energy	save mode: 5 minutes		
P9.2*	Information abou	ut the energy save function is provided with the p	roduct.	
P9.3				
P10	Emissions			
	Noise emission	n - Declared according to ISO 9296 (See NOTE E	39)	
P10.1	Mode	Mode description	Statistical upper limit	A-weighted sound power level, $L_{WA,c}$ (B)
	Idle	* Idle	* 2.2	
	Operation	* Operation	* 4.0	
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p {\rm Am}}$	15.6 (operator position	on desktop – idle)
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p {\rm Am}}$	31.8 (operator position	on desktop – operating)
	Measured accor	rding to: ISO 7779 ECMA-74		
		Other (only if not covered by E	ECMA-74)	

Model nur	nber *	82YU,83CQ			I	-ogo	Long	V/0	
Issue date	*	2022-12-13					Leno	VO.	1
Product of	environr	nental attributes	- Market requirements (cor	ntinued)			Require	ment	met
Item			-	•			Yes	No	n.a.
		magnetic emissions							
P10.4	program	(s): MPR-II(3 pin AC		lectromagnetic fields	s of the follow	ving voluntary	<i>'</i> ⊠		
P12		mics for computing							
P12.1*			omic requirements of ISO 9241-			es.	\boxtimes		
P12.2*	The phys	sical input device me	eets the requirements of ISO 999	95 and ISO 9241-41	0.		\boxtimes		
P13		ng and documenta							
P13.1*	Product Product Product Product	packaging material t packaging material t packaging material t packaging material t	ype(s): paper pad weight (kg ype(s): EPE weight (kg	weight (kg): 0.0049 g): 0.040 g): 0.104					
P13.2*	Product	plastic primary packa	aging is free from PVC.						
P13.3*	consume	er recovered fiber co	ated fiberboard packaging, spec ntent: 90 %		ercentage c	of minimum p	ost-		
P13.4*		media for user and p ic ⊠, Paper ⊠, Ot	roduct documentation (tick box): her	:					
P13.5	Ùser and		em if paper documentation used ution on paper media is chlorine-						
		hlorine-free al chlorine-free					\boxtimes		
	Process	ed chlorine-free							
P14		ry programs							
P14.1	The prod	duct meets the requir	rements of the following voluntar	y program(s):					
	Eco-labe		Criteria version: 8.0 Criteria version: 1680.1-2018 Criteria version:	Date: 2020/7/15 Date: Date:	Product ca Product ca Product ca	0 ,			
P15		nal information (See							
P9			ecific configuration may vary;						
	the info supplier informa Accoun	rmation contained a r's knowledge avail tion. The information t Representative fo	representations, guarantees, a in this document. All information able at the time of completion provided here is approximate more information.	ion provided by su , and supplier shal ate and provided fo	pplier in thi I have no ol r informatio	s document i bligation to u	is provided i ipdate such	based	on
P9			Notebooks & Tablet Computer /index.cfm?fuseaction=find_a			pgw_code=(co		

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo V15 Gen 4 AMN	Logo	
Model number *	82YU,83CQ		Lenovo
Issue date *	2022-12-13		renovo.
Additional information			

d)	Year of manufacture:				2022	
;)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are	
)	Etec value (kWh) per ErP Lot 3 Categor enable	ry and capability adjust	tments applied when a	all discrete graphics	cards (dGfx) are	
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)	
	Memory over base [GB]	16				
ents	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
ability a lied du	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
cap	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)	
	Category of discrete graphics Card(s)					
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	11.27				
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled					
g)	Idle state power demand (Watts);				3.01	
1)	Sleep mode power demand (Watts);				1.25	
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		1.25	
)	Off mode power demand (Watts);				0.43	
()	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.43	
)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 °	% of rated output pow	er (if applicable):		
	10% 20% 50%	100% Avera	age			
n)	External power supply efficiency (if appli	cable)*:				
	Average active efficiency: 90.67%; 89.5	66%;91.83%;91.18%;8	9.63%;91.85%;89.71	%		
	*internal note: show values for all available external po	ower supplies				
o)	Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers): 300CYCLES					
p-1)	Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency:					
p-2)	Measurement methodology used to dete	rmine information mer	ntioned in points (m) –	external PSU efficienc	cv.	

(p-3)	Measurement metho	dology used to determine information mentioned in p EN 50563:2011 measurement methodo			
(p-4)	4) Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:				
		EN 62623:2013 measurement methodo	ology		
(q) Sequence of steps for achieving a stable condition with respect to power demand::					
	EN 62623:2013 measurement methodology				
(r)	Description of how sleep and/or off mode was selected or programmed:				
		EN 62623:2013 measurement methodo	ology		
(s)	s) Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:				
	ref	er to power management, 5mins automatically re	aches sleep mode		
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):				
(ii) Longth of time after a period of user inactivity in which the computer automatically reaches a power				NA	
(v)					
(w) Information on the energy-saving potential of power management functionality:					
User information described in User Guide and Power Manager under Lenovo V15 G4 AMN menu in all programs					
(x) User information on how to enable the power management functionality:					
User information described in User Guide and Power Manager under Lenovo V15 G4 AMN menu in all programs					
(z) Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of					
the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing: 230V, 50GHz, Total Harmonic Distortion <2 %					
Additional Notebook Battery Information:					
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a	
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)			
Internal/built-in Battery					
External/detachable Battery					
Bios Backup Battery					
Other:					
Additional information					
)					

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotăji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuottéen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.