

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2017)

Annex B2 - Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs		Lenovo
e-mail address	Alvin L Carter		LEI IOVO.
	alcarter@lenovo.com		
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/		
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	All in One Computer				
Commercial name *	ThinkCentre neo 50a 24 Gen 3				
Model number *	12B6,12B7,12B8,12B9				
Issue date *	2022.7.25				
Intended market *	🛛 Global 🔲 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other				
Additional information	Low blue light;Flicker Free;				
	12B6,12B7 - Energy Star,EPEAT Silver				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number *		12B6,12B7,12B8,12B9 Logo				
lssue da	ate *	2022.7.25	Leno	Lenovo		
Produc	t environ	mental attributes - Legal requirements	Require	ment	t met	
Item			Yes	No	n.a.	
P1		ous substances and preparations				
P1.1*	Product	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\square			
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	\square			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.					
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the					
P1.5*	Product	he 🔀				
P1.6*	 chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. 					
P1.7*	REACH https://	\boxtimes				
P2	Batterie	95				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)	\boxtimes			
P2.2*	Batterie: referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See leg e)	al 🔀			
P2.3*	Batterie	s and accumulators are readily removable. (See legal reference)	\boxtimes			
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The pro The Dec https://	duct is CE-marked to show conformance with applicable legal requirements (see legal reference) claration of Conformity can be requested at: www.lenovo.com/us/en/compliance/eu-doc for EU and www.lenovo.com/us/en/compliance/uk-doc for UK				
P3.2*	The pro	al reference).	\boxtimes			
	· ·	d information is; given in item P15 or added to this document, available at:	\boxtimes			
	https://	www.lenovo.com/us/en/compliance/eco-declaration				
P5	Produc	t packaging				
P5.1*	Packagi hexaval	ng and packaging components do not contain more than 0,01% lead, mercury, cadmium a ent chromium by weight of these together.	and 🔀			
P5.2*	The pac used (se	kaging materials are marked with abbreviations and numbers indicating the nature of the materia ee legal reference).				
P5.3*	(see leg	duct packaging material is free from ozone depleting substances as specified in the Montreal Proto al reference). nt: Legal reference has no maximum concentration values.	col 🔀			
P6	I reatme	ent information				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		12B6,12B7,12B8,12B9	Logo	Lon		
Issue da	te *	2022.7.25		Len	ovc	тн
Product	t environ	mental attributes - Market requirements (See General NOTE GN	below)			
		onmental conscious design	7	Require	ment	met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7		Disassembly, recycling		<u> </u>		
P7.1*		at have to be treated separately are easily separable naterials in covers/housing have no surface coating.				<u> </u>
P7.2*						
P7.3*		arts > 100 g consist of one material or of easily separable materials.		\square		
P7.4*	-	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		\square		
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.	\boxtimes		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\boxtimes		
		lifetime				
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives		\square		
P7.8*	Upgradir	ng can be done using commonly available tools		\boxtimes		
P7.9	Spare pa	arts are available after end of production for: 5 years				
P7.10	Service i	s available after end of production for: 5 years				
	Material	and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: ABS Material type: PC Materia	al type: PC+AB	s		
		type: SGCC	51			
P7.12	Insulatio	n materials of external electrical cables are PVC free.			\boxtimes	
P7.13	Insulation	n materials of internal electrical cables are PVC free.			\boxtimes	
P7.14	weight (* polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in an 25% post-consumer recycled content.	e retardants, ar	nd 🗖		
P7.15	Printed c	sircuit boards, PCBs (without components) are low halogen: all ⊠ PCBs > 25 g ed in IEC 61249-2-21. (See 1NOTE B2)	are low haloge	en 🗌	\square	
P7.16	Flame re Marking:	etarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: >FR(40)<		\boxtimes		
P7.17	<u>Alt. 1: Cł</u>	nemical specifications of flame retardants in printed circuit boards > 25 g (without co PA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	omponents):	\boxtimes		
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g			
P7.18	concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substance rations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	s/preparations	in		
	<u>Alt. 2: </u> Cł	nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4: >FR(40)<	\boxtimes		
P7.19	In plastic	c parts > 25 g, flame retardant substances/preparations above $0,1\%$ are used which				
	-	d the following Risk phrases; and Hazard statements:	oo note DE)			
P7.20*		rce(s) for these classifications is/are found at (add URL(s)): , (S sumer recycled plastic material content is used in the product (See Note B6):	See note B5)			
17.20	lf YES; a Of total p percenta	It least one of the two alternatives below shall be answered; lastic parts' weight > 25 g, the postconsumer recycled plastic material content (cal ige of total plastic by weight) is 41% . weight of recycled material is 822.1 g.	culated as a			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	12B6,12B7,12B8,12B9	Logo	Lenovo			
Issue date *	2022.7.25		LEHOVO			
Product environmental attributes - Market requirements (continued) Requirement met						

Item

	Material and sub	stance requirements	(continued)					
P7.21*			d in the product (See N	OTE B7):				
	If YES: at least or	ne of the two alternativ	es below shall be answ	ered:		_		
	a) Of total plas	a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of						
		by weight) is %.						
	or b) The weight (of the biobased plastic	material is g.					
P7.22*			less than 0,1 mg/lamp					
		specify: Number of la		num mercury content pe				
P8	Batteries							
P8.1*	,	composition: Lithium	Manganese Dioxide					
P9	Energy consum	ption (See NOTE B8)						
P9.1		e following power leve	ls or energy consumpti					
Energy mo		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *			
Peak (On-	max)	W	87.32 W	W	Full load			
Categor	<u>y2</u>							
Short Idle	State - WOL	19.35W	19.58W	19.7 W	ENERGY STAR Computers V8			
Enabled								
Long Idle	State - WOL	2 W	1.96W	2.02W	ENERGY STAR Computers V8			
Enabled								
Sleep (S3)	- WOL Enabled	2 W	1.96W	2.02W	ENERGY STAR Computers V8			
Off (S5) - I	WOL Enabled	0.794W	0.76W	0.911W	ENERGY STAR Computers V8			
EPS No-lo		W	W	W		\boxtimes		
(External power s wall outlet but dis	supply / charger plugged in the connected from the product.)							
PTEC *		W	W	W		\boxtimes		
	ergy Consumption							
ETEC *	ergy Consumption	61.1 kWh/year	2 : 61.9 kWh/year	62.7 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.45) + P_{sleep} \times 0.05 + P_{long} _{dle} \times 0.15 + P_{sleep} \times 0.15 +$			
	ergy consumption				$P_{short \ Idle} \times 0.35$			
		Poff: Off Mode(S5) - WOL Enabled; Pslee	p: Sleep Mode(S3) - WOL	Enabled; Pidle: Idle State - WOL Enabled	1		
			al Efficiency Marking Pr	otocol) * :		\mathbf{X}		
Display res	solution * : 2.07 me	gapixels						
Default tim	e to enter energy s	ave mode: 10 minutes						
P9.2*	Information about	the energy save funct	ion is provided with the	product.				
P9.3	Energy efficiency	class (monitors only):				\boxtimes		
P10	Emissions							
D / 0 /			o ISO 9296 (See NOTE					
P10.1	Mode Idle	Mode description * HDD:Idle			it A-weighted sound power level, $L_{WA,c}$	(B)		
				* 3.5		<u> </u>		
	Operation Other mode	* HDD: Operating		* 2.6	and a before the base			
			nd pressure level (dB) $L_{p{ m Arr}}$					
	Other mode	Declared A-weighted sour	nd pressure level (dB) $L_{p{ m Al}}$	m 19 (operator positio	on desktop – operating)			
	Measured accord	·	ECMA-74					
l		Other	(only if not covered by	/ ECMA-74)				

Yes No

n.a.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	umber *	12B6,12B7,12B8,	12B9		L	ogo	Lon		
Issue da	te *	2022.7.25					Len	ovo	тн
Product	environ	mental attributes	- Market requirements (co	ntinued)			Requir		me
Item							Yes	s No	n.a
		magnetic emission							
P10.4	program	n(s): CE,FCC,VCCI,		electromagnetic field	s of the follow	ving volunt	ary 🔀		
P12		mics for computing							
P12.1*		, 0	omic requirements of ISO 9241	•	, 3	es.		\square	
P12.2*	The phy	sical input device m	eets the requirements of ISO 99	95 and ISO 9241-41	0.			\square	
P13		ing and documenta							
P13.1*	Product	packaging material	type(s): <i>Paper -Corrugated Doc</i> type(s): <i>Plastic - Solid EPE (so</i> type(s): <i>Plastic - Thermoforme</i>	lid Expanded poly	ethylene) w	eight (kg): eight (kg):			
P13.2*	Product	plastic primary pack	aging is free from PVC.				\boxtimes		
P13.3*		duct primary corrug er recovered fiber co	ated fiberboard packaging, spe ontent: 80 %	cify the contained p	percentage o	f minimun	n post-		
P13.4*			product documentation (tick box) Other):					
P13.5	Ùser an		em if paper documentation used ation on paper media is chlorine						
	,	chlorine-free					\square		
		tal chlorine-free ed chlorine-free							
P14		ary programs							
P14.1			rements of the following volunta	ry program(s).					
	Eco-lab Eco-lab Eco-lab	el: Low blue light el: Flicker Free el: Energy Star el: Silver	Criteria version: 2 <i>PfG</i> 2383 Criteria version: 2 <i>PfG</i> 1797 Criteria version: 8.0 Criteria version: 2019	Date: 2022.8.5 Date: 2022.8.5 Date: 2022.6.2 Date: 2022.8.15		egory: Pe egory: Co			
P15	Additio	nal information (Se	e NOTE B10)						
P 9	Energy Intel i7-	consumption of sp 1165G7/Intel i3-127	ecific configuration may vary 00H/16G memory/1TBHDD+11	BSSD/Switchable	GPU/180w	-			
	the info supplie informa Accourt	ormation contained or's knowledge avai ation. The information at Representative for	representations, guarantees, in this document. All informat lable at the time of completion on provided here is approxima or more information.	tion provided by su n, and supplier sha ate and provided fo	Ipplier in this Il have no ob or informatio	docume	nt is provide o update suc	d based ch	don
P 9			Notebooks & Tablet Computer //index.cfm?fuseaction=find_a			pgw_cod	e=CO		

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkCentre neo 50a 24 Gen 3	Logo	
Model Number	12B6,12B7,12B8,12B9		
Issue Date	2022.7.25		Lenovo.
Additional information	Low blue light;Flicker Free; 12B6,12B7 - Energy Star;EPEAT Silver		_

d)	year of manufacture:						
					2022		
e)	Etec value (kWh) per ErP Lot 3 Categor disabled and if the system is tested with				cards (dGfx) are		
(f) Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) a enable							
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3		
	Memory over base [GB]				16		
ients sting	Additional internal storage	(Yes / No)	(Yes / No)	(Yes / No)	Yes (Yes / No)		
adjustm iring tee	Discrete television tuner	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)		
capability adjustments applied during testing	Discrete Audio Card	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)		
cap app	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)	Yes #: 1 (Yes / No)		
	Category of discrete graphics Card(s)				Switchable		
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)				25.49		
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled						
g)	Idle state power demand (Watts);			4	5.845		
h)	Sleep mode power demand (Watts);				1.944		
i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		1.999		
j)	Off mode power demand (Watts);				0.863		
k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.857		
(I)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 9	% of rated output pow	er (if applicable):			
	10% 84.78% 20% 89.71% 50% 92. 0	07% 100% 92.31%	Average 91.36% 18	0w			
m)	External power supply efficiency (if appli	icable)*:					
	Average active efficiency:						
	*internal note: show values for all available external p	ower supplies					

	To change or customize a power plan: 1. Type power plan in the Windows search box and then press Enter. 2. Customize a power plan of your preference.	
	To awaken the computer from Sleep mode, press any key on your keyboard.	
	put the computer to sleep: After 10 minutes	
	been idle for a specified duration:turn off the display: After 10 minutes	
	For ENERGY STAR® compliant computers, the following power plan takes effect when your computers have	
	Based on user manual-Set the power plan Set the power plan	
x)	User information on how to enable the power management functionality:	
	N/A	
w)	Information on the energy-saving potential of power management functionality:	
v)	power mode that has a lower power demand requirement than sleep mode (in minutes): Length of time before the display sleep mode is set to activate after user inactivity (in minutes):	N/A 10 minutes
(u)	another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes): Length of time after a period of user inactivity in which the computer automatically reaches a	10 minutes
(t)	settings for this plan Duration of idle state condition before the computer automatically reaches sleep mode, or	
	Based on user manual/Control Panel->Power Options-> Change Settings-> Restore default	
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:	
	3. Change the settings as you prefer.	
	 Click Power Options → Choose what the power buttons do. 	
	1. Go to Control Panel and view by large icons or small icons.	
	To change what the power button does:	
	You can define what the power button does according to your preference. For example, by press power button, you can turn off the computer or put the computer to sleep or hibernation mode.	
	Set power button behaviors	
	Set power button behaviors	
(r)	Description of how sleep and/or off mode was selected or programmed:	
	Based on user manual/Power on->Wait 5 minutes->Stable condition	
(q)	Sequence of steps for achieving a stable condition with respect to power demand:	
	refer to IEC62623:2013-Desktop and notebook computers-Measurement of energy consumption	
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:	
	batteries: N/A	
(p-3)	Measurement methodology used to determine information mentioned in points (o) - loading cycles	
	efficiency: N/A	
(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU	
	efficiency: 80 PLUS® Certified Power Supplies	
(p-1)	Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency:	

(z) Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:									
	Test voltage in V and frequency in Hz: 230V/50Hz								
		Total harmonic distortion of the electricity su	upply system:	<u>≤2%</u>					
	Instrument	Range Used		Make and Model **					
Туре		Or ***							
AC Power Source		e 230V;50Hz	EXT	ECH;6810;SN:1450172					
	Power Meter	0~200V;0~20A	YOKOG	AWA;WT210;SN:91H427511					
	Hygrothermograp			SEKONIC;ST-50					
	Light Measuring	1° ; 0.01 to 999,900 cd/m2	ĸ	ionica Minolta;LS-150					
Additiona	I Notebook Batter		-						
		Battery[ies] not user replaceab	le	Battery[ies] user replaceat	ole n/a				
		The battery[ies] in this product cannot replaced by users themselves. ¹⁾	ot be easily						
Internal/bu	ilt-in Battery								
External/de	etachable Battery								
Bios Backı	up Battery								
Other:									
Additional	information								
) The battery[les] in this product cannot be easily replaced by users themselves. kyywynarophara[wre] Garepwia[w] a rosw npogykr we woke ga ce sawerw[AT] necko or cawwre norpe6wrenw. as bateris de esise producto no pueden ser sustituidas facilimente por los propios usuarios. //ménu baterie/baterii v tomto výrobku by neměli provádět sami uživatelé. Srugera kani kke uden videre udskíte baterie/baterierio atterier pordukt. Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. (sautajad ei saa selle toote aku/akus di sen holpsati saenadaa. 4 µmarapia[-c] oro mpoi/v auró &ze µmopoú va avnikaraorafodiv vákoka arň touc jõbuc rouc gyhofrac alles batteriejs présent(e) dans ce produti ne peuvent fer facilement remplacée(s) par les utilisateurs eux-mêmes. Corisnik ne može lako zamijenii Baterjiu sam u ovom proizvodu. a batteria/le batterie in questo prodotto non pudo possono essere facilmente sostituita/e dall'utente. Lietolaji pasi nevar nomainit ši rażojuma akumulator/u_us). Bio gaminio baterijos [Dateriju] pats vartotojas negali lengvai pakeisil. I termék akkumulátor/at kkumulátori ter stattes av brukerne selv. De taterije ni jordott kan ikke lett eristattes av brukerne selv. De batterije (hei ni pordott is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Zytkownk ine može saw u stavy sposób wymienic batteri i w tym produkcie. A vu as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores. Sateri (hei produs upodus (poj) fu usor inducuta (inlocutie) de utilizatoris. Sateri (u-je) vento výrobku nemőze vymiené batteri w tym produkcie. A vu as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores. Sateri (u-je) vento výrobku u uporabnik isam in emorejo zlahka zamenjati. Taman tuottee									