



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo)
Company name *	Lenovo		11-
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com		Lenovo.
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html	
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

	based on product specification or test results based obtained from sample testing), that the product nts given in this declaration.
Type of product *	Notebook
Commercial name *	ThinkPad T14 Gen 3 AMD / P14s Gen 3 AMD
Model number *	21CF,21CG,21J5,21J6
Issue date *	2022/5/3
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nu	mber *	21CF,21CG,21J5,21J6	Logo	Long	N/C	
Issue date	e *	2022/5/3		Lend		TH.
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item		• •		Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*		s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\boxtimes		
P1.3*		do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		\boxtimes	П	
	hydrobro trichloroe	emofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.				
P1.4*	terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych l (PCT) in preparations (see legal reference).				
P1.5*		edo not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in tl			
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/wee	ek 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batterie					
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal			
P2.2*	Batteries	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	nium. (See lega	al 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\square		
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*	The prod The Dec	duct is CE-marked to show conformance with applicable legal requirements (see legal legal requirements) (see legal require	gal reference).			
P3.2*		luct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
	Required	d information is;				
P5		packaging				
P5.1*	Packagii	ng and packaging components do not contain more than 0,01% lead, mercury ant chromium by weight of these together.	/, cadmium a	nd 🔀		
P5.2*	The pack	caging materials are marked with abbreviations and numbers indicating the nature of elegal reference).	of the material	(s) 🔀		
P5.3*	(see lega	luct packaging material is free from ozone depleting substances as specified in the N al reference).	nontreal Protoc	col 🔀		
		nt: Legal reference has no maximum concentration values.				
P6		nt information			_	
P6.1*	ıntormatı	on for recyclers/treatment facilities is available (see legal reference).		\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	21CF,21CG,21J5,21J6	Logo	Lanava
Issue date *	2022/5/3		Lei 1000

_				
Product	t environmental attributes - Market requirements (See General NOTE GN below) - Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable		Щ.	
P7.2*	Plastic materials in covers/housing have no surface coating.			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: PC/CF;AI Material type: PC/ABS Material type: GF+Mg, Material type: AI; PPS			
P7.12	Insulation materials of external electrical cables are PVC free.		\square	
P7.13	Insulation materials of internal electrical cables are PVC free.			∺
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%	_	H	H
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and		ш	ш
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing	g		
D7.45	more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low haloge as defined in IEC 61249-2-21. (See 1NOTE B2)	n 🔀		Ш
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:	\boxtimes		
P7.17	Marking: <i>FR(40)</i> <u>Alt. 1:</u> Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
P7.17	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: Phosphorus Modified Epoxy Resir	, 🖂		
	CAS #:		ш	
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
	according ISO 1043-4:	ш	ш	ш
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in	n		
	concentrations above 0,1%:	\boxtimes		
	1. Chemical name: <i>Phosphorus compounds</i> , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			
	assigned the following Risk phrases; R36;R38 and Hazard statements: H319;H315			
D7.00*	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6): If YES; at least one of the two alternatives below shall be answered;	\boxtimes	Ш	Ш
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is 1.18%.			
	or			
1	b) The weight of recycled material is 6.6 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	21CF,21CG,21J5,21J6	Logo	Lanava
Issue date *	2022/5/3		Lei IOVO.

Product environmental attributes - Market requirements (continued)	Requi	remen	nt met
Item	Yes	No	n.a.

	Material and su	bstance requirements	(continued)			
P7.21*			ed in the product (See N	OTE B7):		
	a) Of total pla		es below shall be answ , the biobased plastic m		ated as a percentage of	
		of the biobased plastic				
P7.22*		e free from mercury, i.e ed specify: Number of la	. less than 0,1 mg/lamp. imps: and maxim	um mercury content p	per lamp: mg	Ш
P8	Batteries	1 /	•	,	, , , , , , , , , , , , , , , , , , ,	
P8.1*	Battery chemica	I composition: Lithium	lon			
P9		ption (See NOTE B8)				
P9.1			els or energy consumption		1=	
Energy mod		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *	Ш
Peak (On-I	max)	100 W	100 W	100W	Full load	
Categor	<u>y 2</u>					
Short Idle Enabled	State - WOL	5.35W	5.72W	5.67W	ENERGY STAR Computers V8 (P _{idle})	
Long Idle S Enabled	State - WOL	2.24W	2.32W	2.48W	ENERGY STAR Computers V8 (P _{idle})	
Sleep (S3)	- WOL Enabled	0.65W	0.66W	0.72W	ENERGY STAR Computers V8 (P _{sleep})	
Off (S5) - V	VOL Enabled	0.48W	0.49W	0.54W	ENERGY STAR Computers V8 (Poff)	
EPS No-loa	ad	0.06W	0.06 W	0.06 W		
(External power s	upply / charger plugged in the connected from the product.	ne l				
ETEC *(2)	ergy Consumption	19.07kWh/year	20.17 kWh/year	20.47kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.25 + P _{sleep} x 0.35 + P _{long_ldle} x 0.10+ P _{short_ldle} x 0.30)	
		Poff: Off Mode(S5) - W	OL Enabled; Psleep: Sleep	Mode(S3) - WOL Enab	led; Pidle: Idle State - WOL Enabled	
		•	al Efficiency Marking Pro	otocol) * : VI		
Display res	olution * : 9.217 r	negapixels			3840x2400	
Default time	e to enter energy	save mode: 10 minutes	}			
P9.2*	Information abou	ut the energy save func	tion is provided with the	product.		
P9.3	Energy efficienc	y class (monitors only):				
P10	Emissions					
			to ISO 9296 (See NOTE			
P10.1	Mode	Mode description			nit A-weighted sound power level, $L_{\scriptscriptstyle W\!A,c}$ (l	<u>B)</u>
	Idle	* Idle mode		* 2.5		<u>Ц</u>
	Operation	* Operating (CPU)		* 2.7		
	Other mode		nd pressure level (dB) $L_{p m Am}$		ion desktop – idle)	
	Other mode	Declared A-weighted soul	nd pressure level (dB) $L_{p m Am}$		ion desktop – operating-HDD) on desktop – operating-CPU)	
	Measured accor	ding to: 🔀 ISO 7779 🛭	ECMA-74			
		Other	(only if not covered by	ECMA-74)		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nur	nber *	21CF,21CG,2	1J5,21J6			Logo	Long	1/0	
Issue date	*	2022/5/3					Lenc	VO.	×
Product	environr	nental attribu	ites - Market requirem	ents (con	ntinued)		Require	ment	met
Item				·	•		Yes	No	n.a.
		nagnetic emis							
P10.4	program	(s): MPR-II(3 p	s the requirement for low fr in AC adapter only)	requency el	lectromagnetic fields	s of the following volur	ntary		
P12			uting products						
P12.1*			ergonomic requirements of				\boxtimes		
P12.2*	The phys	sical input devi	ce meets the requirements	of ISO 999	95 and ISO 9241-41	0.	\boxtimes		
P13		ng and docum							
P13.1*	Product	packaging mate	erial type(s): Cardboard erial type(s): LDPE erial type(s): EPE	weight (kg weight (kg weight (kg): 0.0132				
P13.2*	Product	plastic primary	packaging is free from PV	C.			\boxtimes		
P13.3*			orrugated fiberboard packa er content: 80 %	aging, spec	cify the contained p	ercentage of minimu	m post-		
P13.4*		media for user a ronic, <mark>X</mark> Paper	and product documentation , Other	n (tick box):					
P13.5	Ùser and		his item if paper document nentation on paper media						
	,	hlorine-free al chlorine-free							
	Process	ed chlorine-free	•						
P14		ry programs							
P14.1	The prod	duct meets the	requirements of the following	ng voluntar	y program(s):				
	Eco-labe Eco-labe Eco-labe		Criteria version: V8 Criteria version: IEEE 16 Criteria version: 14.0 Criteria version: 9.0	80.1-2018	Date: 2022/1/6 Date: 2022/3/15 Date: 2022/3/15 Date: 2022/04/05	Product category: 2 Product category: N Product category: N Product category: N	lotebook lotebook		
P15			(See NOTE B10)						
P9			of specific configuration						
	informati knowled provided informati	ion contained ir ge available at here is approx ion.	no representations, guarar h this document. All informathe the time of completion, and imate and provided for info	ation provid d supplier s ormational p	led by supplier in thi shall have no obligat ourposes only. See	s document is provide ion to update such info a Lenovo Account Re	ed based on support or at the in-	plier's formati	ion
P9			ed Notebooks & Tablet Co ov/index.cfm?fuseaction=f						

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkPad T14 Gen 3 AMD / P14s Gen 3 AMD	Logo	
Model Number	21CF,21CG,21J5,21J6		Longvo
Issue Date	2022/5/3	1	Lenovo.
Additional information			
•			-

d)	year of manufacture:				2022
;)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
)	Etec value (kWh) per ErP Lot 3 Categor enable	ry and capability adjust	tments applied when a	all discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	32			
ents	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
adjustm ring tes	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
caps	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)				
saults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	11.74			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled	N/A			
g)	Idle state power demand (Watts);				3.26
1)	Sleep mode power demand (Watts);				1.04
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		N/A
)	Off mode power demand (Watts);				0.43
()	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		N/A
)	Internal power supply efficiency at 10 %,	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
n)	external power supply efficiency (if applie	cable)*:			
	Average active efficiency: 45W: 87,98%	%,88,63%,88,83%, 65V	V: 89,41%,88,62%,88,	96%,100W: 84,31%,8	8,00%,88,00%,89,5
	*internal note: show values for all available external p	ower supplies_			
o)	Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers): 500 cycle				
p-1)	Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency: NA				
p-2)	Measurement methodology used to dete	ermine information mer	ntioned in points (m) –	external PSU efficienc	cv.

(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: **IEC 61960 measurement methodology**					
(p-4)		asurement methodology used to determine information mentioned in maximum, idle, sleep, off mode ver as defined in Point P9.1 in the Product IT Eco Declaration: IEC 62623 / IEC EN50564:2011 measurement methodology				
(q)	Sequence of steps for achieving a stable condition with respect to power demand::					
	IEC 62623 / IEC EN50564:2011 measurement methodology					
(r)	Description of how sleep and/or off mode was selected or programmed:					
		By selecting sleep and/or off mode	e thru Windows operating system			
(s)	Sequence of even off mode:	ts required to reach the mode where t	he equipment automatically changes to sleep and/or			
	on mode.	Automatically changes to	o sleep after 10 minutes			
(t)			automatically reaches sleep mode, or another lemand requirements for sleep mode (in minutes):	10 mins		
(u)	•	ter a period of user inactivity in white lower power demand requirement that	ich the computer automatically reaches a power	N/A		
(v)				10 mins		
(w)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes): Information on the energy-saving potential of power management functionality:					
	User information described in User Guide and Power Manager under ThinkVantage menu in all programs					
(x)	user information on how to enable the power management functionality:					
	User informa	tion described in User Guide and P progr	ower Manager under ThinkVantage menu in all ams			
(z)	test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing: 230V, 50GHz, Total Harmonic Distortion <2 %					
	(1) At ambient temperature: 26.1°C				
	(2	Input AC Voltage (V) & Frequency (Hz): 230 V, 50 Hz				
	(3) Line Impedance: less than <u>0.22</u> ohm					
	(4) Total Harmonic Distortion (voltage):0.36%					
	(5) Relative Humidity: <u>40%</u>					
(6) Ambient light: <u>NA</u> Lux						
	(7) Equipment list:				
		Equipment Name	Model name			
		Equipment Name Power Meter	YOKOGAWA-WT310			

Additional Notebook Battery Information:						
	Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a			
	The battery[ies] in this product cannot be easily replaced by users themselves. 1)					
Internal/built-in Battery	\boxtimes					
External/detachable Battery						
Bios Backup Battery	\boxtimes					
Other:						
Additional information			•			

1)
The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

Korisiik ne nioże tako zamijeniu bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.
Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egysdül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.