



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo					
Company name *	Lenovo						
Contact information *	Lenovo Global Environmental Affairs	Lenovo					
e-mail address	Alvin L Carter						
	alcarter@lenovo.com						
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/						
Additional information	The latest version of this document can be found at:						
	http://www.lenovo.com/ecodeclaration						

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	monitor			
Commercial name *	ThinkVision E24-29			
Model number *	63AB,63D0			
Issue date *	2022/4/26			
Intended market *	☐ Global ☐ ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 - P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu		63AB, 63D0	Logo	Lend	WC	
Issue date * 20		2022/4/26		Leik	,,,	ти
Product environmental attributes - Legal requirements Req						met
Item				Yes	No	n.a.
P1	Hazardo	us substances and preparations				
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)					
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.					
P1.3*		do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		\square		
	trichloroe	emofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.				
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych (PCT) in preparations (see legal reference).	lorinated	\boxtimes		
P1.5*	Products	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in th	ne 🔀		
P1.6*	Parts wit	h direct and prolonged skin contact do not release nickel in concentrations above (al reference). ht: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/wee	ek 🗌		
P1.7*	REACH.	Article 33 information about substances in articles is available at (add URL or mail	contact):			
P2	Batteries	S				
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)					
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal					
P2.3*	Batteries and accumulators are readily removable. (See legal reference)					
P3	Conformity verification & Eco design (ErP)					
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): https://www.lenovo.com/us/en/compliance/eu-doc for EU					
P3.2*		www.lenovo.com/us/en/compliance/uk-doc for UK luct complies with the Eco design requirements for energy-related products,			$\overline{}$	$\overline{}$
F3.2		al reference).			Ш	
	Required	I information is; given in item P15 or added to this document,		\boxtimes		
	available at (add URL):					
	https://www.lenovo.com/us/en/compliance/eco-declaration					
P5	Product	packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercur ent chromium by weight of these together.	y, cadmium a	nd 🔀		
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).					
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).					
		nt: Legal reference has no maximum concentration values.				
P6	Treatment information					
P6.1*		on for recyclers/treatment facilities is available (see legal reference).		\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	ımber *	63AB,63D0	Logo	1			
Issue dat	te *	2022/4/26		Len	ovc) _{7M}	
Product	environ	mental attributes - Market requirements (See General NOTE	E GN below)				
	- Enviro	onmental conscious design	<u> </u>	Require	ment	met	
Item	*=manda	tory to fill in. Additional information regarding each item may be found under	r P14.	Yes	No	n.a.	
P7		mbly, recycling					
P7.1*	Parts that	at have to be treated separately are easily separable					
P7.2*	Plastic m	naterials in covers/housing have no surface coating.			\boxtimes		
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.		\boxtimes			
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043	-4.	\boxtimes			
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with com	monly available tools.				
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory la	abels).				
	Product	lifetime					
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives				\boxtimes	
P7.8*	Upgradir	ng can be done using commonly available tools				\boxtimes	
P7.9	Spare pa	arts are available after end of production for: 5 years					
P7.10	Service is available after end of production for: 5 years						
	Material	and substance requirements					
P7.11*	Product	cover/housing material type (e.g. plastics, metal, aluminum):					
		type: ABS Material type: SGCC	Material type:				
P7.12		n materials of external electrical cables are PVC free.					
P7.13		n materials of internal electrical cables are PVC free.			\boxtimes		
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%						
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.						
P7.15		circuit boards, PCBs (without components) are low halogen: all 🔲 PCBs > 2 ed in IEC 61249-2-21. (See 1NOTE B2)	25 g 🔲 are low halog	jen 🗌			
P7.16		etarded plastic parts > 25 g in covers / housings are marked according ISO	1043-4:				
P7.17		hemical specifications of flame retardants in printed circuit boards > 25 g (wi PA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #	ithout components): #: 35948-25-5	\boxtimes			
		nemical specifications of flame retardants in printed circuit boards (without c g ISO 1043-4:	components) > 25 g				
P7.18	concentr 1. Chem	lame retarded plastic parts > 25 g contain the following flame retardant subrations above 0,1%: ical name: , CAS #: (See NOTE B4)	bstances/preparations	in 🔲			
	3. Chem	ical name: , CAS #: " ical name: , CAS #: " permical specifications of flame retardants in plastic parts > 25 g according IS	SO 1043-4·		\square		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 82.8%.(EPEAT Calculation)/85%(TCO Calculation)

In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been

and Hazard statements:

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

The source(s) for these classifications is/are found at (add URL(s)):

If YES; at least one of the two alternatives below shall be answered;

The weight of recycled material is 676.18 g.

Postconsumer recycled plastic material content is used in the product (See Note B6):

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

assigned the following Risk phrases;

P7.19

P7.20*

or

(See note B5)

Model number *	63AB,63D0	Logo		Lan	_enovo	
Issue date *	2022/4/26			Len		т
Product environmental attributes - Market requirements (continued)				Requir	emen	t met
Item				Yes	No	n.a.

D7 04*		stance requirements	<u> </u>	OTE 07)				
P7.21*	Biobased plastic material content is used in the product (See NOTE B7):							
	If YES; at least one of the two alternatives below shall be answered;							
	a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of							
	total plastic by weight) is 0%.							
	or b) The weight of the biobased plastic material is <i>0</i> g.							
P7.22*	, ,	•	material is 0g. less than 0,1 mg/lamp					
P1.22	0	l specify: Number of la	, , ,	num mercury content p	er lamp: mg	Ш		
P8	Batteries							
P8.1*	Battery chemical	composition:						
P9	Energy consumi	ption (See NOTE B8)						
P9.1		<u> </u>	els or energy consumpti	ons are reported:				
Energy mo		Power level at	Power level at	Power level at	Reference/Standard for energy			
0,		100 V AC	115 V AC	230 V AC	modes and test method *			
Peak (On-	max)	12.0 W	11.9 W	12.0 W	ENERGY STAR Program			
					Requirements for Displays			
					Version 8.0			
Categor	y							
Sleep (S3)) - WOL Enabled	0.2 W	0.2 W	0.3 W	ENERGY STAR Program			
, , ,					Requirements for Displays			
					Version 8.0(P _{sleep})			
Off (S5) - WOL Enabled		0.2 W	0.21 W	0.26 W	ENERGY STAR Program			
0.1 (00)	VVOL EMADICA	0.2 **	0.27 **	0.20 11	Requirements for Displays			
					Version 8.0(P _{off})			
ETEC *		38.0 kWh/year	37.7 kWh/year	38.4 kWh/year	ENERGY STAR Program			
_	ergy Consumption	30.0 KVVII/yeai	37.7 KVVII/yeai	30.4 KVVII/yeai	Requirements for Displays	Ш		
, umaar Em	orgy concumption				Version 8.0			
			•	•				
External P	ower Supply Efficie	ncy Level (International	al Efficiency Marking Pr	otocol) *:		\boxtimes		
Display res	solution * : 1920 x	1080 megapixels	3					
Default tim	ne to enter energy s	ave mode: 0.25 minute	es			一一		
P9.2*			ion is provided with the	product.		一一		
P9.3			ents of the following vo	<u> </u>		∺		
1 3.5	•	ersion:8.0 Product cat	•	iuritary/3.		Ш		
P10	Emissions							
	Noise emission – Declared according to ISO 9296 (See NOTE B9)							
P10.1	Mode	Mode description		Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B)				
	Idle	*		*		\boxtimes		
	Operation	*		*		\boxtimes		
	Other mode	Declared A-weighted sour	nd pressure level (dB) L_{pAr}	(operator po	osition desktop – idle)			
			nd pressure level (dB) $L_{p{\sf Ar}}$	(operator position desktop – operating)				
	Measured accord	ing to: SO 7779	ECMA-74	1				
	5454754 450074	Other	(only if not covered by	/ FCMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nur	Model number * 63AB,63D0 Logo		Lono	1/0				
Issue date *		2022/4/26				Leno	VO.	н
Product	environn	nental attributes	- Market requirements	(continued)		Require	ment	met
Item						Yes	No	n.a.
	Electron	nagnetic emission	S					
P10.4	Compute program		requirement for low frequer	ncy electromagnetic field	ds of the following voluntary			
P12		mics for computing						
P12.1*	The disp	lay meets the ergor	nomic requirements of ISO 9	241-307 for visual displ	ay technologies.			\boxtimes
P12.2*	The phys	sical input device m	eets the requirements of ISC	O 9995 and ISO 9241-4	10.			\boxtimes
P13	Packagi	ng and documenta	ntion					
P13.1*	Product	packaging material	type(s): Paper-Corrugated type(s): Cushion-EPS type(s): Plastic-LDPE	weight (kg): 0.92 weight (kg): 0.36 weight (kg): 0.015				
P13.2*	Product	plastic primary pack	aging is free from PVC.			\boxtimes		
P13.3*		duct primary corrug		specify the contained	percentage of minimum pos	st-		
P13.4*		media for user and ր ronic,Paper,	oroduct documentation (tick Other	box):				
P13.5	User and		em if paper documentation ation on paper media is chlo					
	Totally chlorine-free							
	Process	ed chlorine-free						
P14	Volunta	ry programs						
P14.1	The prod	duct meets the requi	rements of the following vol	untary program(s):				
	Eco-labe	el:	Criteria version: 8.0 Criteria version: Criteria version:	Date: 2022/3/17 Date: Date:	Product category: Displa Product category: Product category:	ays		
P15		nal information (Se						
P9					e tested product configurat			
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.							
P9			Notebooks & Tablet Com /index.cfm?fuseaction=fil		formation: oductGroup&pgw_code=C0	0		

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1