



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Computer monitors

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Log	0					
Company name *	Lenovo		_					
Contact information *	Lenovo Global Environmental Affairs		Lenovo					
e-mail address	Alvin L Carter							
	alcarter@lenovo.com							
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/							
Additional information	The latest version of this document can be found at:							
	http://www.lenovo.com/ecodeclaration							

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Displays			
Commercial name *	ThinkVision P24h-30			
Model number *	63B3 / 63BB			
Issue date *	2022/6/15			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		63B3 / 63BB		Long	N/6			
Issue date *		2022/6/15		Lend	JVC	тн		
Product environmental attributes - Legal requirements					ment	met		
Item				Yes	No	n.a.		
P1	Hazardous substances and preparations							
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)							
P1.2*	Products do not contain Asbestos (see legal reference).  Comment: Legal reference has no maximum concentration value.							
P1.3*								
1 1.0		omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach	loride. 1.1.1-		ш			
	trichloro	ethane, methyl bromide (see legal reference). Comment: Legal reference has no m						
D4 4*		ration values.	l		_			
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych l (PCT) in preparations (see legal reference).	iorinated		Ш			
P1.5*	Products	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl	oon atoms in th	ne 🔀				
		ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).						
P1.6*		h direct and prolonged skin contact do not release nickel in concentrations above 0	,5 μg/cm²/wee	ek 🔀				
		al reference).						
P1.7*		nt: Max limit in legal reference when tested according to EN1811:2011-5.  Article 33 information about substances in articles is available at (add URL or mail	contact):					
P1.7		www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact).		Ш			
P2	Batterie	S						
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal					
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal							
	reference)							
P2.3*	Batteries and accumulators are readily removable. (See legal reference)							
P3	Conformity verification & Eco design (ErP)							
P3.1*								
		laration of Conformity can be requested at (add link or e-mail address):						
		vww.lenovo.com/us/en/compliance/eu-doc for EU and vww.lenovo.com/us/en/compliance/uk-doc for UK						
P3.2*	The proc	duct complies with the Eco design requirements for energy-related products,		$\square$		$\Box$		
	(see legal reference).				ш			
	Required	f information is; given in item P15 or added to this document,						
	available at (add URL):							
	https://v	vww.lenovo.com/us/en/compliance/eco-declaration						
P5		packaging						
P5.1*	Packagii hexavale	ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.	/, cadmium a	nd 🔀				
P5.2*	The pack	caging materials are marked with abbreviations and numbers indicating the nature of elegal reference).	of the material	(s) 🔀				
P5.3*	The proc	luct packaging material is free from ozone depleting substances as specified in the N al reference).	nontreal Protoc	col 🔀				
		nt: Legal reference has no maximum concentration values.						
P6	Treatment information							
P6.1*		on for recyclers/treatment facilities is available (see legal reference).			П			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

wodei number *		63B3 / 63BB	Logo	Lon	01/0		
Issue date *		2022/6/15		Len		) <sub>TM</sub>	
Product environmental attributes - Market requirements (See General NOTE GN beautiful - Environmental conscious design		,	Require	ment ı	net		
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes						
P7	Design Disasse	mbly, recycling					
P7.1*		at have to be treated separately are easily separable			П		
P7.2*		naterials in covers/housing have no surface coating.				$\blacksquare$	
P7.3*	7.3* Plastic parts > 100 g consist of one material or of easily separable materials.						
P7.4*	7 1						
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools.		Ħ	$\overline{\Box}$	
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).					
	Product	lifetime					
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives				$\boxtimes$	
P7.8*	Upgradir	ng can be done using commonly available tools				$\boxtimes$	
P7.9	Spare pa	arts are available after end of production for: 5 years					
P7.10	Service i	s available after end of production for: 5 years					
		and substance requirements					
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):					
P7.12		type: ABS Material type: PC Material n materials of external electrical cables are PVC free.	ıl type: Steel				
				_#		<u> </u>	
P7.13 P7.14		n materials of internal electrical cables are PVC free.	romine and 0.10/			_	
P7.14	weight (* polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bi 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in an 25% post-consumer recycled content.	retardants, and		Ш		
P7.15							
P7.16	Marking:					$\boxtimes$	
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co					
	TBBF	PA (additive), TBBPA (reactive) (See NOTE B3), Other: <b>brominated epoxy r</b> o <b>0-1</b>	esin, CAS #:	X	Ш		
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: <i>FR4</i>	ents) > 25 g				
P7.18		ame retarded plastic parts > 25 g contain the following flame retardant substance	s/preparations in				
		ations above 0,1%: ical name: , CAS #: (See NOTE B4)		Ш	Ш		
		ical name: , CAS #:					
	3. Chem	ical name: , CAS #: "					
	Alt. 2: Ch	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043	3-4:				
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been				$\boxtimes$		
	assigned the following Risk phrases; and Hazard statements:						
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)						
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):					
	a) Of t a pe	at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material content ercentage of total plastic by weight) is 80.57% EPEAT calculation)/ 85%(TCO calculation)					
	h) The	weight of recycled material is 724 8 g					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	63B3 / 63BB	Logo	Lenovo
Issue date *	2022/6/15		Lei Iovo.
Product environr	nental attributes - Market requirements (continued)		Requirement met
Item	<u> </u>		Yes No n.a.

	Material and substance requirements (continued)								
P7.21*									
	If YES; at least one of the two alternatives below shall be answered;  a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage								
	of total plastic by weight) is %.								
	or								
D7.004	b) The weight of the biobased plastic material is g.  Light sources are free from mercury, i.e. less than 0,1 mg/lamp.								
P7.22*					er lamp: mg				
P8									
P8.1*	Battery chemical composition:								
P9	Energy consumption (See NOTE B8)								
P9.1			ls or energy consumption	ons are reported:					
Energy mo		Power level at	Power level at	Power level at	Reference/Standard for energy				
		100 V AC	115 V AC	230 V AC	modes and test method *				
Energy mo	de *	Power level at	Power level at	Power level at	Reference/Standard for energy				
		100 V AC	115 V AC	230 V AC	modes and test method *  ENERGY STAR® Program				
ENERGY S		17.53W@50Hz	17.40W	16.99W	Requirements for Displays: Ver.				
Mode*(Sys	tem idie)	17.51W@60Hz	17.400	10.3377	8.0				
ENERGY S	STAR® Low Power	0.53W@50Hz			ENERGY STAR® Program				
Sleep Mode		0.53W@60Hz	0.53W	0.54W	Requirements for Displays: Ver.				
		0.0011@00112			8.0				
ENERGY S	STAR® Off /	0.19W@50Hz	0.19W	0.20W	ENERGY STAR® Program Requirements for Displays: Ver.				
Apparent Off Mode*		0.19W@60Hz	0.1900	0.2000	8.0				
					6.0				
ETEO *		50.70		ī					
ETEC *		56.76 kWh/year@50Hz			$E_{TEC} = 8.76 \times (P_{on} \times 0.35 + P_{sleep} \times 0.65)$				
Annual Energy Consumption		56.70	56.37 kWh/year	55.17 kWh/year	0.00)				
		kWh/year@60Hz							
External Po	ower Supply Efficier	ncy Level (Internationa	I Efficiency Marking Pro	otocol) * · NA		X			
	solution * : 2560*14	, ,			ENERGY STAR® Program	_			
Display 103	. 2000 14	то подаріхоїз			Requirements for Displays: Ver.	Ш			
					8.0				
Default time	e to enter energy sa	ave mode: 15 seconds			ENERGY STAR® Program				
					Requirements for Displays: Ver.				
P9.2*	9.2* Information about the energy save function is provided with the product.								
P9.3			•	•		-			
1 9.5	P9.3 The product meets the energy requirements of the following voluntary program/s:  ENERGY STAR® version: 8.0 Product category: Display								
P10 Emissions									
	Noise emission – Declared according to ISO 9296 (See NOTE B9)								
P10.1		Mode description Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B)							
	Idle *	HDD: Idle		*					
	Operation * HDD: Operating *					$\boxtimes$			
	Other mode $\frac{Declared A-weighted sound pressure level (dB)}{L_{pAm}}$ (operator position desktop – idle)								
İ			d pressure level (dB) $L_{p{ m Am}}$		osition desktop – operating)				
	Measured according to: X ISO 7779 ECMA-74								
	ivicasuieu accolul	Other		ECMA 74)					
Other (only if not covered by ECMA-74)									

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model number *		63B3 / 63BB				Logo	Long	Lenovo		
Issue date *		2022/6/15						Lenc	VO.	1
Product environmental attributes - Market requirements (continued) Requi							Require	ment	met	
Item								Yes	No	n.a.
		nagnetic emission								
	program	(s): <b>TCO9.0,MPRII,</b>		frequency el	ectromagnetic fiel	ds of the fol	lowing voluntary			
		nics for computing								
1	-		omic requirements of				ogies.	$\boxtimes$		
P12.2*	The phys	sical input device m	eets the requirements	s of ISO 999	5 and ISO 9241-4	·10.				$\boxtimes$
P13		ng and documenta								
	Product	packaging material packaging material packaging material packaging material	type(s): <i>Pulp Cushio</i> type(s): <i>EPE bag</i>	weight (kg on weight (kg weight (kg weight (kg	g): <b>0.53</b> i): <b>0.027</b>					
		packaging material		weight (kg						
P13.2*			aging is free from PV		,,. <del></del>			$\boxtimes$		П
		luct primary corrug	ated fiberboard pack	caging, spec	cify the contained	percentage	e of minimum po	ost-		
P13.4*			oroduct documentatio Other	n (tick box):						
	Totally cl	hlorine-free						$\boxtimes$		
	Elementa	al chlorine-free						Ħ		
	Processe	ed chlorine-free						П		
P14	Voluntai	ry programs								
P14.1	The prod	luct meets the requi	rements of the follow	ing voluntar	y program(s):					
	ENERGY Eye con TCO TCO edg		Criteria version: 8.0 Criteria version: 1.0 Criteria version: 9.0 Criteria version: 2.0	) )	Date: 2022-06-0 Date: 2022-06-0 Date: 2022-06-0 Date: 2022-06-0	<ul><li>7 Product</li><li>2 Product</li></ul>	category: Displace category: Dis	ay ay		
		nal information (Se								
			ecific configuration							
NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.						on				
P9			Notebooks & Tablet				nl navy code=0	20		
	nttp://wv	ww.energystar.gov	/index.cfm?fuseact	ion=iina_a_	product.snowPr	oauctGrou	p&pgw_coae=C	, <u>U</u>		

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1