

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo					
Company name *	Lenovo						
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com		Lenovo.				
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/						
Additional information	The latest version of this document can be found at: http://www.lenovo.com/ecodeclaration						

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.							
Type of product * Monitor							
Commercial name *	P27h-30/P27h-30 with MC60						
Model number *	63A1/63B6						
Issue date *	2022/5/6						
Intended market *	🔀 Global 📃 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number * Issue date *		63A1/63B6 Logo	1.000				
		2022/5/6	Lenovo.				
	t environ	mental attributes - Legal requirements	Require		t met		
Item			Yes	No	n.a.		
P1		ous substances and preparations					
P1.1*	Product	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\square				
P1.2*	Comme	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	\square				
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.					
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated yl (PCT) in preparations (see legal reference).	\square				
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the store atoms in the store (see legal reference).	ne 🔀				
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/wee al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	ik 🔀				
P1.7*		Article 33 information about substances in articles is available at (add URL or mail contact): www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	\boxtimes				
P2	Batterie	NS					
P2.1*	symbol.	oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)			\boxtimes		
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)						
P2.3*	Batterie			X			
P3	Confor	nity verification & Eco design (ErP)					
P3.1*	The Dec https://	duct is CE-marked to show conformance with applicable legal requirements (see legal reference). claration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/compliance/eu-doc for EU and www.lenovo.com/us/en/compliance/uk-doc for UK					
P3.2*	The pro	\square					
	(see legal reference). Required information is;						
		www.lenovo.com/us/en/compliance/eco-declaration					
P5		t packaging					
P5.1*	hexaval	ng and packaging components do not contain more than 0,01% lead, mercury, cadmium a ent chromium by weight of these together.					
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).						
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.						
P6		ent information					
P6.1*		ion for recyclers/treatment facilities is available (see legal reference).					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	63A1/63B6	Logo	1.000						
Issue da	ssue date * 2022/5/6			Len	ovc). 				
Produc	t environ	mental attributes - Market requirements (See General NOTE GN	below)							
		onmental conscious design	,	Require	ment	met				
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.a.									
P7	Design	mbly, recycling								
P7.1*		at have to be treated separately are easily separable								
P7.2*	Plastic m	naterials in covers/housing have no surface coating.								
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.			Ē					
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.								
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.	\square						
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\boxtimes						
	Product									
P7.7*	10	ng can be done e.g. with processor, memory, cards or drives			<u> </u>	\square				
P7.8*		ng can be done using commonly available tools								
P7.9		arts are available after end of production for: 5 years								
P7.10		s available after end of production for: 5 years								
P7.11*		and substance requirements cover/housing material type (e.g. plastics, metal, aluminum):								
		type: ABS Material type (0.9. plastics, metal, adminum). Material type: PC Materia	al type:							
P7.12		n materials of external electrical cables are PVC free.			\boxtimes					
P7.13	Insulation	n materials of internal electrical cables are PVC free.			\square					
P7.14										
		1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine ir								
	more that	an 25% post-consumer recycled content.	-	-						
P7.15	as define	circuit boards, PCBs (without components) are low halogen: all ⊠ PCBs > 25 g ed in IEC 61249-2-21. (See 1NOTE B2)	are low haloge	n						
P7.16	Marking:				\square					
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co PA (additive), TBBPA (reactive) (See NOTE B3), Other:, CAS #:	omponents):	\boxtimes						
		nemical specifications of flame retardants in printed circuit boards (without compone	ents) > 25 a	_						
		g ISO 1043-4:	20 9			\boxtimes				
P7.18	<u>Alt. 1: </u> FI	ame retarded plastic parts > 25 g contain the following flame retardant substance	s/preparations i	n						
		rations above 0,1%:			\boxtimes					
		ical name: , CAS #: (See NOTE B4) ical name: , CAS #: "								
		ical name: , CAS #: "								
	Alt. 2: Ch	nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4:		\bowtie					
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which		П						
	assigned	the following Risk phrases; and Hazard statements:								
			ee note B5)							
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):		\boxtimes						
	If YES; a	at least one of the two alternatives below shall be answered;								
		total plastic parts' weight > 25 g, the postconsumer recycled plastic material conten								
	a pe or	ercentage of total plastic by weight) is 81.7 %. (EPEAT calculation) / 85% (TCO c	aiculation)							
		e weight of recycled material is 856.7 g.								

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	Imber * 63A1/63B6		Lenovo		
Issue date *	2022/5/6		Lenovo.		
Product environm	nental attributes - Market requirements (continued)	<u>.</u>	Requirement met		

Yes No n.a.

	Material and substance requirements (continued)									
P7.21*										
	 If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is 0%. 									
	or b) The weight of the highered plastic material is 0π									
P7.22*	b) The weight of the biobased plastic material is 0g. Light sources are free from mercury, i.e. less than 0,1 mg/lamp.									
	If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg									
P8	28 Batteries									
P8.1*										
	P9 Energy consumption (See NOTE B8) P9.1 For the product the following power levels or energy consumptions are reported:									
P9.1	For the product the	tollowing p				Defense of Oten devide for a survey				
Energy mo	ae "	Power level at 100V 50HzAC	Power level at 100V /60Hz	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *				
ENERGY S (System Id	STAR® On Mode* le)	19.29 W	19.42 W	19.29 W	19.34 W	ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0				
ENERGY S Sleep Mod	STAR® Low Power e*	0.69 W	0.69 W	0.69 W	0.71 W	ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0				
ENERGY S Apparent C	STAR® Off / Off Mode*	0.21 W	0.22 W	0.22 W	0.25 W	ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0				
DTEO t			1							
PTEC * Typical Ene	ergy Consumption	W	W	W	W					
ETEC *	ergy Consumption	<mark>63.08</mark> kWh/year	<mark>63.46</mark> kWh/year	63.07 kWh/year	63.3 kWh/year	$E_{TEC} = (8760/1000) \times (P_{sleep} \times 0.65 + P_{idle} \times 0.35)$				
				I Efficiency Marking Pro	otocol) * :					
	solution* : 2560*144				,	ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0				
Default tim	e to enter energy sa	ve mode: 15	5 seconds			ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0				
P9.2*	Information about t	he energy s	ave functior	n is provided with the	product.					
P9.3*	The product meets ENERGY STAR®			ts of the following vo ategory: Display .	luntary program/s:					
P10	Emissions									
P10.1	Noise emission – Declared according to ISO 9296 (See NOTE B9) Mode Mode description Statistical upper limit A-weighted sound power level, L _{WA,c} (B)									
F IU. I	J.1 Mode Mode description Sta Idle * HDD: Idle *		Statistical upper limit A-weighted sound power level, <i>L</i> _{WA,c} (B)							
	Operation * HDD: Operating *				*					
}	Other mode			nd pressure level (dB)	(operator po	osition desktop – idle)				
		L_{pAm}	Č.	• • • •						
	Other mode	Declared A-v	weighted sour	nd pressure level (dB)	(operator position desktop – operating)					
	Measured accordin									
		Ot	her (o	only if not covered by	/ ECMA-74)					

Item

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	mber *	63A1/63B6					Logo	Long		
Issue date *		2022/5/6						Leno	VO	H.
Product	environr	nental attribut	es - Market requirem	nents (con	tinued)			Require	ment	met
Item								Yes	No	n.a.
		nagnetic emissi								
P10.4	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program(s):									
P12		mics for comput								
P12.1*		,	gonomic requirements of			, ,	ies.			
P12.2*	The phy	sical input device	meets the requirements	s of ISO 999	5 and ISO 9241-41	0.				\square
P13		ing and docume								
P13.1*	Product Product			weight (kg weight (kg weight (kg weight (kg): 1.09): 0.0254					
P13.2*	Product	plastic primary pa	ackaging is free from PV	C.				\square		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-									
P13.4*	Specify media for user and product documentation (tick box):									
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify:									
	Totally c	hlorine-free						\square		
	Element	al chlorine-free								
	Process	ed chlorine-free								
P14	Volunta	ry programs								
P14.1		Y STAR®	quirements of the follow Criteria version: 8.0 Criteria version: 70 Criteria version:	Ĭ	y program(s): Date: 2022-5-7 Date: 2022-03-14 Date:	Product ca Product ca Product ca	ategory:			
P15		nal information (
P9	Energy consumption of specific configuration may vary; description of the tested product configuration:									
	informati knowled provideo informati	ion contained in t ge available at th I here is approxin ion.	o representations, guara his document. All inform e time of completion, an nate and provided for inf	ation provid d supplier s ormational µ	led by supplier in thi hall have no obligat purposes only. See a	is document ion to updat	t is provided b te such inform	based on supp nation. The inf	olier's format	ion
P9			d Monitors & Displays fo pv/products/office_equip							

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1