



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo)			
Company name *	Lenovo	7	_			
Contact information *	Lenovo Global Environmental Affairs	1	ONOVO			
e-mail address	Alvin L Carter		Lenovo			
	Icarter@lenovo.com					
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/					
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product				
conforms to the statements given in this declaration.				
Type of product *	Monitor			
Commercial name *	ThinkVision P27q-30			
Model number *	63A2,63B7			
Issue date *	2022/3/2			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number *		63A2,63B7		Lond			
Issue date *		2022/3/2		Lenovo			
Product environmental attributes - Legal requirements			Require	ment	met		
Item		·		Yes	No	n.a.	
P1	Hazardo	ous substances and preparations					
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	\boxtimes			
P1.2*		s do not contain Asbestos (see legal reference).		\boxtimes			
		nt: Legal reference has no maximum concentration value.					
P1.3*		s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		\boxtimes			
		omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach					
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no metrolical	naxımum				
P1.4*		ration values. s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych	lorinated				
1.4		reference).	iomateu		Ш		
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl	oon atoms in t	he 🔀	П		
		ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).			ш		
P1.6*		th direct and prolonged skin contact do not release nickel in concentrations above (),5 μg/cm²/wee	ek 🔀			
		al reference).		_		_	
		nt: Max limit in legal reference when tested according to EN1811:2011-5.					
P1.7*		Article 33 information about substances in articles is available at (add URL or mail	contact):	\boxtimes			
		www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure					
P2	Batterie						
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal						
	symbol. Information on proper disposal is provided in user manual. (See legal reference)						
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal						
P2.3*	Batteries and accumulators are readily removable. (See legal reference)					X	
P3	Conformity verification & Eco design (ErP)						
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).						
	The Declaration of Conformity can be requested at (add link or e-mail address):						
	https://www.lenovo.com/us/en/compliance/eu-doc						
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).			Ш	Ш	
	Required information is; given in item P15 or added to this document,						
	available at (add URL):						
	https://v	vww.lenovo.com/us/en/compliance/eco-declaration					
P5		packaging					
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercur ent chromium by weight of these together.	y, cadmium a	nd 🔀			
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature	of the material	(s) X			
	used (se	e legal reference).		· / 🔼			
P5.3*		duct packaging material is free from ozone depleting substances as specified	in the Montre	eal 🔀			
		(see legal reference).					
DC	Comment: Legal reference has no maximum concentration values. Treatment information						
P6.1*	Informati	nt information on for recyclers/treatment facilities is available (see legal reference).					
F0.1	miormati	on for recyclers/treatment facilities is available (see legal reference).		\boxtimes			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number * Issue date *		63A2,63B7		Lon	ODOVO		
		2022/3/2		Len	-enovo		
Product		mental attributes - Market requirements (See General NOTE GN	below)				
		onmental conscious design		Require		met	
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.	
P7	Design Disasse	mbly, recycling					
P7.1*							
P7.2*							
P7.3*							
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		X	T	Ħ	
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	available too	ls.		T	
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		X			
	Product	lifetime					
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives				\boxtimes	
P7.8*	Upgradir	ng can be done using commonly available tools				\boxtimes	
P7.9	Spare pa	arts are available after end of production for: 5 years					
P7.10	Service i	s available after end of production for: 5 years					
		and substance requirements					
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):	al tuma.				
P7.12		type: ABS Material type: PC Material materials of external electrical cables are PVC free.	al type:		\square	$\overline{}$	
P7.13		n materials of external electrical cables are PVC free.		- 	\overline{X}	╫	
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b	romine and	0.1%	-	╫	
	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.						
P7.15	ů i						
P7.16							
P7.17							
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g						
P7.18	7.18 Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "						
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 104					
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; and Hazard statements:	n have been				
	The source(s) for these classifications is/are found at (add URL(s)): (See note B5)						
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):	,				
	 If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 81.7 %. (EPEAT calculation) / 85% (TCO calculation) or b) The weight of recycled material is 856.6g. 						

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nun	flodel number * 63A2,63B7				Logo	Long					
Issue date	Issue date * 2022/3/2						Lend	JVC	У тм		
Product environmental attributes - Market requirements (continued)						Requir	emen	t met			
Item						Yes	No	n.a.			
	Material and substance requirements (continued)										
P7.21*	Biobased	plastic m	aterial conte	ent is used ir	the product (See No	OTE B7):			\boxtimes		
	If YES; at	least one	e of the two	alternatives	below shall be answe	ered;					
					ne biobased plastic r	material content (calcul	ated as a percenta	age			
	or to	tai piastic	by weight) i	S 0%.							
		weight of	the biobase	d plastic ma	terial is <i>0</i> g.						
P7.22*			ree from me specify: Nun		ss than 0,1 mg/lamp. s: and maxim	um mercury content pe	r lamp: mg				
P8	Batteries										
P8.1*	Battery ch	nemical c	omposition:							\boxtimes	
P9			tion (See No								
P9.1		oduct the			or energy consumption		T= -				
Energy mod	de *		Power level at	Power level at	Power level at 115 V AC	Power level at 230 V AC	Reference/Stand modes and test n		ergy		
			100V	100V	115 V AC	230 V AC	modes and test in	Helilou			
			50HzAC	/60Hz							
ENERGY S	STAR® On	Mode*	18.37 W	18.36 W	18.24 W	18.20 W	ENERGY STAR				
(System Idl	e)						Requirements for Displays: Ver. 8.0				
ENERGY S	STAR® Lov	v Power	0.26 W	0.26 W	0.27 W	0.35 W	ENERGY STAR® Program				
Sleep Mode		V I OWCI					Requirements for				
•			0.45104	0.47104	0.45104	0.00.144	Ver. 8.0				
ENERGY S	STAR® Off	/	0.15 W	0.17 W	0.15 W	0.23 W	ENERGY STAR® Program Requirements for Displays:				
Apparent Off Mode*			Ver. 8.0								
ETEC *			57.81	57.78	57.47 kWh/year	57.80 kWh/year	$E_{TEC} = (8760/100)$	0) x (Pstoon X	,		
Annual Ene	ergy Consu	mption	kWh/year	kWh/year	· · · · · · · · · · · · · · · · · · ·	orrow ittring out	$0.65 + P_{idle} \times 0.3$			Ш	
External Po	wer Suppl	y Efficien	cy Level (Int	ernational E	fficiency Marking Pro	otocol) *:				\boxtimes	
							ENERGY STAR				
Display res	olution* :	2560*144	negapixe megapixe	ls			Requirements for	•			
							Monitors: Ver. 8.0				
Default time to enter energy save mode: 15 seconds						Requirements for					
						Monitors: Ver. 8.0	0				
P9.2*					is provided with the				<u>Ц</u>	<u> </u>	
P9.3*	The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: 8.0 Product category: <i>Display</i> .						Ш				
P10	Emissions										
		ission –			SO 9296 (See NOTE					<i>(</i> =).	
P10.1	Mode		Mode desc			Statistical upper limit	: A-weighted sound	l power level	, L _{WA,c}		
	Idle		* HDD: Idle								
	Operation		* HDD: Op							\boxtimes	
	Other mo	de	(dB) L _{pAm}	veighted soun	d pressure level	(operator pos	sition desktop – idle,)			
	Other mode $\frac{\textit{Declared A-weighted }}{\textit{(dB)}} L_{p\text{Am}}$			veighted soun	d pressure level	(operator position desktop – operating)					
	Measured	l accordir	ng to: XIS	O 7779 🔲 E	ECMA-74	•					
				ner (c	only if not covered by	ECMA-74)					

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number *		63A2,63B7 Logo	ODO	V/0				
Issue date	Issue date * 2022/3/2		<u>-eno</u>	VO,	1			
Product 6	environn	nental attributes - Market requirements (continued)	Requirer	nent	met			
Item		·	Yes	No	n.a.			
	Electromagnetic emissions							
P10.4	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program(s):							
P12		mics for computing products						
P12.1*	The disp	play meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	\boxtimes					
P12.2*	. ,	sical input device meets the requirements of ISO 9995 and ISO 9241-410.			\boxtimes			
P13		ng and documentation						
P13.1*								
P13.2*	Product	plastic primary packaging is free from PVC.	\boxtimes					
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 90%							
P13.4*	Specify media for user and product documentation (tick box):							
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify:							
	Totally chlorine-free Elemental chlorine-free							
	Processed chlorine-free							
P14		ry programs						
P14.1	ENERGY TCO Eco-labe							
P15		nal information (See NOTE B10)						
P9		consumption of specific configuration may vary; description of the tested product configuration						
	the info	Supplier makes no representations, guarantees, assurances or warranties whether express or a rmation contained in this document. All information provided by supplier in this document is per's knowledge available at the time of completion, and supplier shall have no obligation to updation. The information provided here is approximate and provided for informational purposes of tRepresentative for more information.	rovided la ate such	ased	on			
P9	See Energy Star Qualified Monitors & Displays for the latest information: https://www.energystar.gov/products/office_equipment/displays							

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1