

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Computer monitors

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo.
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/	
Additional information	The latest version of this document can be found at: http://www.lenovo.com/ecodeclaration	

The company declares (based on product specification or test results based obtained from sample testing), that the product				
conforms to the statement	nts given in this declaration.			
Type of product *	Display			
Commercial name *	ThinkVision S25e-30/TS25e-20 / Lenovo L25e-40			
Model number *	67AD,63E0,63E1			
Issue date *	2022/11/19			
Intended market *	🔀 Global 📃 Europe 🗌 Asia, Pacific & Japan 📃 Americas 📃 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products P11.1 - P11.3 Consumable materials for printing products.

Model number * Issue date *		67AD,63E0,63E1 Logo	Lan			
		2022/11/19	Lenovo		<b>)</b>	
Produc	t enviror	mental attributes - Legal requirements	Require		met	
Item			Yes	No	n.a.	
P1		ous substances and preparations				
P1.1*	Product	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	$\square$			
P1.2*	Comme	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	$\boxtimes$			
P1.3*	hydrobr trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.				
P1.4*	Product terphen	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated yl (PCT) in preparations (see legal reference).	$\boxtimes$			
P1.5*	Product chain co	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in th ontaining at least 48% per mass of chlorine in the SCCP (see legal reference).	e 🔀			
P1.6*	(see leg	ith direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/weel al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	K 🔀			
P1.7*		Article 33 information about substances in articles is available at (add URL or mail contact): www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	$\boxtimes$			
P2	Batterie	95				
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Symbol. Information on proper disposal is provided in user manual. (See legal reference)					
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal					
P2.3*					$\mathbf{X}$	
P3	Conformity verification & Eco design (ErP)					
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).					
P3.2*		duct complies with the Eco design requirements for energy-related products,		Π		
	(see leg	al reference).				
	Require	d information is; given in item P15 or added to this document,	$\bowtie$			
		🔀 available at (add URL):				
		www.lenovo.com/us/en/compliance/eco-declaration				
P5		t packaging				
P5.1*	hexava	ing and packaging components do not contain more than 0,01% lead, mercury, cadmium an ent chromium by weight of these together.				
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature of the material( ee legal reference).	s) 🔀			
P5.3*	The pro (see leg	duct packaging material is free from ozone depleting substances as specified in the Montreal Protoc al reference). nt: Legal reference has no maximum concentration values.	ol 🔀			
		ent information				
P6						

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	67AD,63E0,63E1	Logo	1.000				
Issue date *		2022/11/19		Len	ovc	<b>)</b> <sub>m</sub>		
Product		mental attributes - Market requirements (See General NOTE GN	· ·	_				
ltone	- Environmental conscious design Re							
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.a.  Design							
•••		mbly, recycling						
P7.1*	Parts that	at have to be treated separately are easily separable		$\boxtimes$				
P7.2*	Plastic m	naterials in covers/housing have no surface coating.			$\boxtimes$			
P7.3*		arts > 100 g consist of one material or of easily separable materials.		$\boxtimes$				
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		$\boxtimes$				
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.	$\boxtimes$				
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		$\boxtimes$				
	Product							
P7.7*		ng can be done e.g. with processor, memory, cards or drives				$\boxtimes$		
P7.8*		ng can be done using commonly available tools				$\square$		
P7.9	Spare pa	arts are available after end of production for: <b>7</b> years						
P7.10	Service i	is available after end of production for: 7 years						
		and substance requirements						
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: ABS Material type: PC Materia	al type: SCCC					
P7.12		n materials of external electrical cables are PVC free.	al type: SGCC					
P7.13								
P7.14	Insulation materials of internal electrical cables are PVC free.							
17.14	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.							
P7.15		circuit boards, PCBs (without components) are low halogen: all  □PCBs > 25 g  □ ed in IEC 61249-2-21. (See 1NOTE B2)	are low haloge	n 🗌	$\square$			
P7.16		etarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				$\boxtimes$		
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):							
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:							
P7.18	concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substance rations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	es/preparations in	n		$\boxtimes$		
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4:			$\square$		
P7.19	In plastic	c parts > 25 g, flame retardant substances/preparations above $0,1\%$ are used which	n have been		$\boxtimes$			
	assigned	the following Risk phrases; and Hazard statements:						
			See note B5)					
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):		$\boxtimes$				
	a) Oft apo or	at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is <b>85% (TCO calculation)</b> .	t (calculated as					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	67AD	Logo	Lenovo		
Issue date *	2022/11/19		Lenovo.		
Product environ	nental attributes - Market requirements (continued)		Requirement met		

Item

	Material and sub	stance requirements	(continued)				
P7.21*			d in the product (See I	NOTE B7):			
If VES; at least one of the two alternatives below shall be approved:							
<ul> <li>If YES; at least one of the two alternatives below shall be answered;</li> <li>a) Of total plastic parts' weight &gt; 25 g, the biobased plastic material content (calculated as a percentage of</li> </ul>							
	total plastic by weight) is %.						
	or	,					
		f the biobased plastic					
P7.22*	Light sources are free from mercury, i.e. less than 0,1 mg/lamp.						
		specify: Number of la	mps: and maxin	num mercury content p	er lamp: mg		
P8	Batteries						
P8.1*	Battery chemical o						
P9		tion (See NOTE B8)	,				
P9.1		Power level at	els or energy consump Power level at	Power level at	Beference/Stendard for energy		
Energy m	lode	100 V AC	115 V AC	230 V AC	Reference/Standard for energy modes and test method *		
	STAR® On Mode*	14.27 W	14.27 W	14.20 W	ENERGY STAR® Program		
(System		14.27 00	14.27 00	14.20 11	Requirements for Displays:		
	luic)				Version 8.0		
ENERGY	STAR® Low Power	0.23 W	0.22 W	0.27 W	ENERGY STAR® Program		
Sleep Mo	ode*				<b>Requirements for Displays:</b>		
					Version 8.0		
-	STAR® Off /	0.17 W	0.17 W	0.23 W	ENERGY STAR® Program		
Apparent	Off Mode*				Requirements for Displays: Version 8.0		
					Version 0.0		
PTEC *						$\boxtimes$	
-	nergy Consumption						
ETEC *		0.98kWh/year	0.98 kWh/year	0.98 kWh/year	$E_{TEC} = (8760/1000) \times (P_{sleep} \times 10^{-1})$		
Annual E	nergy Consumption	,	,	,	$0.65 + P_{idle} \times 0.35)$		
External	Power Supply Efficier	ncy Level (Internationa	al Efficiency Marking P	rotocol) * : NA		$\boxtimes$	
Display re	esolution * : 1920x10	80 megapixels			ENERGY STAR® Program		
					Requirements for Displays:		
					Version 8.0		
Default ti	me to enter energy sa	ave mode: 0.5 minute	S		ENERGY STAR® Program Requirements for Displays:		
					Version 8.0		
P9.2*	Information about	the energy save funct	tion is provided with the	e product.			
P9.3			ents of the following ve			⊢⊢	
1 3.5		version: 8.0 Product		biuntary program/s.			
P10	Emissions		<u> </u>				
	Noise emission -	- Declared according	to ISO 9296 (See NOT	E B9)			
P10.1	Mode N	Mode description		Statistical upper lim	nit A-weighted sound power level, $L_{WA,c}$	(B)	
	Idle *	N/A		* N/A		$\boxtimes$	
	Operation *	N/A		* N/A			
	Other mode	N/A		N/A		<u> </u>	
	Other mode	N/A		N/A			
	Measured accordi	ng to: 🚺 ISO 7779	ECMA-74				
		Other	(only if not covered b	v ECMA-74)			
			,,	,			

Yes

No

n.a.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model nu	umber *	67AD,63E0,63E1			Logo	Long		
Issue dat	te *	2022/11/19				Leno	VO.	тн
Product	environ	mental attributes	- Market requirement	s (continued)		Require	ment	met
Item						Yes	No	n.a.
		magnetic emissions						
P10.4			requirement for low frequ	ency electromagnetic field	s of the following volunta	ary 🗌	$\boxtimes$	
	program							
P12		mics for computing						
P12.1*				9241-307 for visual displa		$\square$		
P12.2*	The phy	sical input device me	eets the requirements of I	SO 9995 and ISO 9241-41	0.			$\square$
P13		ing and documenta	tion					
P13.1* P13.2* P13.3* P13.4* P13.5	Product Product Product Product Product Product Product Product Product Product Product Product Product Elect (Please	packaging material t packaging	ype(s): EPE Bag type(s): PP we type(s): Carbboard Labe type(s): Carbboard Labe type(s): Paper Pulp Cusl type(s): PP we type(s): PP we type(s): PP we type(s): LDPE aging is free from PVC. ated fiberboard packagin ontent: 95 %	weight (kg): 0.310 weight (kg): 0.016 ight (kg): 0.001 / weight (k ble Wall nion weight (kg): 0.016 ight (kg): 0.001 weight (kg): 0.001 weight (kg): 0.001 g, specify the contained ck box): n used)	weight (kg): <i>0.980</i> g): <i>0.702</i>	post-		
	Totally of Element	blease specify: chlorine-free tal chlorine-free sed chlorine-free						
P14	Volunta	ary programs						
P14.1	The pro	duct meets the requi	rements of the following v	oluntary program(s):				
	Eco-lab Eco-lab	el: ENERGY STAR el: TCO el: TCO Edge	Criteria version: <b>9.0</b> Criteria version: <b>2.0</b>	Date: 2022/10/13 Date: 2022/11/09 Date: 2022/11/09	5,5	nitor		
P15		nal information (Se	,					
<u>P9</u>	NOTE: the info supplie informa	Supplier makes no ormation contained r's knowledge avail ation. The informatio	representations, guarar in this document. All im lable at the time of com on provided here is app	y vary; description of the ntees, assurances or war formation provided by su pletion, and supplier sha roximate and provided fo	ranties whether expres Ipplier in this documen Il have no obligation to	s or implied, t is provided update such	based	d on
			or more information.					
<b>P</b> 9	http://w	ww.energystar.gov	Notebooks & Tablet Col /index.cfm?fuseaction=	mputers for the latest inf find_a_product.showPro	ormation: ductGroup&naw_code	=CO		

Annex B1 of ECMA-370 5<sup>th</sup> edition (Lenovo) 2015-05-23

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1