



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2- Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs	Lenovo				
e-mail address	Alvin L Carter	LCIIOVO				
	alcarter@lenovo.com					
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/					
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statement	conforms to the statements given in this declaration.					
Type of product * Display						
Commercial name *	T22i-30,P22i-30, TIO Flex 22i					
Model number *	63BO,63B1, 12BL					
Issue date *	2022/06/16					
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		63BO,63B1, 12BL		Long	N/6	
Issue date *		2022/06/16		Lend	JVC	тн
Product	Product environmental attributes - Legal requirements				ment	met
Item				Yes	No	n.a.
P1		us substances and preparations				
P1.1*		do comply with current European RoHS Directive. (See legal reference and NOTE	B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.					
P1.3*		do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		X		
	hydrobro trichloroe	emofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.				
P1.4*		do not contain more than: 0,005% polychlorinated biphenyl (PCB), 0,005% polych	lorinated	\square		
	terpheny	I (PCT) in preparations (see legal reference).				
P1.5*		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in th	ne 🔀		
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5μg/cm²/weel	k 🔀		
P1.7*		Article 33 information about substances in articles is available at (add URL or mail	contact).	\square		$\overline{}$
		www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact).			
P2	Batterie					
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal					
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)				\boxtimes
P3	Conformity verification& Eco design (ErP)					
P3.1*						
P3.2*		luct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
	, ,	I information is;				
	. 10 qu 01	available at (add URL):				_
	https://v	www.lenovo.com/us/en/compliance/eco-declaration				
P5		packaging				
P5.1*	Packagii	ng and packaging components do not contain more than 0,01% lead, mercury ont chromium by weight of these together.	/, cadmium a	nd 🔀		
P5.2*	The pack	xaging materials are marked with abbreviations and numbers indicating the nature of elegal reference).	of the material	(s) 🔀		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.					
P6		nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).		\boxtimes		

NOTE B1Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model no	umber *	63BO,63B1, 12BL	Logo	Lan			
Issue date *		2022/06/16			OVC	O _D	
Product environmental attributes - Market requirements (See General NOTE GN below)							
		conscious design		Require			
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.	
P7	Design Disasse	mbly, recycling					
P7.1*		at have to be treated separately are easily separable		\square			
P7.2*	Plastic m	naterials in covers/housing have no surface coating.			Ħ	Ī	
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.			Ħ	Ħ	
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.				Ħ		
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly	available tools.		$\overline{\sqcap}$		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).			Ħ		
	Product	lifetime					
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives				X	
P7.8*	Upgradir	ng can be done using commonly available tools					
P7.9	Spare pa	arts are available after end of production for: 5 years					
P7.10	Service i	s available after end of production for: 5 years					
	Material	and substance requirements					
P7.11*		cover/housing material type(e.g. plastics, metal, aluminum):					
			ial type: METAL				
P7.12		n materials of external electrical cables are PVC free.		<u> <u> </u></u>			
P7.13		n materials of internal electrical cables are PVC free.			\boxtimes		
P7.14	weight (* polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) l 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flam chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in 25% post-consumer recycled content.	ne retardants, an	ıd			
P7.15	Printed of	circuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 g 🕻 ed in IEC61249-2-21. (See NOTE B2)	are low haloge	n 🔀			
P7.16	Marking:	starded plastic parts > 25 g in covers / housings are marked according ISO 1043-4 no flame retardant					
P7.17		emical specifications of flame retardants in printed circuit boards > 25 g (without c TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: DOPO, CAS #:					
		emical specifications of flame retardants in printed circuit boards (without compon- g ISO 1043-4: <i>FR4</i>	ents)> 25 g				
P7.18	concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: <i>TPP</i> , CAS #: 115-86-6 (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	es/preparations i	in 🖂			
	Alt. 2:Ch	emical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4: 1998			\square	
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which		$\overline{}$	Ħ	X	
		I the following Risk phrases; and Hazard statements:					
	The sour	rce(s) for these classifications is/are found at (add URL(s)): (See note B5)				
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):					
	a) Of to	It least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content centage of total plastic by weight) is 75% . (EPEAT calcalation) weight of recycled material is 612.85 g.	nt (calculated as	a			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	63BO,63B1, 12BL	Logo	Long)\/C	
Issue date *	2022/06/16		Lend		TH .
Product environr	nental attributes - Market requirements (continued)		Require	men	t met
Item			Yes	No	n.a.

Material and substance requirements (continued)								
P7.21*	Biobased plastic n	based plastic material content is used in the product (See NOTEB7):						
	If YES; at least on	ast one of the two alternatives below shall be answered;						
		plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of						
	total plastic by weight) is %. or							
		f the biobased plastic r	material is a					
P7.22*	7 9 1							
				mercury content per la	mp: 0 mg			
P8								
P8.1*	Battery chemical c	composition:						
P9		tion (See NOTEB8)						
P9.1		e following power level						
Energy mo	ode *	Power level at	Power level at	Power level at	Reference/Standard for energy			
ENERGY (071000	100 V AC	115V AC	230 V AC	modes and test method * ENERGY STAR® Program			
ENERGY S Mode*(Sys	STAR® On	11.04W @ 50Hz	11.00W	11.04W	Requirements for Displays:			
I Wode (Sys	sterri idie)	11.03W @ 60Hz	1110011	7110-111	Ver. 8.0			
ENERGY S	STAR® Low Power	0.11W@ 50Hz			ENERGY STAR® Program			
Sleep Mod	le*	0.11W @ 60Hz	0.12W	0.16W	Requirements for Displays:			
					Ver. 8.0			
	STAR® Off /	0.07W @ 50Hz	0.07144	0.4414	ENERGY STAR® Program Requirements for Displays:			
Apparent 0	Off Mode*	0.07W @ 60Hz	0.07W	0.11W	Ver. 8.0			
ETEC *		24 47IM/h/voor@E0	24 44Wh/wook	24 76M/h/voor	E = 0.76 v/D v 0.25 + D			
_	ergy Consumption	34.47Wh/year@50 HZ	34.41Wh/year	34.76Wh/year	$E_{TEC} = 8.76 \times (P_{on} \times 0.35 + P_{sleep} \times 0.65)$			
Transact Energy Concumption		34.44Wh/year@60			X 5100)			
		Hz						
External P	ower Supply Efficier	ncy Level (International	l Efficiency Marking Pr	rotocol) * : <i>n.a.</i>				
					ENERGY STAR® Program			
Display res	solution* : 1920*108	0 megapixels			Requirements for Displays: Ver. 8.0			
					ENERGY STAR® Program			
Default tim	ne to enter energy sa	ave mode: 20 seconds			Requirements for Displays:			
	37				Ver. 8.0			
P9.2*	Information about	the energy save functi	on is provided with the	product.				
P9.3*	The product meets	the energy requirement	ents of the following vo	luntary program/s:				
P10	ENERGY STAR® version: 8.0 Product category: Display.							
FIU		- Declared according to	1SO 0206 (See NOTE	F RO)				
P10.1		Mode description	7100 3230 (000 1401)		it A-weighted sound power level, L _{WA c} (B)			
Idle N/A		N/A						
Operation N/A			N/A					
}		V/A		N/A				
Other mode N/A		N/A						
]	¥	ng to: XISO 7779	ECMA-74	1				
		_	y if not covered by EC	:MA-74)				
I	Offier (offiy if not covered by ECMA-74)							

NOTE B8A Guidance document on Energy Efficiency is available; seehttp://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

Do

Model number *		63BO,63B1, 12BL		Logo	Lenovo		1		
Issue date *		2022/06/16					Len	OVO) _{TM}
Product e	environn	nental attributes	- Market requirements (c	ontinued)			Requi	remen	t met
Item			•	•			Ye	s No	n.a.
		nagnetic emissions							
P10.4	program	(s): JEITA, MPRII, T		electromagnetic field	s of the foll	owing volunta	ary 🔀		
P12	Ergonor	nics for computing	products						
P12.1*			omic requirements of ISO 924			gies.	\times		
P12.2*			ets the requirements of ISO 9	995 and ISO 9241-41	0.				\boxtimes
P13		ng and documentat							
P13.1*			/pe(s): Corrugated paper(BE	•		g): 0.87 / 1.0 1			
		packaging material t		(Cushion)	weight (k	g): 0.757 / 0. 4	451		
D40.0*		packaging material t		(BAG)	weight (kg)	: 0.024			_
P13.2*			aging is free from PVC.						_Ц
P13.3*	consume	er recovered fiber co			percentage	of minimum	post-		Ш
P13.4*		media for user and p ronic, Paper, Othe	roduct documentation (tick bo	x):					
P13.5	(Please User and	only complete this ite	em if paper documentation use tion on paper media is chlorin				×		
	Totally c	hlorine-free					X	1	
	Elemental chlorine-free								
	Processed chlorine-free								
P14	Volunta	ry programs							
P14.1			ements of the following volunt	tary program(s):					
	ISO9241 Eye con Low Blu Eye Safe TCO	nfort e light (Hardware)	Criteria version: / Criteria version: 1.0 Criteria version: 2.0 Criteria version: 2.0 Criteria version: 9.0	Date:2022-06-16 Date:2022-06-16 Date:2022-06-16 Date:2022-07-01 Date:2022-06-14	Product Product Product	category: LC category: LC category: L category: L category: L	CD monitor CD monito CD monito	r r	
P15		al information (See N							
P9			fic configuration may vary; de						
	informati knowled	ion contained in this ge available at the tii here is approximate	presentations, guarantees, as document. All information pro- me of completion, and supplie and provided for informations	vided by supplier in th r shall have no obligat	is documer tion to upda	nt is provided interest	based on sumation. The	ıpplier's informa	
P9	See Energy Star Qualified Monitors & Displays for the latest information: https://www.energystar.gov/products/office_equipment/displays								
·									

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)* *Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive)* *These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC)801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1