



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2- Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	0			
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs		Lenovo			
e-mail address	Alvin L Carter		LCIIOVO			
	alcarter@lenovo.com					
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/					
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Type of product * Display					
Commercial name *	ThinkVision T23i-30					
Model number *	63B2					
Issue date *	2022/06/06					
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		63B2		Lend	21/0		
Issue date				Len		3М	
Product environmental attributes - Legal requirements					ment	met	
Item				Yes	No	n.a.	
P1	Hazardous substances and preparations						
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)						
P1.2*		do not contain Asbestos (see legal reference). t: Legal reference has no maximum concentration value.			Ш		
P1.3*		do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		\square			
		mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach	loride, 1,1,1-		ш		
	trichloroe	thane, methyl bromide (see legal reference). Comment: Legal reference has no m					
		ation values.					
P1.4*	Products	do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychl (PCT) in preparations (see legal reference).	lorinated		Ш		
P1.5*		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl	oon atoms in	the 🔀			
	chain co	ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).					
P1.6*		h direct and prolonged skin contact do not release nickel in concentrations above 0),5μg/cm²/we	ek 🔀			
		il reference).					
D4 7*		t: Max limit in legal reference when tested according to EN1811:2011-5.		<u> </u>			
P1.7*		Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):		Ш	Ш	
P2	Batteries						
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)						
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal						
	reference	7					
P2.3*	, , , , , , , , , , , , , , , , , , ,						
P3	Conformity verification& Eco design (ErP)						
P3.1*							
	The Declaration of Conformity can be requested at (add link or e-mail address): https://www.lenovo.com/us/en/compliance/eu-doc for EU and						
	https://www.lenovo.com/us/en/compilance/eu-doc for EU and https://www.lenovo.com/us/en/compliance/uk-doc for UK						
P3.2*	The product complies with the Eco design requirements for energy-related products,						
	, ,	ıl reference).					
	Required information is;given in item P15 or added to this document,						
	⊠available at (add URL):						
		ww.lenovo.com/us/en/compliance/eco-declaration					
P5		packaging					
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercury nt chromium by weight of these together.					
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).						
P5.3*							
		t: Legal reference has no maximum concentration values.					
P6	Treatment information						
		on for recyclers/treatment facilities is available (see legal reference).					

NOTE B1Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		63B2	Logo	Lon				
Issue date *		2022/06/06		Len	OVC) _m		
Product environmental attributes - Market requirements (See General NOTE GN below) - Environmental conscious design Requirement met								
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.		
P7	Design	mbly, recycling						
P7.1*		It have to be treated separately are easily separable						
P7.2*	Plastic materials in covers/housing have no surface coating.							
P7.3*	Plastic materials in covers/nousing have no surface coating. Plastic parts > 100 g consist of one material or of easily separable materials.							
P7.4*	-	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			\dashv			
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	available tools		\dashv			
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).	available tools.		+			
7.0	Product							
P7.7*		ng can be done e.g. with processor, memory, cards or drives						
P7.8*		ng can be done using commonly available tools			∺	X		
P7.9		arts are available after end of production for: 5 years						
P7.10		s available after end of production for: 5 years						
1 7.10		and substance requirements						
P7.11*		cover/housing material type(e.g. plastics, metal, aluminum):						
			al type: METAL					
P7.12	Insulatio	n materials of external electrical cables are PVC free.			\boxtimes			
P7.13	Insulatio	n materials of internal electrical cables are PVC free.			\boxtimes			
P7.14	4 External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.							
P7.15	Printed c	ircuit boards, PCBs (without components) are low halogen: all ☑ PCBs > 25 g ☐ ed in IEC61249-2-21. (See NOTE B2)	are low haloge	n 🛚				
P7.16	Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: no flame retardant						
P7.17		emical specifications of flame retardants in printed circuit boards > 25 g (without co ☑TBBPA (additive), ☑TBBPA (reactive) (See NOTE B3), ☑Other: ☑ , CAS #: 3						
		emical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: <i>FR4</i>	ents)> 25 g					
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: TPP, CAS #: 115-86-6 (See NOTE B4) 2. Chemical name: , CAS #: "							
		ical name: , CAS #: " emical specifications of flame retardants in plastic parts > 25 g according ISO 1043	3-4:					
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which	n have been					
	_	the following Risk phrases; and Hazard statements:						
D7 00*		rce(s) for these classifications is/are found at (add URL(s)): (See note B5)	1	N 2				
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):		\boxtimes				
	a) Of t perc or	It least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content centage of total plastic by weight) is 82.95%. (EPEAT calculation) weight of recycled material is 740.0g.	at (calculated as	a				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	63B2	Logo	Long	21/6	
Issue date *	2022/06/06		Lend		V _{EM}
Product environr	nental attributes - Market requirements (continued)		Require	emen	t met
Item			Yes	No	n.a.

	Material and substance requirements (continued)							
P7.21*	Biobased plastic n	Biobased plastic material content is used in the product (See NOTEB7):						
	If YES; at least one of the two alternatives below shall be answered;							
	a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of							
	total plastic by weight) is %.							
	or b) The weight of	f the highased plastic r	material is a					
P7.22*	, ,							
	If mercury is used specify: Number of lamps: 0 and maximum mercury content per lamp: 0 mg							
P8	Batteries	•			· -			
P8.1*	8.1* Battery chemical composition:							
P9	Energy consump	tion (See NOTEB8)						
P9.1		e following power level						
Energy mo	de *	Power level at	Power level at	Power level at	Reference/Standard for energy			
		100 V AC	115V AC	230 V AC	modes and test method *			
ENERGY S		11.95W @ 50Hz	11.88W	11.91W	ENERGY STAR® Program Requirements for Displays:			
Mode*(Sys	tem Idle)	11.94W @ 60Hz	11.00VV	11.9100	Ver. 8.0			
ENERGY S	STAR® Low Power	0.4411/0.501/			ENERGY STAR® Program			
Sleep Mode		0.11W@ 50Hz 0.11W @ 60Hz	0.11W	0.17W	Requirements for Displays:			
		U. I TW @ BUHZ			Ver. 8.0			
ENERGY S	STAR® Off /	0.0714/ @ 50//-			ENERGY STAR® Program			
Apparent C		0.07W @ 50Hz 0.07W @ 60Hz	0.07W	0.12W	Requirements for Displays:			
''		0.07 77 @ 00712			Ver. 8.0			
ETEC *		37.27Wh/year@50	37.05Wh/year	37.48Wh/year	$E_{TEC} = 8.76 x (P_{on} \times 0.35 + P_{sleep})$			
Annual Ene	ergy Consumption	HZ			x 0.65)			
		37.23Wh/year@60 Hz						
External Po	ower Supply Efficier	ncy Level (International	I Efficiency Marking Pr	otocol) * : n.a.				
		,(ENERGY STAR® Program			
Display res	olution* :1920*108	0megapixels			Requirements for Displays:			
		3p			Ver. 8.0			
					ENERGY STAR® Program			
Default time	e to enter energy sa	ave mode: 20 seconds			Requirements for Displays:			
D0.0*	l-f	41 £ 41			Ver. 8.0			
P9.2*		the energy save function	•	•				
P9.3*		s the energy requirement		luntary program/s:				
	ENERGY STAR® version: 8.0 Product category: Display.							
P10	Emissions							
		- Declared according to	ISO 9296 (See NOTE	E B9)				
P10.1					nit A-weighted sound power level, L _{WA,c} (B)			
[Idle N/A N/A							
İ	Operation N	N/A		N/A				
ĺ	Other mode N	N/A		N/A				
ĺ	Other mode N/A N/A							
]	Measured accordi	ng to: XISO 7779	ECMA-74					
	Other (only if not covered by ECMA 74)							

NOTE B8A Guidance document on Energy Efficiency is available; seehttp://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

Do

Model number *		63B2				Logo	Long	1/0			
Issue date *		2022/06/06				Leno	VO.				
Product 6	environr	nental attributes	- Market requirements (c	ontinued)			Requirement met				
Item			•	•			Yes	No	n.a.		
		nagnetic emissions									
P10.4		er display meets the (s): JEITA, MPRII, T	requirement for low frequency CO 9.0	electromagnetic fields	s of the foll	owing voluntar	y 🔀				
P12		nics for computing									
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.										
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.										
P13		ng and documentat									
P13.1*	Product Product	packaging material ty packaging material ty	ype(s): EPE+PO	(Cushion)	weight (k weig weight (kg)	ht (kg): 0.802					
P13.2*	Product	plastic primary packa	aging is free from PVC.				\boxtimes				
P13.3*	consume	er recovered fiber co			ercentage	of minimum p	oost-				
P13.4*		media for user and pronic, Paper, Othe	roduct documentation (tick bo	x):							
P13.5	User and If Yes, p Totally c	d product documenta lease specify: hlorine-free	em if paper documentation use tion on paper media is chlorin								
	Elemental chlorine-free										
P14	Processed chlorine-free Voluntary programs										
P14.1			ements of the following volunt	tary program(s):							
	ISO9241 Eye con	1-307 nfort ne light (Hardware)	Criteria version: / Criteria version: 1.0 Criteria version: 2.0 Criteria version: 2.0 Criteria version: 9.0	Date:2022-06-16 Date:2022-06-16 Date:2022-06-16 Date:2022-07-01 Date:2022-06-14	Product Product Product	category: LCI category: LCI category: LC category: LC category: LC	D monitor CD monitor CD monitor				
P15		nal information (See									
P9			ecific configuration may var								
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.										
P9			Monitors & Displays for the //products/office_equipmen								

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)* *Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive)* *These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC)801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1