



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	0
Company name *	Lenovo		_
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com		Lenovo
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/		
Additional information			

The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statemen	conforms to the statements given in this declaration.					
Type of product *	Monitor					
Commercial name *	ThinkVision T27p-30					
Model number *	63A9,63BA					
Issue date *	2022/6/12					
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		63A9/63BA	Logo	Long				
Issue date	e *	2022/6/12		Lend				
Product	environ	mental attributes - Legal requirements		Require	ment n	net		
Item				Yes	No r	n.a.		
P1		ous substances and preparations						
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)							
P1.2*		do not contain Asbestos (see legal reference).						
D4 0*		nt: Legal reference has no maximum concentration value.		<u> </u>	_			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-							
	trichloro	ethane, methyl bromide (see legal reference). Comment: Legal reference has no m	aximum					
		ation values.						
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych	lorinated	$\boxtimes$				
D4 5*		I (PCT) in preparations (see legal reference).		<u> </u>				
P1.5*		on to contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in th	ne 🔀	Ш			
P1.6*		h direct and prolonged skin contact do not release nickel in concentrations above 0	,5 μg/cm²/wee	k 🔀				
		al reference).						
		nt: Max limit in legal reference when tested according to EN1811:2011-5.						
P1.7*		Article 33 information about substances in articles is available at (add URL or mail or www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):					
	•							
<b>P2</b> P2.1*	Batterie		ha dianaad					
FZ. I	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)							
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal							
	reference)							
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)				$\boxtimes$		
P3		nity verification & Eco design (ErP)						
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).							
		The Declaration of Conformity can be requested at (add link or e-mail address):  https://www.lenovo.com/us/en/compliance/eu-doc for EU and						
	https://www.lenovo.com/us/en/compliance/uk-doc for UK							
P3.2*		luct complies with the Eco design requirements for energy-related products,		X				
	(see lega	al reference).				_		
	Required information is; given in item P15 or added to this document,							
	⊠available at (add URL):							
		www.lenovo.com/us/en/compliance/eco-declaration						
P5		packaging			_			
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.						
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature $\mathfrak q$ e legal reference).	of the material	(s) 🔀				
P5.3*	The proc	luct packaging material is free from ozone depleting substances as specified in the N	Iontreal Protoc	col 🔀		$\Box$		
		al reference).		_		_		
DC		nt: Legal reference has no maximum concentration values.						
<b>P6</b> P6.1*		nt information on for recyclers/treatment facilities is available (see legal reference).						
P0.1	mormati	on for recyclers/freatment facilities is available (see legal reference).						

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

wodel number *		63A9/63BA	Logo	Lend	21/0		
Issue date *		2022/6/12		Leik		тн	
- Envir		mental attributes - Market requirements (See General NOTE GN lonmental conscious design		Requirer		net	
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.	
P7	Design Disasse	mbly, recycling					
P7.1*		at have to be treated separately are easily separable		$\square$			
P7.2*		naterials in covers/housing have no surface coating.			$\overline{H}$		
P7.3*		arts > 100 g consist of one material or of easily separable materials.		X	Ħ		
P7.4*	•	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			Ħ		
P7.5	7.5 Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.						
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).						
	Product	lifetime					
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives				$\boxtimes$	
P7.8*	Upgradir	ng can be done using commonly available tools				$\boxtimes$	
P7.9	Spare pa	arts are available after end of production for: 5 years					
P7.10	Service i	s available after end of production for: 5 years					
	Material	and substance requirements					
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):					
D7 40		type: ABS Material type: PC Material naterials of external electrical cables are PVC free.	al type:				
P7.12				<u> </u>		Ц.	
P7.13	Insulation materials of internal electrical cables are PVC free.						
P7.14	4 External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.						
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)						
P7.16	Marking:						
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co	omponents):				
	TBBF	PA (additive), ☑TBBPA (reactive) (See NOTE B3), ☐Other:, CAS #:		$\boxtimes$	Ш	Ш	
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g				
P7.18		ame retarded plastic parts > 25 g contain the following flame retardant substance	s/preparations in	l			
	1. Chem 2. Chem	ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #:					
		ical name: , CAS #: "					
D7.40		nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043		<u> </u>	<u> </u>		
P7.19	•	parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases:  and Hazard statements:	nave been		Ш	$\boxtimes$	
	g						
P7.20*	The source(s) for these classifications is/are found at (add URL(s)):  Postconsumer recycled plastic material content is used in the product (See Note B6):						
	If YES; a a) Of t a po or	at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material contentercentage of total plastic by weight) is 82.3 %. (EPEAT calculation) / 85% (TCO calculation) / 85%		<u>~</u> 3	]	]	

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	63A9/63BA		Lenovo				
Issue date *	2022/6/12		Len		J <sub>TM</sub> :		
Product environr		Requir	emen	t met			
Item			Yes	No	n.a.		

D7 04*	Material and substance requirements (continued)  Biobased plastic material content is used in the product (See NOTE B7):										
P7.21*	Biobased plastic m	naterial conte	ent is used it	n the product (See N	OTEB/):						
				below shall be answ							
	<ul> <li>a) Of total plastic parts' weight &gt; 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is 0%.</li> </ul>										
	or	y weigiit) is	<i>J</i> 70.								
	b) The weight of										
P7.22*				ss than 0,1 mg/lamp							
P8	If mercury is used: Batteries	specity: Nun	nber of lamp	os: and maxim	num mercury content p	er lamp: mg					
P8.1*	Battery chemical c	omnosition:									
P9	Energy consumpt		OTE B8\								
P9.1				or energy consumpti	ons are reported:						
Energy mod		Power	Power	Power level at	Power level at	Reference/Standard for energy					
		level at	level at	115 V AC	230 V AC	modes and test method *					
		100V	100V								
		50HzAC	/60Hz	00.04	05.74	ENERGY STARS Discours					
_	STAR® On Mode*	26.17	26.14	26.01	25.71	ENERGY STAR® Program Requirements for Displays:					
(System Idl	e)					Ver. 8.0					
ENERGY S	STAR® Low Power	1.8	1.8	1.8	1.8	ENERGY STAR® Program					
Sleep Mode					Requirements for Displays:						
				2.24		Ver. 8.0					
ENERGY S	STAR® Off /	0.24	0.24	0.24	0.26	ENERGY STAR® Program Requirements for Displays:					
Apparent C	off Mode*					Ver. 8.0					
						150.7 6.0					
PTEC *		l w	l w	l w	T w						
	ergy Consumption	vv	\ vv	l vv	VV						
ETEC *	orgy Consumption	<b>90.49</b> kWh	90.39kWh	<b>91.64</b> kWh/year	89.08kWh/year	$E_{TEC} = (8760/1000) \times (P_{ON} \times 0.35)$					
-	ergy Consumption	/year	/year	,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	+ P <sub>SLEEP</sub> x 0.65)					
External Po	wer Supply Efficien	cy Level (Int	ternational E	fficiency Marking Pr	otocol) *:						
						ENERGY STAR® Program					
Display res	olution*: 3840*216	0 megapixe	ls			Requirements for Displays:					
						Ver. 8.0 ENERGY STAR® Program					
Default time	e to enter energy sa	ve mode: 1	seconds			Requirements for Displays:					
Doidait tilli	o to critici cricigy ou	ive mode. Te	Jeoonas			Ver. 8.0					
P9.2*	Information about t	the energy s	ave function	is provided with the	product.						
P9.3*	The product meets	the energy	requirement	ts of the following vo	luntary program/s:						
	ENERGY STAR®										
D40											
P10	Emissions Noise emission	Declared a	cording to I	SO 9296 (See NOTE	- B0/						
P10.1	Mode	Mode desc		30 9290 (See NOTE		nit A-weighted sound power level, L <sub>WA.c</sub> (B)					
10.1	Idle	* HDD: Idle			*	m 71 Weighted Scalla pewer level, 2WA,c (B)					
	Operation	* HDD: Op	erating		*						
	Other mode			nd pressure level (dB)	(operator no	osition desktop – idle)					
	Other mode	$L_{pAm}$			(operator po	ostaon desktop – ratej					
	Other mode		veighted soun	nd pressure level (dB)	(operator po	osition desktop – operating)					
		$L_{pAm}$		• •	(17.1.17.7)						
	Measured according	ng to: XIS	O 7779 🔃 I	ECMA-74	•						
		•	_	only if not covered by	/ ECMA-74)						

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model nun	nber *	63A9/63BA					Logo	in the second			
Issue date *		2022/6/12					Le	no	VO.		
issue date		2022/0/12									
Product environmental attributes - Market requirements (continued)							Red	quire	ment	met	
Item									Yes	No	n.a.
		nagnetic emissions									
P10.4		er display meets the (s): <b>TCO 9.0</b>	requirement for low f	requency el	ectromagnetic fie	elds of the foll	owing volunt	tary			
P12		mics for computing									
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.										
P12.2*	The phys	sical input device me	eets the requirements	of ISO 999	5 and ISO 9241-	410.					$\boxtimes$
P13		ng and documenta									
P13.1*											
P13.2*	Product	plastic primary pack	aging is free from PV	C.					$\boxtimes$		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 95%										
P13.4*		media for user and pronic, ⊠Paper, ☐	oroduct documentation Other	n (tick box):							
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify:										
	Totally chlorine-free  Elemental chlorine-free										
D11	Processed chlorine-free										
P14.1		ry programs	rements of the followi	na valuntar	/ program(a):						
r 14.1		Y STAR®	Criteria version: 8.0 Criteria version: 9.0 Criteria version:		Date: <b>2022/6/12</b> Date: <b>2022/6/12</b> Date: <b>2022/6/12</b>		category:				
P15		nal information (Se									
P9			ecific configuration								
NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.							on				
P9	See Energy Star Qualified Monitors & Displays for the latest information: https://www.energystar.gov/products/office_equipment/displays										

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1