



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2- Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo					
Company name *	Lenovo						
Contact information *	Lenovo Global Environmental Affairs		_enovo				
e-mail address	Alvin L Carter						
	alcarter@lenovo.com						
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/						
Additional information	The latest version of this document can be found at:						
	http://www.lenovo.com/ecodeclaration						

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Display				
Commercial name *	ThinkVision T75				
Model number *	62F4				
Issue date *	2021/05/10				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number * 62		62F4	Logo	Long			
	ssue date * 2021/05/10			Lend	OVC) _{тм}	
Product	environ	mental attributes - Legal requirements		Require	ment	met	
Item				Yes	No	n.a.	
P1		ous substances and preparations					
P1.1*		do comply with current European RoHS Directive. (See legal reference and NOTE	B1)				
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.						
P1.3*	hydrobro trichloroe	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no ma ration values.					
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych d (PCT) in preparations (see legal reference).	lorinated				
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in th	e 🔀			
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5μg/cm²/week				
P1.7*	REACH https://v	Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):				
P2	Batterie						
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)						
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)						
P2.3*	Batteries and accumulators are readily removable. (See legal reference)						
P3	Conformity verification& Eco design (ErP)						
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): https://www.lenovo.com/us/en/compliance/eu-doc for EU and https://www.lenovo.com/us/en/compliance/uk-doc for UK						
P3.2*	The prod	duct complies with the Eco design requirements for energy-related products, al reference).					
	Required	d information is; □ given in item P15 or added to this document, □ available at (add URL): vww.lenovo.com/us/en/compliance/eco-declaration					
P5		packaging					
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury cent chromium by weight of these together.	/, cadmium an	ıd 🔀			
P5.2*	The pack used (se	kaging materials are marked with abbreviations and numbers indicating the nature one legal reference).	of the material(s) 🔀			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.						
P6		nt information					
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\boxtimes			

NOTE B1Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Wodel number 62F4		62F4	Logo	lon	01/0				
Issue date *		2021/05/10		Len		тн			
	nmental	mental attributes - Market requirements (See General NOTE GN conscious design		Require	ment ı	met			
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.			
P7	Design Disasse	mbly, recycling							
P7.1*		at have to be treated separately are easily separable		\square	П				
P7.2*	Plastic m	naterials in covers/housing have no surface coating.			Ħ				
P7.3*									
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			H				
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools.	$\overline{\mathbb{X}}$	Ħ				
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels/ ca			H				
	Product								
P7.7*		ng can be done e.g. with processor, memory, cards or drives		\square	П				
P7.8*	Upgradir	ng can be done using commonly available tools			Ħ				
P7.9	Spare pa	arts are available after end of production for: 5 years							
P7.10		s available after end of production for: 3 years				$\overline{}$			
		and substance requirements							
P7.11*		cover/housing material type(e.g. plastics, metal, aluminum): type: <i>aluminum</i> Material type: <i>METAL</i> Materia	al type:						
P7.12	Insulatio	n materials of external electrical cables are PVC free.			\boxtimes				
P7.13	Insulation	n materials of internal electrical cables are PVC free.							
P7.14	weight (polyvinyl more tha	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in 25% post-consumer recycled content.	e retardants, and n parts containing						
P7.15		circuit boards, PCBs (without components) are low halogen: all ☑ PCBs > 25 g ☐ ed in IEC61249-2-21. (See NOTE B2)	are low halogen						
P7.16	Marking:								
P7.17		emical specifications of flame retardants in printed circuit boards > 25 g (without co PA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	mponents):						
		emical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: <i>FR16</i>	nts)> 25 g						
P7.18	concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: , CAS #: ical name: , CAS #: ical name: , CAS #: "	s/preparations in			\boxtimes			
		emical specifications of flame retardants in plastic parts > 25 g according ISO 1043							
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which	have been						
	assigned the following Risk phrases; and Hazard statements:								
D7 00*	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)								
P7.20*	If YES; a	sumer recycled plastic material content is used in the product (See Note B6): It least one of the two alternatives below shall be answered; It least one o	t (calculated as a						

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	62F4	Logo	Lenovo			
Issue date *	2021/05/10			Len) тн
Product environr	mental attributes - Market requirements (continued)			Requir	emen	t met
Item				Yes	No	n.a.

	Material and sub	stance requirements (continued)					
P7.21*		naterial content is used		OTEB7):				
	 a) Of total plast total plastic b or 	y weight) is %.	the biobased plastic m		ated as a percentage of			
P7.22*		f the biobased plastic m free from mercury, i.e. le						
F1.22		specify: Number of lam		mercury content per la	mp: 0 ma	Ш		
P8	Batteries	<u></u>						
P8.1*	Battery chemical of	composition:				\boxtimes		
P9	Energy consump	tion (See NOTEB8)						
P9.1		e following power levels						
Energy mod	de *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *			
ENERGY S Mode*(Syst		219.3 W	218.5 W	218.8 W	ENERGY STAR® Program Requirements for Displays: Ver. 8.0			
ENERGY STAR® Low Power Sleep Mode* 0.24		0.24 W	0.23 W	0.40 W W	ENERGY STAR® Program Requirements for Displays: Ver. 8.0			
ENERGY S Apparent O		0.001 W	0.001 W	0.001 W	ENERGY STAR® Program Requirements for Displays: Ver. 8.0			
	ergy Consumption							
	ergy Consumption	673.74 Wh/year	671.21 Wh/year	673.12 Wh/year	$E_{TEC} = 8.76 \times (P_{on} \times 0.35 + P_{sleep} \times 0.65)$			
External Po	ower Supply Efficier	ncy Level (International	Efficiency Marking Pro	tocol) * : N/A				
Display res	olution* : 3840×21	60megapixels			ENERGY STAR® Program Requirements for Displays: Ver. 8.0			
Default time	e to enter energy sa	ave mode: 30 seconds			ENERGY STAR® Program Requirements for Displays: Ver. 8.0			
P9.2*	Information about	the energy save functio	n is provided with the p	oroduct.				
P9.3*		s the energy requiremer version: 8.0 Product ca		ıntary program/s:				
P10	Emissions							
D40.4		- Declared according to	ISO 9296 (See NOTE	_	* A			
P10.1		Mode description HDD: Idle		* statistical upper limi	it A-weighted sound power level, $L_{WA,c}(B)$			
		HDD: Idle HDD: Operating		*				
		Declared A-weighted sound	I pressure level (dB) L_{nAm}	(operator pos	ition desktop – idle)			
		Declared A-weighted sound		(operator pos	ition desktop – operating)			
	Measured according to: SISO 7779 ECMA-74							

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8A Guidance document on Energy Efficiency is available; seehttp://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number *		62F4					Logo	Long	1/0	
Issue date * 2021/05/10						Lenc		м		
Product e	nvironn	nental attributes	- Market requiremen	nts (con	tinued)			Require	ment	met
Item								Yes	No	n.a.
		magnetic emission								
P10.4	Comput progran		requirement for low fre	equency e	lectromagnetic field	s of the fol	lowing voluntary			
P12	Ergono	mics for computin	g products							
P12.1*	The dis	play meets the ergo	nomic requirements of I	SO 9241-	307 for visual displa	ay technolo	gies.			
P12.2*	The phy	sical input device m	eets the requirements of	of ISO 999	95 and ISO 9241-41	0.				\boxtimes
P13	Packag	ing and document	ation							
P13.1*	Product Product Product Product	packaging material packaging material packaging material packaging material	type(s): EPE Cushion type(s): PP/EPP type(s): EPE type(s): PLASTIC		weight (kg): 2.311 weight (kg): 0.132 g): 0.859 g): 0.008					
P13.2*	Product	plastic primary pacl	kaging is free from PVC) .				\boxtimes		
P13.3*		duct primary corrug	ated fiberboard packag ontent: 90 %	ging, spec	ify the contained p	ercentage	of minimum po	st-		
P13.4*		media for user and tronic, ⊠Paper, Ot	product documentation ner	(tick box):						
P13.5	User an If Yes, p		tem if paper documenta ation on paper media is							
	•	tal chlorine-free								
		sed chlorine-free						H		
P14		ary programs								
P14.1			irements of the following	ıg voluntar	y program(s):					
	Eye Sat Low blu Eye Co TCO TCO Ed Eco-lab	ne light (Hardware) mfort dge el: /	Criteria version: / Criteria version: / Criteria version: 2.0 Criteria version: 2.0 Criteria version: / Criteria version: / Criteria version: /		Date: / Date: / Date: 2021/10/26 Date: 2021/10/26 Date: / Date:/	Product of Product of Product of Product of	tategory: LCD M tategory: LCD M tategory: LCD M tategory: LCD M tategory: LCD M tategory: LCD M tategory: LCD M	lonitor lonitor lonitor lonitor lonitor		
P15		nal information (Se								
P9			pecific configuration n							
	the info supplied information	ornation contained er's knowledge ava ation. The informat nt Representative f	representations, guar in this document. All ilable at the time of co ion provided here is a or more information.	information impletion pproxima	ion provided by su , and supplier sha ite and provided fo	ipplier in t Il have no	his document i obligation to u	s provided pdate suci	d based h	d on
P9			Monitors & Displays to ov/products/office_equ							

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)* *Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive)* *These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC)801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1