



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs	Lenovo
e-mail address	Alvin L Carter <u>alcarter@lenovo.com</u>	Leilovo
Internet site *	https://www.lenovo.com/us/en/about/sustainability	
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook				
Commercial name *	IdeaPad 3 17IRU				
Model number *	82X9				
Issue date *	2023-3-17				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		82X9	Logo	Lend	)\/C	
Issue date	*	2023-3-17		LEIK		TH.
Product e	nvironi	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
		us substances and preparations				
		do comply with current European RoHS Directive. (See legal reference and NOTE	B1)			
		do not contain Asbestos (see legal reference). t: Legal reference has no maximum concentration value.				
	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.					
	terpheny	do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychl (PCT) in preparations (see legal reference).				
		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in th	ne 🔀		
	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above ( il reference). tt: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/wee	ek 🔀		
P1.7*	REACH A	Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
	Batteries					
		duct contains a battery or an accumulator, the battery/accumulator is labeled with nformation on proper disposal is provided in user manual. (See legal reference)	he disposal			
	Batteries reference	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadnet)	nium. (See lega	al 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		$\boxtimes$		
P3	Conform	nity verification & Eco design (ErP)				
	The Decl <i>https://</i> w	uct is CE-marked to show conformance with applicable legal requirements (see legaration of Conformity can be requested at (add link or e-mail address):  www.lenovo.com/us/en/compliance/eu-doc for EU;  www.lenovo.com/us/en/compliance/uk-doc for UK	gal reference).			
P3.2*	The prod	uct complies with the Eco design requirements for energy-related products, il reference).		$\boxtimes$		
	Required	information is;  given in item P15 or added to this document, available at (add URL):  www.lenovo.com/us/en/compliance/eco-declaration				
		packaging				
P5.1*	Packagir	gu and packaging components do not contain more than 0,01% lead, mercury nt chromium by weight of these together.	/, cadmium a	nd 🔀		
P5.2*	The pack	aging materials are marked with abbreviations and numbers indicating the nature elegal reference).	of the material	(s) 🔀		
P5.3*	The prod (see lega	uct packaging material is free from ozone depleting substances as specified in the N Il reference).	Montreal Protoc	col 🔀		
		t: Legal reference has no maximum concentration values.				
		nt information				
P6.1* I	ntormatio	on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number * 82X9		82X9	Logo	Lenovo.		
Issue da	te *	2022-3-17		Lend		
Product	t environ	mental attributes - Market requirements (See General NOTE GN	below)			
		onmental conscious design		Require	ment m	et
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7		Disassembly, recycling				
P7.1*		at have to be treated separately are easily separable				ᆜ
P7.2*		naterials in covers/housing have no surface coating.		<u> </u>		_ <u>_</u> _
P7.3*		arts > 100 g consist of one material or of easily separable materials.		$\boxtimes$		
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		$\boxtimes$		
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.	$\boxtimes$		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		$\boxtimes$		
		lifetime				
P7.7*		ng can be done e.g. with processor, memory, cards or drives		$\boxtimes$		
P7.8*	Upgradir	ng can be done using commonly available tools		$\boxtimes$		
P7.9	Spare pa	arts are available after end of production for: 5 years				
P7.10	Service i	is available after end of production for: 5 years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
D7.40		type: PC+ABS Material type: Steel				_
P7.12		n materials of external electrical cables are PVC free.		Ц_		Щ.
P7.13		n materials of internal electrical cables are PVC free.		<u> </u>		_ <u>_</u> _
P7.14	weight (	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bloop ppm) chlorine attributable to brominated flame retardants, chlorinated flame	e retardants, an	d 🔼		
57.45	more tha	I chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine i an 25% post-consumer recycled content.				
P7.15	as define	circuit boards, PCBs (without components) are low halogen: all ⊠ PCBs > 25 g ☐ ed in IEC 61249-2-21. (See 1NOTE B2)	_			
P7.16	Marking:	etarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: FR(40)				
P7.17		hemical specifications of flame retardants in printed circuit boards > 25 g (without c PA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	omponents):			
		hemical specifications of flame retardants in printed circuit boards (without compon- g ISO 1043-4:	ents) > 25 g			
P7.18	concentr 1. Chem	retarded plastic parts >25g contain the following flame retardant substance: rations above 0.1%: ical name: CAS #:	s/preparations i	n 🗌		
	3. Chem 4. Chem Alt. 2	ical name: CAS #: ical name: CAS #: ical name: , CAS #: al specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
	FR(40)			$\square$		
P7.19	In plastic	c parts > 25 g, flame retardant substances/preparations above 0,1% are used which	n have been		-	∺
7.13	assigned	d the following Risk phrases; and Hazard statements: H411;H413 rce(s) for these classifications is/are found at (add URL(s)): European Count				
P7.20*	If YES; a a) Of t a pe or	sumer recycled plastic material content is used in the product (See Note B6): at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material conterercentage of total plastic by weight) is 0.26%.	nt (calculated as			
1	b) The	e weight of recycled material is 2.1 g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82X9	Logo	Lenovo			
Issue date *	2022-3-17			Len		TH.
Product environr	mental attributes - Market requirements (continued)			Requir	emen	t met
Item				Yes	No	n.a.

P7.21*		<mark>stance requirements</mark> naterial content is use	d in the product (See I	NOTE B7):				
	•	If YES; at least one of the two alternatives below shall be answered;						
		c parts' weight > 25 g y weight) is 0 %		material content (calcul	ated as a percentage of			
	or b) The weight of	the biobased plastic	material is a					
P7.22*	Light sources are f	ree from mercury, i.e.	less than 0,1 mg/lam		. 🛛 🗀			
P8	Batteries	specify: Number of la	mps: and maxir	num mercury content p	per lamp: mg			
P8.1*	Battery chemical c	omposition: LI-ION P	olymer battery and li	thium-metal battery				
P9		tion (See NOTE B8)						
P9.1			els or energy consump					
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *			
Peak (On-	·max)	65 W	65 W	65 W	Full load			
Categor	y <u>1</u>							
Short Idle Enabled	State - WOL	4.46 W	4.49 W	4.51 W	ENERGY STAR Computers V8 (P <sub>idle</sub> )			
Long Idle Enabled	State - WOL	0.43 W	0.44 W	0.45 W	ENERGY STAR Computers V8 (P <sub>idle</sub> )			
Sleep (S3)	) - WOL Enabled	0.43 W	0.44 W	0.45 W	ENERGY STAR Computers V8(P <sub>sleep</sub> )			
Off (S5) -	WOL Disabled	0.19 W	0.18 W	0.24 W	ENERGY STAR Computers V8			
EPS No-Io (External power wall outlet but dis	supply / charger plugged in the sconnected from the product.)	0.108 W	0.108 W	0.108 W				
PTEC * Typical En	ergy Consumption	W	W	W				
ETEC * Annual En	ergy Consumption	13.83 kWh/year	13.93 kWh/year	<b>16.04</b> kWh/year	E <sub>TEC</sub> = (8760/1000) x (P <sub>off</sub> x 0.25 + P <sub>sleep</sub> x 0.35 + P <sub>long_Idle</sub> x 0.10+ P <sub>short_Idle</sub> x 0.30)			
		Poff: Off Mode(S5) - W	OL Enabled; P <sub>sleep</sub> : Slee	ep Mode(S3) - WOL Enab	led; P <sub>idle</sub> : Idle State - WOL Enabled			
Categor	y <u>2</u>							
Short Idle Enabled	State - WOL	6.17 W	6.21 W	6.12 W	ENERGY STAR Computers V8			
Long Idle Enabled	State - WOL	0.6 W	0.61 W	0.71 W	ENERGY STAR Computers V8			
Sleep (S3)	) - WOL Enabled	0.6 W	0.61 W	0.71 W	ENERGY STAR Computers V8			
Off (S5) -	WOL Disabled	0.17 W	0.18 W	0.24 W	ENERGY STAR Computers V8			
EPS No-Io (External power wall outlet but dis	supply / charger plugged in the sconnected from the product.)	0.108 W	0.108 W	0.108 W				
PTEC *	ergy Consumption	W	W	W		$\boxtimes$		
ETEC *	ergy Consumption	<b>18.97</b> kWh/year	<b>19.12</b> kWh/year	<b>19.41</b> kWh/year	E <sub>TEC</sub> = (8760/1000) x (P <sub>off</sub> x 0.25 + P <sub>sleep</sub> x 0.35 + P <sub>long_idle</sub> x 0.10+ P <sub>short idle</sub> x 0.30)			
		Poff: Off Mode(S5) - W	OL Enabled; Psleep: Slee	ep Mode(S3) - WOL Enab				
External P	ower Supply Efficien		al Efficiency Marking P					
Display re	solution * : 2.07 meg	japixels		·		$\overline{\sqcap}$		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available;

 $\underline{\text{see }\underline{\text{http://www.ecma-international.org/publications/standards/Ecma-370.htm}}$ 

NOTE B9 A Guidance document on Acoustic Noise is available;

see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Default ti	me to enter energ	y save mode: 5 minutes			
P9.2*	Information ab	out the energy save function is provided with the p	product.		
P9.3	Energy efficien	ncy class (monitors only):			
P10	Emissions	Emissions			
	Noise emission	Noise emission – Declared according to ISO 9296 (See NOTE B9)			
P10.1	Mode	Mode description	Statistical upper limit A-weighted sound power level, L <sub>WA,c</sub> (B)		
	Idle	* Idle	* 2.7		
	Operation	* CPU:Operation	*4.5		
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p  m Am}$	19.8 (operator position	on desktop – idle)	
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p  m Am}$	34.5 (operator position desktop – operating)		
	Measured acco	Measured according to: ☐ ISO 7779 ☐ ECMA-74			
		Other (only if not covered by I	ECMA-74)		

Model number *		82X9			Logo	Long	V/0	
Issue date	) *	2022-3-17				Lenc	VO.	
Product	environr	nental attributes	- Market requirements (co	ntinued)		Require	ment	met
Item				•		Yes	No	n.a.
		magnetic emissions						
P10.4	program	(s): MPR-II(3 pin AC		electromagnetic field:	s of the following volunt	ary 🔀		
P12		mics for computing						
P12.1*		,	omic requirements of ISO 9241		, ,			
P12.2*	The phys	sical input device me	eets the requirements of ISO 99	95 and ISO 9241-41	0.	$\boxtimes$		
P13		ng and documenta						
P13.1*	Product packaging material type(s): Corrugated single wall weight (kg): 0.37  Product packaging material type(s): Ppaer-from offset / recycled source weight (kg): 0.050  Product packaging material type(s): Corrugated single wall weight (kg): 0.048  Product packaging material type(s): Solid EPE (solid Expanded polyethylene) weight (kg): 0.016  Product packaging material type(s): LDPE (low density polyethylene)weight (kg): 0.112  Product packaging material type(s): PP (polypropylene) weight (kg): 0.005							
P13.2*	Product	plastic primary pack	aging is free from PVC.					
P13.3*	consume	er recovered fiber co	ated fiberboard packaging, spe ontent: <b>82</b> %	,	percentage of minimum	ı post-		
P13.4*		media for user and pic $\boxtimes$ , Paper $\boxtimes$ , O	oroduct documentation (tick box) ther	):				
P13.5	Ùser and		em if paper documentation used ation on paper media is chlorine					
	Element	hlorine-free al chlorine-free ed chlorine-free						
P14	Volunta	ry programs						
P14.1			rements of the following volunta	ry program(s):				
	Eco-labe	el:	Criteria version: <b>8.0</b> Criteria version: Criteria version:	Date: 2020/7/15 Date: Date:	Product category: <b>1&amp;</b> . Product category: Product category:	2		
P15		nal information (Se						
P9			ecific configuration may vary					
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.							
P9			otebooks & Tablet Computers for					
	nttp://ww	w.energystar.gov/in	dex.cfm?fuseaction=find_a_pro	auct.snowProductGr	oup&pgw_code=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaPad 3 17IRU7	Logo	
Model number *	82X9		Lenovo
Issue date *	2022-3-17		Leliovo.
Additional information			
•			

d)	Year of manufacture:				2022
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
·)	Etec value (kWh) per ErP Lot 3 Categorienable	ry and capability adjust	tments applied when a	all discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	12			
ents ting	Additional internal storage	Yes (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
ability a lied du	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
cap	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)				
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	8.58			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
3)	Idle state power demand (Watts);			l	A:2.51
1)	Sleep mode power demand (Watts);				A:0.58
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		A:0.58
)	Off mode power demand (Watts);				A:0.28
.)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		A:0.28
)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
n)	External power supply efficiency (if appli	icable)*:			
	Average active efficiency: 91.83%; 89.5	56%;89.63%			
	*internal note: show values for all available external p	ower supplies			
p)	Minimum number of loading cycles that		tand (applies only to n	otebook computers):	300CYCLES
o-1)	Measurement methodology used to dete	ermine information mer <i>NA</i>	ntioned in points (I) – in	nternal PSU efficiency:	
p-2)	Measurement methodology used to dete	ermine information mer	ntioned in points (m) –	external PSU efficiend	CV:

(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries:  EN 50563:2011 measurement methodology						
(p-4)		Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: EN 62623:2013 measurement methodology					
(q)	Sequence of steps for measurement methods	or achieving a stable condition with respect to power odology	demand:: <b>EN 62623:2013</b>				
(r)	Description of how sleep and/or off mode was selected or programmed: EN 62623:2013 measurement methodology						
(s)	Sequence of events off mode: refer to po	required to reach the mode where the equipment au wer management, 30mins automatically reaches	tomatically changes to sleep and/or sleep mode				
(t)		te condition before the computer automatically re s not exceed the applicable power demand requirement		5			
(u)		r a period of user inactivity in which the compute		NA			
(v)	I ength of time her	wer power demand requirement than sleep mode (in ore the display sleep mode is set to activate after	user inactivity (in minutes):	5			
(w)		nergy-saving potential of power management function					
, ,	User information described in User Guide and Power Manager under Lenovo Vantage menu in all programs						
(x)	User information on	how to enable the power management functionality:					
	User information	n described in User Guide and Power Manager un programs	der Lenovo Vantage menu in all				
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the insting:					
		230V, 50GHz, Total Harmonic Distortion	1 <2 %				
Addition	nal Notebook Batte	ry Information:					
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a			
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)					
Internal/b	uilt-in Battery						
External/o	detachable Battery						
Bios Backup Battery							
Other:	Other:						
Addition	al information						
1							

1)The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.
Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Sio gaminio baterijos [bateriju] pateriju] pateriju] pateriju] pateriju] pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. II-batterija/batteriji f'dan iI-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.

Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.

A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuottéen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissá. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.