



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo		
Company name *	Lenovo			
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo		
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/			
Additional information	The latest version of this document can be found at:			
	http://www.lenovo.com/ecodeclaration			

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook				
Commercial name *	IdeaPad Pro 5 14APH8				
Model number *	83AM				
Issue date *	2023/04/03				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		83AM	Logo	Long	N/0	
Issue date	e *	2023/04/03		Lend	JVO	тн
Product	environ	mental attributes - Legal requirements		Require		met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*		do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)			
P1.2*		do not contain Asbestos (see legal reference).				
P1.3*		nt: Legal reference has no maximum concentration value. do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),				
F1.3		omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach	loride 111-		Ш	
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no m				
	concentration values.					
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated					
54.54		I (PCT) in preparations (see legal reference).			_	
P1.5*		edo not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in t	the 🔀	Ш	
P1.6*		h direct and prolonged skin contact do not release nickel in concentrations above 0	,5 μg/cm²/we	ek 🔀		
	(see legal reference).					
D4 7*		nt: Max limit in legal reference when tested according to EN1811:2011-5.				
P1.7*		Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):		Ш	
P2	Batterie					
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal			
P2.2*		or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm	nium. (See leg	jal 🔀		
P2.3*		and accumulators are readily removable. (See legal reference)				
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*		fluct is CE-marked to show conformance with applicable legal requirements (see leg	al reference)	. 🛛	П	П
		laration of Conformity can be requested at (add link or e-mail address):	,			_
		vww.lenovo.com/us/en/compliance/eu-doc for EU ;				
		www.lenovo.com/us/en/compliance/uk-doc for UK				
P3.2*		luct complies with the Eco design requirements for energy-related products, al reference).			Ш	
	Required	I information is; given in item P15 or added to this document,				
	•	available at (add URL):				
	https://v	vww.lenovo.com/us/en/compliance/eco-declaration				
P5		packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.	, cadmium a	and 🔀		
P5.2*	The pack	xaging materials are marked with abbreviations and numbers indicating the nature of elegal reference).	of the materia	l(s)		
P5.3*	The proc	o logar redenses. It considers the first section of the first section o	Montreal Proto	col 🔀		
	Commer	nt: Legal reference has no maximum concentration values.				
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		83AM	Logo	Lon	0)//				
Issue dat	te *	2023/04/03		Len		J _{th}			
Product	tenviron	mental attributes - Market requirements (See General NOTE GN	below)						
		onmental conscious design	F	Require		met			
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.			
P7 P7.1*	Design,	Disassembly, recycling It have to be treated separately are easily separable			_	_			
					<u> </u>	<u> </u>			
P7.2*		naterials in covers/housing have no surface coating.			<u>Ц</u>				
P7.3*		arts > 100 g consist of one material or of easily separable materials.							
P7.4*									
P7.5									
P7.6*	7.6* Labels are easily separable. (This requirement does not apply to safety/regulatory labels).								
	Product								
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives		\boxtimes					
P7.8*	Upgradir	ng can be done using commonly available tools		\boxtimes					
P7.9	Spare pa								
P7.10	Service i	s available after end of production for: 3 years		-					
	Material	and substance requirements							
P7.11*	Product	cover/housing material type (e.g. plastics, metal, aluminum):							
	Material	type: PC+ABS+15% Talc Material type: PC+ABS Materia	al type: AL 5L52	R					
P7.12	Insulation	n materials of external electrical cables are PVC free.							
P7.13	Insulation	n materials of internal electrical cables are PVC free.			一百	$\overline{\Box}$			
P7.14	External	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bi	romine and 0,1%		Ħ	Ħ			
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame	retardants, and						
		chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in	n parts containing						
P7.15		In 25% post-consumer recycled content.	1 1						
	as define	circuit boards, PCBs (without components) are low halogen: all ⊠PCBs > 25 g ⊠ ed in IEC 61249-2-21. (See 1NOTE B2)	are low halogen						
P7.16	Flame re Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: FR(40)							
P7.17	Alt. 1: Ch	nemical specifications of flame retardants in printed circuit boards > 25 g (without co							
	TBBF	^p A (additive),	-25-5	\boxtimes					
	Alt 2: Ch	nemical specifications of flame retardants in printed circuit boards (without compone	ents) > 25 a						
		g ISO 1043-4: <i>FR(16)</i>	, 5	\boxtimes					
P7.18	Alt 1· F	lame retarded plastic parts > 25 g contain the following flame retardant substance	s/preparations in						
' ' ' ' '		ations above 0,1%:	o, proparations in	\boxtimes					
		ical name: Bisphenol A diphosphate, CAS #: 181028-79-5 (See NOTE B4)							
		ical name: , CAS #: "							
	3. Chem	ical name: , CAS #: "							
	Alt. 2: Ch	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043	3-4: FR(40)	\boxtimes					
P7.19	In plastic	parts > 25 g, flame retardant substances/preparations above 0,1% are used which		X					
		the following Risk phrases; P273,P391,P501 and Hazard statements: H411							
	The sour	rce(s) for these classifications is/are found at (add URL(s)):							
	https://china.guidechem.com/31822/detail.html, https://china.guidechem.com/31822/detail.html (See note B5)								
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):							
	If VEC	t least one of the two alternatives below shall be answered:							
		t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content	t (calculated as a						
	,	centage of total plastic by weight) is 24.29% .	, , , , , , , , , , , , , , , , , , , ,						
	or .								
	b) The	weight of recycled material is 63.87 g.							

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	83AM	Logo	Lenovo
Issue date *	2023/04/03		Leliovo
Product environr		Requirement met	
Item			Yes No na

	Material and sub	stance requirements	(continued)									
P7.21*	Biobased plastic	material content is used	d in the product (See No	OTE B7):								
	a) Of total plas	ne of the two alternative tic parts' weight > 25 g, by weight) is %.		ered; aterial content (calculat	ed as a percentage of							
	or	of the biobased plastic	material is - d									
P7.22*		free from mercury, i.e.			\square \square \square							
	U	d specify: Number of lar		um mercury content pe								
P8	Batteries											
P8.1*	Battery chemical	composition: Lithium i	on									
P9		ption (See NOTE B8)										
P9.1	For the product the	e product the following power levels or energy consumptions are reported: Power level at Power level at Reference/Standard for energy										
Energy mod		100 V AC	115 V AC	230 V AC	modes and test method *							
Peak (On-r		100 W	100 W	100 W	Full load							
Category	<u>/2</u>											
Short Idle : Enabled	State - WOL	5.32 W	5.30 W	5.44 W	ENERGY STAR Computers V8 (P _{idle})							
Long Idle S Enabled	State - WOL	0.45 W	0.46 W	0.51 W	ENERGY STAR Computers V8 (P _{idle})							
Sleep (S3)	- WOL Disabled	0.45 W	0.46 W	0.51 W	ENERGY STAR Computers V8							
Off (S5) - V	VOL Disabled	0.33 W	0.33 W	0.35 W	ENERGY STAR Computers V8							
EPS No-loa (External power si	ad upply / charger plugged in the	0.024 W	0.024 W	0.024 W								
PTEC *	ergy Consumption	W	W	W								
ETEC * Annual Ene	ergy Consumption	16.48 kWh/year	16.46 kWh/year	17.07 kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.25 + P _{sleep} x 0.35 + P _{long_idle} x 0.10+ P _{short Idle} x 0.30)							
					d; P _{idle} : Idle State - WOL Enabled							
External Po	ower Supply Efficie	ncy Level (Internationa	I Efficiency Marking Pro	otocol) * : VI								
Display res	olution * : 2880*1 8	300 megapixels										
Default time	e to enter energy s	ave mode: 5 minutes										
P9.2*	Information abou	t the energy save functi	on is provided with the	product.								
P9.3	Energy efficiency	class (monitors only):										
P10	Emissions											
		 Declared according to 	o ISO 9296 (See NOTE									
P10.1		Mode description			A-weighted sound power level, $L_{WA,c}$ (B)							
	Idle	* System Idle		* 2.1								
	Operation	* CPU;Operation		* 3.8								
	Other mode	Declared A-weighted soun $L_{p{\rm Am}}$	d pressure level (dB)	21.4 (operator positi	ion desktop – idle)							
	Other mode	Declared A-weighted soun $L_{p{\rm Am}}$	d pressure level (dB)	38.7 (operator positi	ion desktop – operating)							
	Measured according to: Significant Signifi											

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}$

Model nun	del number * 83AM Logo			Lana						
Issue date	*	2023/04/03						Leno	VO.	
Product e	nvironn	nental attributes - Market requiren	nents (co	ntinued)				Require	ment	met
Item			•					Yes	No	n.a.
	Electron	nagnetic emissions								
P10.4		r display meets the requirement for low to s): MPR-II(3 pin AC adapter only)	frequency e	electromagi	netic fields of	the following vo	luntary			
P12		nics for computing products								
P12.1*		ay meets the ergonomic requirements o				echnologies.		\boxtimes		
P12.2*	The phys	ical input device meets the requirements	s of ISO 99	95 and ISC	9241-410.			\boxtimes		
P13		ng and documentation								
P13.1	Product Product Product	packaging material type(s): double wall packaging material type(s): Single layer packaging material type(s): PIC Black E packaging material type(s): LDPE packaging material type(s): Tracing pap	corrugate PE		we we we	eight (kg): 0.275 ight (kg): 0.033 ight (kg): 0.078 ight (kg): 0.014 ght (kg): 0.004				
P13.2*	Product	plastic primary packaging is free from PV	/C.					\boxtimes		
P13.3*		uct primary corrugated fiberboard pack r recovered fiber content: 84 %	aging, spe	cify the co	ontained per	centage of minir	num pos	st- 🔀		
P13.4*	Elect	nedia for user and product documentatio onic, ☑Paper, ☐Other	<u> </u>							
P13.5	Ùser and	only complete this item if paper documer product documentation on paper media ease specify:								
	Element	nlorine-free al chlorine-free								
	Process	ed chlorine-free								
P14		y programs								
P14.1	The prod	uct meets the requirements of the follow	ing volunta	ry program	ı(s):					
	Eco-labe		80.1-2018	Date: Date: Date:	Р	roduct category: roduct category: roduct category:				
P15		al information (See NOTE B10)								
P9	NOTE: S the info supplier informa	consumption of specific configuration upplier makes no representations, gumation contained in this document. A sknowledge available at the time of contains in the time of contains. The information provided here is Representative for more information.	larantees, Ill informat completion approxima	assurance tion provic n, and sup	es or warran ded by supp plier shall ha	ties whether ex lier in this docu ave no obligatio	press or ment is on to up	r implied, r provided l date such	based	on
P9	See Ene http://ww	rgy Star Qualified Notebooks & Table vw.energystar.gov/index.cfm?fuseact	t Compute ion=find_a	rs for the l _product.	latest inform showProduc	nation: ctGroup&pgw_c	code=C0)		

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot26 Information Sheet - Network Equipment -

As required by_

- Commission Regulation (EC) No 1275/2008 of 17 December 2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off-mode electric power consumption of electrical and electronic household equipment (ErP Lot 6)
- Commission Regulation (EU) No 801/2013 of 22 August 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for (ErP Lot 26).

Products scope of this sheet:

Notebook/Tablet Computer < 6 W Idle

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaPad Pro 5 14APH8	Logo
Model Number	83AM	
Product Type	Notebook	Lenovo.
Issue Date	2023/04/03	
Additional information		

1.1 F	Product environmental attributes year of manufacture:		
	year or mandracture.	2023	
	Network Standby Classification	LoNA Equipment	
	Off Mode Power (Watts)	0.413 Watts	
	Standby Mode	Watts ⊠Mode Not Applicable	
		minutes Default Delay Time	
	Description of how to enable Network Standby Mode	Included in the User Manual	
	Description of how to manually enter Network Standby Mode	Included in the User Manual	
	Default Delay time to Network Standby Mode	5.0 minutes	
	Reactivation Function from Network Standby Mode	Included in the User Manual	

(3)	Network Port	Wired Ethernet	Wireless Ethernet	USB-A	USB-C	HDMI	BlueTooth	Other:		
	Present in Product									
	Activated at Shipment		☒							
	Active in Network Standby Mode									
	Location of Network Port	Choose	N/A	Choose	Choose	Choose	Choose	Choose		
	Network Port Maximum Performance	GB/s	1.0 GB/s	GB/s	GB/s	GB/s	GB/s	GB/s		
	Network Protocol		IEEE 802.11							
	Network Standby Mode Power	Watts	0.875 Watts	Watts	Watts	Watts	Watts	Watts		
	Network Standby Power – All Connections				Watts					
(4)	Test parameters for i	measurements,								
(·)					5 0 de O de					
	ambient temperat		⊔ -7		25.3 degrees Celsius 230 V / 50 Hz					
	total harmonic dis	· · · · · · · · · · · · · · · · · · ·			0.36%					
	information and d			-						
	set-up and circuits	set-up and circuits used for electrical testing								
(5)	External power supp	ly efficiency (if a	oplicable)*:					<u> </u>		
	Model	Output	Output		Average Active	10% Load				
	ADL100YDC3A	Voltage 20.0 V	Current 5.0 A	Power 100 W	Efficiency 90.68%	Efficiency	/ Power 0.096 V			
	ADL100YAC3A	20.0 V	5.0 A	100 W	90.81%		0.062 V			
	ADL100YCC3A	20.0 V	5.0 A	100 W	90.00%		0.061 V	V		
	ADL100YLC3A	20.0 V	5.0 A	100 W	89.64%		0.045 V			
	*Values are tested at 230V	/ 50Hz	A	W			·	W		
(6)	Measurement metho	dology used to d		ation mentione 2011/A1:2013		external PSU ef	ficiency:			
Addition	nal information									
1										