



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo)
Company name *	Lenovo		_
Contact information *	Lenovo Global Environmental Affairs	1	
e-mail address	Alvin L Carter		Lenovo
	<u>alcarter@lenovo.com</u>		
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/		
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Notebook			
Commercial name *	IdeaPad Slim 3 14AMN8/ IdeaPad 14s AMN8			
Model number *	82XN			
Issue date *	2022-12-1			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nu	mber *	82XN	Logo	Long		
Issue date	e *	2022-12-1		Lend	JVO	тм
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1		us substances and preparations				
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	B1)			
P1.2*		do not contain Asbestos (see legal reference).		\square		
		nt: Legal reference has no maximum concentration value.				
P1.3*		do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),				
		mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach				
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no m	aximum			
D4 4*		ation values.			_	
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychl (PCT) in preparations (see legal reference).	orinated	\boxtimes	Ш	
P1.5*		t (PCT) in preparations (see legal reference). do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carb	on atoms in th	20 🔽		
P1.5		ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	on atoms in ti	ne 🔀	Ш	
P1.6*		h direct and prolonged skin contact do not release nickel in concentrations above 0	5 ug/om²/woo	k 🔀	$\overline{}$	
1 1.0		n direct and prolonged skin contact do not release nicker in concentrations above o al reference).	,5 μg/cm /wee	K 🔼	ш	ш
		nt: Max limit in legal reference when tested according to EN1811:2011-5.				
P1.7*		Article 33 information about substances in articles is available at (add URL or mail	contact).	\square	\neg	
		www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure				
P2	Batterie	S		*		
P2.1*	If the pro	duct contains a battery or an accumulator, the battery/accumulator is labeled with t	ne disposal	\boxtimes		
	symbol.	Information on proper disposal is provided in user manual. (See legal reference)				
P2.2*		or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm	ium. (See lega	al 🔀		
	reference					
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes		
P3		nity verification & Eco design (ErP)				
P3.1*		luct is CE-marked to show conformance with applicable legal requirements (see leg	al reference).			
		laration of Conformity can be requested at (add link or e-mail address):				
		/ww.lenovo.com/us/en/compliance/eu-doc for EU;				
	https://v	ww.lenovo.com/us/en/compliance/uk-doc for UK				
P3.2*	The proc	luct complies with the Eco design requirements for energy-related products,		\square	$\overline{}$	$\overline{}$
1 0.2		al reference).			ш	

Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and

The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)

The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol

Product packaging

used (see legal reference).

(see legal reference).

Treatment information

hexavalent chromium by weight of these together.

Comment: Legal reference has no maximum concentration values.

Information for recyclers/treatment facilities is available (see legal reference).

P5 P5.1

P5.2

P5.3*

P6

P6.1

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		82XN Lo	go	Lend)/O		
Issue da	te *	2022-12-1				тн	
Produc	t environ	mental attributes - Market requirements (See General NOTE GN bel	ow)				
	- Enviro	onmental conscious design		Requiren	nent m	et	
Item	*=mandat	tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n. a.	
P7		Disassembly, recycling					
P7.1*		at have to be treated separately are easily separable		\boxtimes			
P7.2*		naterials in covers/housing have no surface coating.			\boxtimes		
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.		\boxtimes			
P7.4*	•	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		\boxtimes			
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly avail	able tools.	\boxtimes			
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\boxtimes			
	Product						
P7.7*		ng can be done e.g. with processor, memory, cards or drives		\boxtimes			
P7.8*		ng can be done using commonly available tools		\boxtimes			
P7.9		arts are available after end of production for: 3 years					
P7.10		s available after end of production for: 5 years					
		and substance requirements					
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):					
P7.12		type: PC+ABS Material type: Stainless Steel n materials of external electrical cables are PVC free.				$\overline{}$	
P7.13		n materials of internal electrical cables are PVC free.		-	$\overline{\mathbb{X}}$	╫	
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromi	ine and 0.1%	<u> </u>	$\overline{}$	+	
17.14	weight (1 polyvinyl	1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame ret chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in par in 25% post-consumer recycled content.	tardants, and	1			
P7.15		circuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 g 🔲 are ed in IEC 61249-2-21. (See 1NOTE B2)	low haloger	n 🔲			
P7.16		starded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:					
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without composed (additive), \square TBBPA (reactive) (See NOTE B3), \square Other: , CAS #:	onents):				
		nemical specifications of flame retardants in printed circuit boards (without components) g ISO 1043-4:) > 25 g				
P7.18	Alt. 1 Flame re	etarded plastic parts >25g contain the following flame retardant substances/pre	eparations ir	n 🔀			
	1. Chemi 2. Chemi 3. Chemi 4. Chemi Alt. 2	rations above 0.1%: ical name: Oligomeric phosphorous compound CAS #: confidential ical name: CAS #: ical name: CAS #: ical name: , CAS #: il specifications of flame retardants in plastic parts >25g according ISO 1043-4:					
D7 10	In plantic	a parta > 25 g. flame retardant substances (preparations above 0.40/, are used which has	vo hoon		 	╫	
P7.19	assigned The sour 67/548/E	, , , , , , , , , , , , , , , , , , , ,					
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):		\boxtimes			
	a) Of t	at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (caercentage of total plastic by weight) is 9.99%.	alculated as				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

The weight of recycled material is 55.47 g.

Model number * Issue date *	82XN 2022-12-1	Logo	Lenovo	тн
Product environr	nental attributes - Market requirements (continued)		Requirement	met
Item			Yes No	n.a.

		stance requirements		NOTE B7):				
	•	naterial content is used in the product (See NOTE B7):						
a) C	of total plasti	c parts' weight > 25 g,	the biobased plastic i	vered; material content (calcula	ted as a percentage of			
to or	otal plastic b	y weight) is 0 %.						
b) T		the biobased plastic i						
		ree from mercury, i.e. specify: Number of lar		p. num mercury content pe	r lamp: mg			
P8 Batter		specify. Hamber of lar	про. ини пижн	num merodry content pe	mg			
P8.1* Batter	y chemical c	omposition: LI-ION Po	olymer battery					
		tion (See NOTE B8)						
P9.1 For the	e product the	e following power level Power level at	Is or energy consumpt Power level at	lions are reported: Power level at	Defended for some			
Energy mode *		100 V AC	115 V AC	230 V AC	Reference/Standard for energy modes and test method *			
Peak (On-max)		65 W	65 W	65 W	Full load			
Category 1								
Short Idle State -	WOL	3.33 W	3.38 W	3.48 W	ENERGY STAR Computers V8			
Enabled								
Long Idle State - Enabled	WOL	1.79 W	1.75 W	1.97 W	ENERGY STAR Computers V8			
Sleep (S3) - WOL	Disabled	0.37 W	0.37 W	0.45 W	ENERGY STAR Computers V8			
Off (S5) - WOL Di	sabled	0.28 W	0.28 W	0.32 W	ENERGY STAR Computers V8			
EPS No-load		0.089 W	0.089 W	0.090 W				
(External power supply / char wall outlet but disconnected fr	ger plugged in the om the product.)							
PTEC * Typical Energy Co	nsumption	W	W	W		\boxtimes		
ETEC *		42.05k\N/b/voor	42 47 (1) (1) (1) (2)	12.93 kWh/year	F = (0700/4000) × (D × 0.25			
Annual Energy Co	nsumption	12.05 kWh/year	12.17 kWh/year	72.93kvvn/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35 + P_{long_Idle} \times 0.10 + P_{sleep} \times 0.30)$			
		Poff: Off Mode(S5) - W	OL Enabled; P _{sleep} : Slee	ep Mode(S3) - WOL Enable	P _{short_Idle} x 0.30) ad; P _{idle} : Idle State - WOL Enabled			
Category 2								
Short Idle State -	WOL	3.65 W	3.43 W	4.21 W	ENERGY STAR Computers V8			
Enabled								
Long Idle State - Enabled	WOL	2.01 W	2.03 W	2.14 W	ENERGY STAR Computers V8			
Sleep (S3) - WOL	Disabled	0.38 W	0.38 W	0.45 W	ENERGY STAR Computers V8			
Off (S5) - WOL Di		0.28 W	0.27 W	0.35 W	ENERGY STAR Computers V8			
	- Jubicu				ENERGY GYAR Computers 10			
EPS No-load (External power supply / char wall outlet but disconnected fr	ger plugged in the om the product.)	0.089 W	0.089 W	0.090 W				
PTEC * Typical Energy Co	neumntion	W	W	W		\boxtimes		
ETEC *	поитрион	13.14 kWh/year	12.53 kWh/year	15.06 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$			
Annual Energy Co	nsumption	, , , , , , , , , , , , , , , , , , , ,	12.30 11.11.11.13.001	,531	+ $P_{\text{short Idle}} \times 0.35 + P_{\text{long_Idle}} \times 0.10 + P_{\text{short Idle}} \times 0.30$			
					ed; Pidle: Idle State - WOL Enabled			
External Power Su	pply Efficien	cv Level (Internationa	I Efficiency Marking P	rotocol) * · V/				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Display res	solution * : 2.07 m	negapixels]_		
Default tim	e to enter energy	save mode: 5 minutes				
P9.2*	Information about the energy save function is provided with the product.					
P9.3	Energy efficience	y class (monitors only):]		
P10	Emissions					
	Noise emission – Declared according to ISO 9296 (See NOTE B9)					
	Mode	Mode description	Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B)			
	Idle	* Idle	* 2.7]_		
	Operation	* Operation	* 4.3			
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p{\rm Am}}$ Declared A-weighted sound pressure level (dB) $L_{p{\rm Am}}$				
	Other mode	33.6 (operator position desktop – operating)				
	Measured accor	rding to: 🔀 ISO 7779 🔲 ECMA-74				
	Other (only if not covered by ECMA-74)					

Model number *		82XN			Logo	Lon	21/2	
Issue date	*	2022-12-1				Len		TH
Product	environn	nental attributes	- Market requirements (cor	ntinued)		Requir	ement	met
Item				,		Yes	No	n.a.
	Electron	nagnetic emissions	3					
P10.4	Compute	er display meets the	requirement for low frequency el	lectromagnetic fields	of the following volunta	ary 🔀		
		(s): MPR-II(3 pin AC						
P12		mics for computing						
P12.1*	The disp	lay meets the ergon	omic requirements of ISO 9241-	307 for visual display	/ technologies.	\boxtimes		
P12.2*		•	eets the requirements of ISO 999	95 and ISO 9241-410).	\boxtimes		
P13		Packaging and documentation						
P13.1*			ype(s): Corrugated Fiberboard					
				weight (kg): 0.0037				
		packaging material t	ype(s): paper pad weight (kg ype(s): cushion EPE weight (kg					
		packaging material t						
			ype(s): PET weight (kg): 0.0026	,,. 0.0010				
P13.2*			aging is free from PVC.			\boxtimes		
P13.3*	For prod	luct primary corruga	ated fiberboard packaging, spec	cify the contained po	ercentage of minimum	post-		
		er recovered fiber co						
P13.4*		media for user and p ic ⊠, Paper ⊠, O	roduct documentation (tick box): ther					
P13.5			em if paper documentation used					
		d product documenta lease specify:	ation on paper media is chlorine-	rree:				
	Totally c	hlorine-free				\boxtimes		
	•	al chlorine-free						
		ed chlorine-free						
P14		ry programs					·	
P14.1			rements of the following voluntar	y program(s):				
		·	ū	,, ,				
		Y STAR®	Criteria version: 8.0	Date: 2020/7/15	Product category: 1,2			
		el: EPEAT	Criteria version: 1680.1-2018	Date:	Product category:			
D45	Eco-labe		Criteria version:	Date:	Product category:			
P15		nal information (Se		description of the	tostad product confin	uration:		
F 9			ecific configuration may vary; representations, quarantees, a				roger	dina
			in this document. All informati					
			able at the time of completion					
			on provided here is approxima					ovo
I	A	4 Daniel 4-45 4-	and the state of t					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

See Energy Star Qualified Notebooks & Tablet Computers for the latest information: http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO

Account Representative for more information.

P9

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaPad Slim 3 14AMN8/ IdeaPad 14s AMN8	Logo				
Model number *	82XN		Longva			
Issue date *	2022-12-1		Lenovo.			
Additional information						
P7.1.1 Product environmental attributes						

	Product environmental attributes				
(d)	Year of manufacture:				2022
(e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
(f)	Etec value (kWh) per ErP Lot 3 Categor enable	y and capability adjus	ments applied when a	all discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	16			
nents sting	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
ability a	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
cap	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)				
Test results	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	7.86			
Testr	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
(g)	Idle state power demand (Watts);				2.14
(h)	Sleep mode power demand (Watts);				0.45
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		0.45
(j)	Off mode power demand (Watts);				0.35
(k)	Off mode with WOL enabled power dema	and (Watts) (where en	abled);		0.35
(I)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
(m)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: 89.56%;91.83	3%;89.63%			
(0)	*internal note: show values for all available external po		tand (applies aply to r	atabaak aamuutara):	
(o)	Minimum number of loading cycles that t	ne balleries can wilns	tand (applies only to r	lotebook computers):	300CYCLES
(p-1)	Measurement methodology used to dete	rmine information mer <i>NA</i>	ntioned in points (I) – i	nternal PSU efficiency	
(p-2)	Measurement methodology used to dete	rmine information mer		external PSU efficiend	cy:

(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: EN 50563:2011 measurement methodology					
(p-4)		dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration:	maximum, idle, sleep, off mode			
		EN 62623:2013 measurement methodo	ology			
(q)	Sequence of steps for	or achieving a stable condition with respect to power	demand::			
		EN 62623:2013 measurement methodo	plogy			
(r)	Description of how sl	eep and/or off mode was selected or programmed:				
		EN 62623:2013 measurement methodo	ology			
(s)	Sequence of events off mode:	required to reach the mode where the equipment au	tomatically changes to sleep and/or			
	ref	er to power management, 5mins automatically re	aches sleep mode			
(t)		te condition before the computer automatically renot exceed the applicable power demand requirement		5		
(u)	Length of time after	r a period of user inactivity in which the compute ver power demand requirement than sleep mode (in	r automatically reaches a power	NA		
(v)	I ength of time befo	re the display sleep mode is set to activate after	user inactivity (in minutes):	5		
(w)		nergy-saving potential of power management function				
	User information described in User Guide and Power Manager under IdeaPad Slim 3 14AMN8/ IdeaPad 14s AMN8 menu in all programs					
(x)	User information on I	now to enable the power management functionality:				
	User information de	escribed in User Guide and Power Manager unde 14s AMN8 menu in all programs	r IdeaPad Slim 3 14AMN8/ IdeaPad			
(z)	the electricity supply	measurements: — test voltage in V and frequency in system, — information and documentation on the insting: 230V, 50GHz, Total Harmonic Distortion <2 %	strumentation, set-up and circuits			
Addition	al Notebook Batter	y Information:				
Addition	ui Notobook Buttor	Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a		
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)				
Internal/b	uilt-in Battery					
External/o	detachable Battery					
Bios Back	kup Battery					
Other:						
Additiona	l information			<u> </u>		

1)
The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterias de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé. Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

II-batterija/batteriji f'dan iI-prodott ma tistax/jistgħux tiġi/jiġu sostitiwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.