



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo)
Company name *	Lenovo		_
Contact information *	Lenovo Global Environmental Affairs	1	
e-mail address	Alvin L Carter		Lenovo
	<u>alcarter@lenovo.com</u>		
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/		
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statemen	conforms to the statements given in this declaration.				
Type of product *	Notebook				
Commercial name *	IdeaPad Slim 3 15IRU8/ IdeaPad 15s IRU8				
Model number *	82X7				
Issue date *	2023-2-6				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		82X7	Logo	Lone		
Issue dat	e *	2023-2-6		Lend	JVC) _{TM}
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloroe concentr	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.	aximum			
P1.4*	terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych l (PCT) in preparations (see legal reference).				
P1.5*		on to contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon taining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in	the 🔀		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/we	eek 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batterie					
P2.1*		educt contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal			
P2.2*	Batteries reference	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	nium. (See le	gal 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes		
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*	The Dec	duct is CE-marked to show conformance with applicable legal requirements (see legal legal requirements) laration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/compliance/eu-doc for EU; www.lenovo.com/us/en/compliance/uk-doc for UK	gal reference).		
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).				
	Required	d information is;				
P5		packaging				
P5.1*	Packagir	ng and packaging components do not contain more than 0,01% lead, mercure contains the contains and the contains are contains are contains and the contains are contains are contains and the contains are contains are contains and the contains are contains are contains are contains are contains and the contains are contains are contains are contains and the contains are contains and the contains are contains and the contains are contains are contains and the contains are contains and contains are contains a	, cadmium	and 🔀		
P5.2*	The pack	e legal reference).	of the materia	al(s)		
P5.3*		luct packaging material is free from ozone depleting substances as specified in the N	nontreal Prot	ocol 🔀		

(see legal reference).

P6

P6.1

Comment: Legal reference has no maximum concentration values.

Treatment information

Information for recyclers/treatment facilities is available (see legal reference).

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model III	iiiibei	02.47	Logo	Lenc	NO	
Issue da	te *	2023-2-6		Lenc		
Product	environ	mental attributes - Market requirements (See General NOTE GN	below)			
		onmental conscious design	,	Requirem	nent m	et
Item	*=manda	tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.
P7	Design	Disassembly, recycling		-		а.
P7.1*		at have to be treated separately are easily separable				
P7.2*		naterials in covers/housing have no surface coating.				Ħ
P7.3*		arts > 100 g consist of one material or of easily separable materials.				Ħ
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			Ħ	Ħ
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly	available tools.		Ħ	Ħ
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).			Ħ	Ħ
	Product	lifetime				
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives		\boxtimes		
P7.8*	Upgradir	ng can be done using commonly available tools		X		$\overline{\sqcap}$
P7.9	Spare pa	arts are available after end of production for: 5 years				Ħ
P7.10	Service i	s available after end of production for: 5 years				$\overline{\Box}$
	Material	and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
D7.40		type: PC+ABS Material type: stainless stee				
P7.12		n materials of external electrical cables are PVC free.		<u> </u>	<u> </u>	Ц.
P7.13		n materials of internal electrical cables are PVC free.			$\underline{\underline{X}}$	Ц.
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flam				Ш
		chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in	n parts containino	g		
P7.15		in 25% post-consumer recycled content.				
	as define	circuit boards, PCBs (without components) are low halogen: all ⊠ PCBs > 25 g ed in IEC 61249-2-21. (See 1NOTE B2)	_			Ш
P7.16	Marking:					
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c	omponents):			
	TBBF	PA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:		\boxtimes		Ш
		nemical specifications of flame retardants in printed circuit boards (without compon	ents) > 25 g			
	according	g ISO 1043-4:				Ш
P7.18	Alt. 1					
1 7.10		etarded plastic parts >25g contain the following flame retardant substance	s/preparations in	n 🔲		
		ations above 0.1%:				
		ical name: CAS #: ical name: CAS #:				
		ical name: CAS #:				
		ical name: , CAS #:				
	Alt. 2					
	FR(40)	al specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
D7 40		s nexts > 25 m flavor vistavident substances/numeroustiens above 0.40/ and used subject	h hava haan		<u> </u>	<u> </u>
P7.19		c parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; and Hazard statements: H411;H413	n nave been	\boxtimes		Ш
		rce(s) for these classifications is/are found at (add URL(s)): European Cour	ncil Directive			
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):				
				<u>~_</u> 3		
		it least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conter	nt (calculated as			
		ercentage of total plastic by weight) is 10.39%.	ii (calculateu dS			
	or .					
]	b) The	weight of recycled material is 69.65 g.				

Logo

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number * 02V7

Model number * Issue date *	82X7 2023-2-6	Logo	Lenovo
Product environr	nental attributes - Market requirements (continued)		Requirement met
Item		·	Yes No na

84.4.1.1.1.1		(
	stance requirements naterial content is use	(continued) d in the product (See N	NOTE B7)·		
· ·			•		
		es below shall be answ the biobased plastic r		ated as a percentage of	
	y weight) is 0 %		material content (calcal	atod do a porcontago or	
or					
	f the biobased plastic	material is g. less than 0,1 mg/lamr	•		_
	specify: Number of la		ր. num mercury content p	er lamp: mg	Ш
P8 Batteries	<u> </u>			or teamper any	
P8.1* Battery chemical of	composition: LI-ION P	olymer battery			
	tion (See NOTE B8)				
		ls or energy consumpt			
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *	
Peak (On-max)	65 W	65 W	65 W	Full load	
. , ,					
Category 1					
Short Idle State - WOL	4.04 W	4.37 W	4.26 W	ENERGY STAR Computers V8	
Enabled					
Long Idle State - WOL	0.36 W	0.36 W	0.42 W	ENERGY STAR Computers V8	
Enabled				·	
Steen (S2) MOL Freshod	0.2610/	0.36 W	0.42 W	ENERGY STAR Computers 1/0	
Sleep (S3) - WOL Enabled	0.36 W			ENERGY STAR Computers V8	
Off (S5) - WOL Disabled	0.22 W	0.23 W	0.28 W	ENERGY STAR Computers V8	
PTEC *	W	W	W		X
Typical Energy Consumption					
ETEC *	12.52 kWh/year	13.40 kWh/year	13.43 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$	
Annual Energy Consumption				$+ P_{sleep} \times 0.35 + P_{long_ldle} \times 0.10 +$	
	P: Off Modo(SE) W	Ol Enabled: B. : Slee	nn Modo(S2) WOL Engh	P _{short Idle} x 0.30) led; P _{idle} : Idle State - WOL Enabled	
Category 2	Poff. OII Wode(35) - W	OL Enabled, Psleep. Siee	P Mode(33) - WOL Enabl	red, Pidle. Idle State - WOL Enabled	
Category 2					
Short Idle State - WOL	5.06 W	5.10 W	5.45 W	ENERGY STAR Computers V8	
Enabled					
Long Idle State - WOL	0.55 W	0.56 W	0.61 W	ENERGY STAR Computers V8	
Enabled					
Sleep (S3) - WOL Enabled	0.55 W	0.56 W	0.61 W	ENERGY STAR Computers V8	
,				•	
Off (S5) - WOL Disabled	0.25 W	0.26 W	0.48 W	ENERGY STAR Computers V8	
EPS No-load	0.089 W	0.089 W	0.090 W		
(External power supply / charger plugged in the wall outlet but disconnected from the product.)					
PTEC *	W	W	W		
Typical Energy Consumption			1		
ETEC *	16.01 kWh/year	16.18 kWh/year	17.78 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$	
Annual Energy Consumption				+ P _{sleep} x 0.35 + P _{long_Idle} x 0.10+ P _{short_Idle} x 0.30)	
	P _{off} : Off Mode(S5) - W	OL Enabled; Psleep: Slee	ep Mode(S3) - WOL Enab	led; P _{idle} : Idle State - WOL Enabled	
External Power Supply Efficier					
Display resolution * : 2.07 meg	gapixels				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Default tir	me to enter energ	y save mode: 5 minutes					
P9.2*	Information abo	out the energy save function is provided with the p	product.				
P9.3	Energy efficien	ncy class (monitors only):					
P10	Emissions	Emissions					
	Noise emission	Noise emission – Declared according to ISO 9296 (See NOTE B9)					
P10.1	Mode	Mode description	Statistical upper limit	A-weighted sound power level, L _{WA,c} (B)			
	Idle	* Idle	* 2.5				
	Operation	* Operation	* 4.4				
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p m Am}$	15.4 (operator positi	on desktop – idle)			
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p { m Am}}$	33.3 (operator positi	on desktop – operating)			
Measured according to: SO 7779 ECMA-74							
Other (only if not covered by ECMA-74)							

Model number *		82X7			Logo	Long	1/0	
Issue date	*	2023-2-6				Leno	VO.	н
Product	environn	nental attribute	s - Market requirements (cor	ntinued)		Require	ment	met
Item						Yes	No	n.a.
		nagnetic emissio				Ÿ		
P10.4	Compute	er display meets th	e requirement for low frequency e	lectromagnetic fields	of the following voluntary	у		
P12		(s): MPR-II(3 pin I						
P12.1*			onomic requirements of ISO 9241-	307 for visual display	technologies			$\overline{}$
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.						∺	∺
P13		ng and documen	·					
P13.1*	Product Product Product Product	packaging materia packaging materia packaging materia packaging materia	I type(s): Paper - Corrugated Do I type(s): Paper - from offset / re I type(s): Plastic - PE weight (kg I type(s): Plastic - Solid EPE	cycled source v	: 0.360 veight (kg): 0.004			
P13.2*	Product	plastic primary pac	ckaging is free from PVC.	<u> </u>		\boxtimes		
P13.3*		luct primary corru	gated fiberboard packaging, spec content: 82 %	cify the contained pe	rcentage of minimum p			
P13.4*		media for user and ic ⊠, Paper ⊠,	product documentation (tick box). Other					
P13.5	Ùser and		item if paper documentation used ntation on paper media is chlorine-			\boxtimes		
	Element	hlorine-free al chlorine-free ed chlorine-free						
P14	Volunta	ry programs						
P14.1	The prod	luct meets the req	uirements of the following voluntar	y program(s):				
	Eco-labe		Criteria version: 8.0 Criteria version: 1680.1-2018 Criteria version:	Date:	Product category: 1,2 Product category: Product category:			
P15		nal information (S						
P9			pecific configuration may vary;					
	the info supplier informa Accoun	rmation contained 's knowledge ava tion. The informa t Representative	o representations, guarantees, a d in this document. All informat ailable at the time of completion tion provided here is approxima for more information.	ion provided by sup , and supplier shall l te and provided for	olier in this document have no obligation to ι informational purpose	is provided update such	based	lon
P9			d Notebooks & Tablet Computer ov/index.cfm?fuseaction=find_a			co		

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Logo

Lenovo

Products scope of this sheet:

Commercial name

Model number *

Issue date *

(p-1)

(p-2)

Desktop computer, integrated desktop computer, and notebook computer

82X7

2023-2-6

This document is only valid in connection with the IT Eco Declaration of the specific Product.

IdeaPad Slim 3 15IRU8/ IdeaPad 15s IRU8

1 7.1.1	Product environmental attributes				
(d)	Year of manufacture:				2022
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
f)	Etec value (kWh) per ErP Lot 3 Catego enable	ry and capability adjus	tments applied when a	III discrete graphics (ards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3
	Memory over base [GB]	16			
ents	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
ability a	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capa	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)				
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	10.45			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
(g)	Idle state power demand (Watts);		1	<u>I</u>	3.40
h)	Sleep mode power demand (Watts);				0.41
(i)	Sleep mode with WOL enabled power d	emand (Watts) (where	enabled);		0.41
(j)	Off mode power demand (Watts);				0.22
(k)	Off mode with WOL enabled power dem	and (Watts) (where er	nabled);		0.22
(I)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100	% of rated output power	er (if applicable):	
	10% 20% 50%	100% Aver	age		

Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):

Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency:

Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:

EN 50563:2011 measurement methodology

*internal note: show values for all available external power supplies

300CYCLES

(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: EN 50563:2011 measurement methodology					
(p-4)		dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration:	naximum, idle, sleep, off mode			
		EN 62623:2013 measurement methodo	ology			
(q)	Sequence of steps for achieving a stable condition with respect to power demand::					
		EN 62623:2013 measurement methodo	ology			
(r)	Description of how sl	eep and/or off mode was selected or programmed:				
		EN 62623:2013 measurement methodo	ology			
(s)	Sequence of events off mode:	required to reach the mode where the equipment au	tomatically changes to sleep and/or			
	ref	er to power management, 5mins automatically re	aches sleep mode			
(t)	condition which does	te condition before the computer automatically resont exceed the applicable power demand requirement	ents for sleep mode (in minutes):	5		
(u)		r a period of user inactivity in which the compute ver power demand requirement than sleep mode (in		NA		
(v)		re the display sleep mode is set to activate after		5		
(w)	Information on the er	nergy-saving potential of power management function	nality:			
	User information of	lescribed in User Guide and Power Manager unde 15s IRU8 menu in all programs	er IdeaPad Slim 3 15IRU8/ IdeaPad			
(x)	User information on I	now to enable the power management functionality:				
	User information of	lescribed in User Guide and Power Manager unde 15s IRU8 menu in all programs	er IdeaPad Slim 3 15IRU8/ IdeaPad			
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the institution.				
		230V, 50GHz, Total Harmonic Distortion	1 <2 %			
Additiona	al Notebook Batter	y Information:				
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a		
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)				
Internal/bu	uilt-in Battery					
External/d	letachable Battery					
Bios Back	up Battery					
Other:						
Additional	information					
)						

Aкумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înșiși. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.

Baterij/batérije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

The battery[ies] in this product cannot be easily replaced by users themselves.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.