



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter Alcarter@lenovo.com	Lenovo	
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/		
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statements given in this declaration.					
Type of product *	Notebook				
Commercial name *	Lenovo V15 G4 IAN				
Model number *	82YW				
Issue date *	2022-12-26				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		82YW	Logo	Long	N/0	
Issue date	*	2022-12-26		Lend	JVO	DH.
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1		us substances and preparations				
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	\boxtimes		
P1.2*		do not contain Asbestos (see legal reference).		\boxtimes		
P1.3*		nt: Legal reference has no maximum concentration value. do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		\square	$\overline{}$	
	hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated					
P1.4*	terpheny					
P1.5*		edo not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in tl	ne 🔀		
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.					
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure					
P2	Batterie					
P2.1*		educt contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal			
P2.2*	Batteries reference	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmet	ium. (See lega	al 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\square		
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*	The proc The Dec	duct is CE-marked to show conformance with applicable legal requirements (see legal legal requirements) (see legal laration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/compliance/eu-doc for EU; www.lenovo.com/us/en/compliance/uk-doc for UK	gal reference).			
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
	Required	d information is;				
P5		www.lenovo.com/us/en/compliance/eco-declaration packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury	/ cadmium a	nd 🔀		
	hexavale	ent chromium by weight of these together.			<u> </u>	
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature $\mathfrak q$ e legal reference).		. ,		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).					
DC		nt: Legal reference has no maximum concentration values.				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).				
F U. I	miormati	on for recycler-streamlett facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	82YW	Logo	Lon	27/0	1
Issue da	te *	2022-12-26		Len	OVO	тн
Product		mental attributes - Market requirements (See General NOTE GN onmental conscious design		Require	mont r	not
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7		Disassembly, recycling		100	110	n.u.
P7.1*		at have to be treated separately are easily separable		\boxtimes		
P7.2*	Plastic m	naterials in covers/housing have no surface coating.			X	
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.				
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			Ī	Ī
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly	available tools.		Ī	Ī
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).			Ħ	Ħ
	Product	lifetime		_		
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives		\boxtimes		
P7.8*	Upgradir	ng can be done using commonly available tools		\boxtimes		
P7.9	Spare pa	arts are available after end of production for: 3 years				
P7.10	Service i	s available after end of production for: 5 years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
		type: PC+ABS+Talc Material type: PC+ABS				
P7.12		n materials of external electrical cables are PVC free.				
P7.13		n materials of internal electrical cables are PVC free.				
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b				
		1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flam chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine i				
		in 25% post-consumer recycled content.	parte contaming			
P7.15	as define	circuit boards, PCBs (without components) are low halogen: all 🔲 PCBs > 25 g 🧲 ed in IEC 61249-2-21. (See 1NOTE B2)				
P7.16	Flame re Marking:	etarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: FR(40)				
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without	components):	\boxtimes		
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:				
		nemical specifications of flame retardants in printed circuit boards (without compon g ISO 1043-4:	ents) > 25 g			
P7.18	Alt. 1					
		etarded plastic parts >25g contain the following flame retardant substance	s/preparations in	_		
		ations above 0.1%: ical name: CAS #:				
		ical name: CAS #:				
		ical name: CAS #:				
		ical name: , CAS #:				
	Alt. 2 Chemica	Il specifications of flame retardants in plastic parts >25g according ISO 1043-4:		\boxtimes		
	FR(40)					
P7.19	In plastic	parts > 25 g, flame retardant substances/preparations above 0,1% are used which	h have been	\boxtimes		
		the following Risk phrases; and Hazard statements: H411;H413				
		rce(s) for these classifications is/are found at (add URL(s)): European Court	icii Directive			
P7.20*	67/548/E	Sumer recycled plastic material content is used in the product (See Note B6):				
1 7.20		it least one of the two alternatives below shall be answered;			\boxtimes	
	a) Of t	otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conter	nt (c2022-12-			
		lated as a percentage of total plastic by weight) is 2.07% .				
	or b) The	e weight of recycled material is 13.61 g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82YW	Logo	Lenovo
Issue date *	2022-12-26		rei iovo"
Product environr	nental attributes - Market requirements (continued)		Requirement met
Item			Yes No n.a.

		stance requirements				<u>_</u>
P7.21*	Biobased plastic	material content is used	d in the product (See No	OTE B7):		J
			es below shall be answe g, the biobased plasti		2022-12-26ulated as a	
	percentage or	of total plastic by weigh	t) is <i>0</i> %.	·		
		of the biobased plastic r				
P7.22*	U	free from mercury, i.e. I specify: Number of lar	less than 0,1 mg/lamp.	um mercury content pe	er lamp: mg]
P8	Batteries	a specify. Number of lar	nps. and maxim	diff fricted y content pe	oriamp. mg	
P8.1*		composition: LI-ION Po	olymer battery and lith	nium-metal battery		Т
P9	-	ption (See NOTE B8)	· ·	•	_	
P9.1			ls or energy consumption	ons are reported:		
Energy mo	de *	Power level at	Power level at	Power level at	Reference/Standard for energy	
D1- (O		100 V AC	115 V AC	230 V AC	modes and test method *	
Peak (On-I		65 W	65 W	65 W	Full load	
Categor	<u>y 1</u>					
Short Idle Enabled	State - WOL	4.11 W	4.01 W	4.45 W	ENERGY STAR Computers V8	
Long Idle : Enabled	State - WOL	0.47 W	0.47 W	0.50 W	ENERGY STAR Computers V8	
Sleep (S3)	- WOL Disabled	0.47 W	0.47 W	0.50 W	ENERGY STAR Computers V8	
Off (S5) - WOL Disabled		0.27 W	0.28 W	0.30W	ENERGY STAR Computers V8	
EPS No-load		0.072 W	0.072W	0.072W		
(External power s wall outlet but disc	supply / charger plugged in the connected from the product.)					
PTEC *		W	W	W		1
Typical En	ergy Consumption					7
ETEC *		11.45 kWh/year	11.25 kWh/year	12.37 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$	1
	ergy Consumption				+ P _{sleep} x 0.35 + P _{long_Idle} x 0.10+ P _{short_Idle} x 0.30)	
ETEC * Annual Ene	ergy Consumption	kWh/year	kWh/year	kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.25 + P _{sleep} x 0.35 + P _{long_Idle} x 0.10+ P _{short Idle} x 0.30)]
		P _{off} : Off Mode(S5) - W	OL Enabled; P _{sleep} : Sleep	Mode(S3) - WOL Enable	ed; P _{idle} : Idle State - WOL Enabled	
External Po	ower Supply Efficie	ncy Level (Internationa	I Efficiency Marking Pro	otocol) * : VI		Τ
	olution * : 2.074 me		, ,	,		Ť
		ave mode: 5 minutes				t
P9.2*			on is provided with the	product		┽
P9.3		class (monitors only):		F		╪
P10	Emissions	older (members olly):				<u> </u>
		- Declared according to	o ISO 9296 (See NOTE	: B9)		
P10.1		Mode description	,		it A-weighted sound power level, $L_{WA,c}$ (B)	
	Idle	* Idle (Operating)		* 2.4		
	Operation	* HDD:Operation CPU:Operation		* N/A 2.4]
	Other mode	Declared A-weighted soun	d pressure level (dB) $L_{p m Am}$	15.6 (operator posi	tion desktop – idle)	
			d pressure level (dB) $L_{p m Am}$		tion desktop – operating)	
	Measured accord	ing to: X ISO 7779	ECMA-74			
	Other (only if not covered by ECMA-74)					

NOTE B7 The following is to be excluded from the c2022-2-7ulation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nui	mber *	82YW				Logo	L	200	V/0	
Issue date) *	2022-12-26					L	eno	VO.	e i
Product	environr	nental attributes	- Market requirements	s (continued)			Re	quire	ment	met
Item								Yes	No	n.a.
	Electron	magnetic emission	ıs							
P10.4		er display meets the (s): MPR-II(3 pin A	e requirement for low freque C adapter only)	ency electromagnetic field	s of the follo	owing volur	ntary			
P12		mics for computing								
P12.1*	The disp	play meets the ergor	nomic requirements of ISO	9241-307 for visual displa	ay technolog	gies.		\boxtimes		
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.									
P13		ing and document								
P13.1*	Product Product Product	packaging material packaging material packaging material	type(s): EPE weight	board weight (kg): 0.360 weight (kg): 0.0049 ght (kg): 0.015 ght (kg): 0.104)					
P13.2*	Product	plastic primary pack	kaging is free from PVC.					\boxtimes		
P13.3*		duct primary corrug er recovered fiber c	ated fiberboard packaging ontent: 82 %	, specify the contained p	oercentage	of minimu	m post-			
P13.4*		media for user and ic ⊠, Paper ⊠, C	product documentation (tick other	(box):						
P13.5	Ùser and		tem if paper documentation tation on paper media is ch							
	Element	chlorine-free cal chlorine-free ed chlorine-free								
P14	Volunta	ry programs								
P14.1	The prod	duct meets the requ	irements of the following vo	oluntary program(s):						
	ENERG Eco-labe Eco-labe		Criteria version: 8.0 Criteria version: Criteria version:	Date: 2020-04 Date: Date:	Product of					
P15		nal information (Se								
P9			pecific configuration may							
	the info supplied informa	rmation contained r's knowledge avai tion. The informat	representations, guarant in this document. All info ilable at the time of comp ion provided here is appr or more information.	ormation provided by su letion, and supplier shal	ipplier in th Il have no d	nis docume obligation	ent is pro to update	vided e such	based	on
P9			Notebooks & Tablet Com s://www.energystar.gov/p			ers				

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo V15 G4 IAN	Logo	
Model number *	82YW		Longyo
Issue date *	2022-12-26		Lenovo.
Additional information			
•			

d)	Year of manufacture:			202	2
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with	n switchable graphics n	node with UMA driving	g the display.	
)	Etec value (kWh) per ErP Lot 3 Categor enable	y and capability adjust	ments applied when a	all discrete graphics (cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	8			
ents ting	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
ability a lied du	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capa	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)	N/A			
saults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	15.83			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
g)	Idle state power demand (Watts);	ı			5.10
1)	Sleep mode power demand (Watts);				0.55
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		1.2
)	Off mode power demand (Watts);				0.37
()	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.37
)	Internal power supply efficiency at 10 %,	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	ige		
n)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: 89.03% 89.7	70% 90.88%			
	*internal note: show values for all available external p	ower supplies			
o)	Minimum number of loading cycles that	the batteries can withs	tand (applies only to r	otebook computers):	300CYCLES
p-1)	Measurement methodology used to dete	ermine information mer	tioned in points (I) - i	nternal PSU efficiency:	:
p-2)	Measurement methodology used to dete	ermine information mer	tioned in points (m) –	external PSU efficience	cy:

(p-3)	 Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: EN 61960 measurement methodology 				
(p-4)		dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration:	naximum, idle, sleep, off mode		
		EN 62623:2013 measurement methodo	ology		
(q)	Sequence of steps for	or achieving a stable condition with respect to power	demand::		
		EN 62623:2013 measurement methodo	ology		
(r)	Description of how sl	eep and/or off mode was selected or programmed:			
	В	y selecting sleep and/or off mode thru Windows	operating system		
(s)	Sequence of events off mode:	required to reach the mode where the equipment au	omatically changes to sleep and/or		
	refe	er to power management, 10mins automatically re	eaches sleep mode		
(t)		te condition before the computer automatically re- not exceed the applicable power demand requirement		5	
(u)	Length of time after	r a period of user inactivity in which the compute ver power demand requirement than sleep mode (in	r automatically reaches a power	NA	
(v)		re the display sleep mode is set to activate after		5	
(w)	Information on the er	nergy-saving potential of power management function	nality:		
	User information of	lescribed in User Guide and Power Manager unde programs	er Lenovo V15 G4 IAN menu in all		
(x)	User information on I	now to enable the power management functionality:			
	User information of	lescribed in User Guide and Power Manager under programs	er Lenovo V15 G4 IAN menu in all		
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the institution.			
		230V, 50GHz, Total Harmonic Distortion	1 <2 %		
Addition	al Notebook Batter	y Information:			
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a	
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)			
Internal/b	ouilt-in Battery				
External/detachable Battery					
Bios Backup Battery					
Other:	Other:				
Additiona	I information				
)					

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.
Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.
Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada. Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu. La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. II-batterija/batteriji f'dan iI-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.

Batterief [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.

A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores. Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii însiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.