

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs		Lenovo
e-mail address	Alvin L Carter		LEI IOVO.
	alcarter@lenovo.com		
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/		
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	ThinClient				
Commercial name *	ThinkCentre neo 50q Gen 4				
Model number *	12M1,12M2,12M3,12M4, 12LH,12LJ,12LK,12LL,12M5,12M6				
Issue date *	2023/3/15				
Intended market *	🛛 Global 🗌 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other				
Additional information	ES8.0(12M1,12M2,12M3,12M4),TCO9.0				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	12M1, 12M2, 12M3, 12M4, 12LH,12LJ,12LK,12LL,12M5,12M6 Logo				
Issue da	ate *	2023/3/15	Le	Lenovo.		
Produc	t environ	mental attributes - Legal requirements	Req	uirem	ent	met
Item			<u>Y</u>	′es N	0	n.a.
P1		ous substances and preparations			_	
P1.1*		s do comply with current European RoHS Directive. (See legal reference and NOTE B1)		XL		
P1.2*	Comme	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	[
P1.3*	hydrobro trichloro concent	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximu ration values.	1,1,1- m			
P1.4*	terphen	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinat yl (PCT) in preparations (see legal reference).				
P1.5*	chain co	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon ato ontaining at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/α al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	xm²/week			
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contac www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	t):			
P2	Batterie					
P2.1*	symbol.	oduct contains a battery or an accumulator, the battery/accumulator is labeled with the dis Information on proper disposal is provided in user manual. (See legal reference)				
P2.2*	Batterie referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (e)	See legal			
P2.3*	Batterie	s and accumulators are readily removable. (See legal reference)		\triangleleft		
P3	Confor	nity verification & Eco design (ErP)				
P3.1*	The pro The Dec <u>https://</u>	duct is CE-marked to show conformance with applicable legal requirements (see legal refe claration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/compliance/eu-doc for EU ; www.lenovo.com/us/en/compliance/eu-doc for EU ;	rence).			
P3.2*	The pro	duct complies with the Eco design requirements for energy-related products, al reference).	[
	. 0	d information is; given in item P15 or added to this document, available at (add URL): <u>http://www.lenovo.com/ecodeclarati</u>	0 <i>0</i>			
P5	Produc	t packaging				
P5.1*	Packagi	ng and packaging components do not contain more than 0,01% lead, mercury, cadi ent chromium by weight of these together.	nium and			
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature of the r se legal reference).	naterial(s)			
P5.3*	The pro (see leg	duct packaging material is free from ozone depleting substances as specified in the Montrea al reference). nt: Legal reference has no maximum concentration values.	al Protocol			
P6		ent information				
P6.1*	Informat	ion for recyclers/treatment facilities is available (see legal reference).		\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	ımber *	12M1, 12M2, 12M3, 12M4, 12LH,12LJ,12LK,12LL,12M5,12M6	Logo	Lon		
Issue dat	te *	2023/3/15		Len	JVC	тн
Product	environ	mental attributes - Market requirements (See General NOTE GN I	below)			
		onmental conscious design		Require	ment	net
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7.1*		Disassembly, recycling at have to be treated separately are easily separable				
P7.2*					<u>-</u> -	
		naterials in covers/housing have no surface coating.			<u> </u>	
P7.3*	-	arts > 100 g consist of one material or of easily separable materials.		<u> </u>	<u> </u>	
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			<u> </u>	
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	ivallable tools.		<u> </u>	
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).				
	Product					
P7.7*		ng can be done e.g. with processor, memory, cards or drives			<u> </u>	
P7.8*	10	ng can be done using commonly available tools		\square		
P7.9		arts are available after end of production for: 5 years				
P7.10	Service i	is available after end of production for: 5 years				
D7.44*		and substance requirements				
P7.11*			al type: PC-110			
P7.12	Insulatio	n materials of external electrical cables are PVC free.			\boxtimes	
P7.13	Insulatio	n materials of internal electrical cables are PVC free.				
P7.14	weight (polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) br 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame I chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine ir an 25% post-consumer recycled content.	e retardants, a	nd		
P7.15		circuit boards, PCBs (without components) are low halogen: all	are low halog	en 🔀		
P7.16	Marking:					\boxtimes
P7.17	TBBF	hemical specifications of flame retardants in printed circuit boards > 25 g (without co PA (additive), TBBPA (reactive) (See NOTE B3), Other: <i>DOPO</i> , CAS #: 3594	8-25-5	\square		
		hemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g			
P7.18	concentr 1. Chem 2. Chem	lame retarded plastic parts > 25 g contain the following flame retardant substance: rations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	s/preparations	in		
		hemical specifications of flame retardants in plastic parts > 25 g according ISO 1043				\boxtimes
P7.19	assigned	c parts > 25 g, flame retardant substances/preparations above 0,1% are used which d the following Risk phrases; and Hazard statements: rce(s) for these classifications is/are found at (add URL(s)): , (See I	i have been note B5)			
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):		\boxtimes		
	a) Of t per or	at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material content centage of total plastic by weight) is 27.15% . e weight of recycled material is 25.0 g.	t (calculated as	а		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	12M1, 12M2, 12M3, 12M4, 12LH,12LJ,12LK,12LL,12M5,12M6	Logo	Lenovo
Issue date *	2023/3/15		LEHOVO
Product environm	nental attributes - Market requirements (continued)		Requirement met

Item

Yes No n.a.

	Material and sul	ostance requirements	(continued)		
P7.21*			d in the product (See N	OTE B7):	
	a) Of total plas total plastic		es below shall be answe , the biobased plastic m		ated as a percentage of
	or b) The weight	of the biobased plastic	material is g.		
P7.22*	/		less than 0,1 mg/lamp.		
	If mercury is used	d specify: Number of la	mps: and maxim	um mercury content p	
P8	Batteries				
P8.1*	,	composition: Lithium I	Vetal		
P9		ption (See NOTE B8)	1	and and an and a de	
P9.1 Energy mo		Power level at	ls or energy consumption	Power level at	Reference/Standard for energy
Energy inc	Jue	100 V AC	115 V AC	230 V AC	modes and test method *
Peak (On-	-max)	W	W	W	Full load
Categor	<u>′y1</u>				
Short Idle Enabled	State - WOL	7 W	7 W	7 W	ENERGY STAR Computers V8 (P _{idle})
Long Idle Enabled	State - WOL	6.1 W	6.1 W	6.1 W	ENERGY STAR Computers V8 (P _{idle})
Sleep (S3) - WOL Enabled	0.8 W	0.8 W	0.8 W	ENERGY STAR Computers V8(P _{sleep})
Off (S5) -	WOL Enabled	0.3 W	0.3 W	0.4 W	ENERGY STAR Computers V8(P _{off})
EPS No-Io (External power wall outlet but dis	ad supply / charger plugged in the sconnected from the product.)	e W	0.0758 W	0.0696 W	
PTEC *	ergy Consumption	W	W	W	
ETEC * Annual En	ergy Consumption	31.1 kWh/year kWh/year	31 kWh/year kWh/year	31.3 kWh/year kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.45 + P _{sleep} x 0.05 + P _{long_Idle} x 0.15+ P _{short Idle} x 0.35)
External P	lower Supply Efficie		<u>\$5) - WOL Enabled; P_{sleep} I Efficiency Marking Pro</u>		L Enabled; P _{idle} : Idle State - WOL Enabled
		negapixels			╡─────────────────────────────────────
		save mode: 25 minutes			╡─────────────────────────────────────
P9.2*	0,		ion is provided with the	product	
P9.2		class (monitors only):	•		
P10	Emissions				
		- Declared according to	o ISO 9296 (See NOTE	B9)	
P10.1	Mode	Mode description		Statistical upper lim	it A-weighted sound power level, $L_{WA,c}$ (B)
	Idle	* HDD:Idle		* 3.1	
	Operation	* HDD: Operating		* 3.3	
			ad pressure level (dB) $L_{p m Am}$		tion desktop – idle)
	Other mode	Declared A-weighted sour	ad pressure level (dB) $L_{p m Am}$	32.2(operator posit	tion desktop – operating)
	Measured accord	ling to: 🔀 ISO 7779 🗌 Other	ECMA-74 (only if not covered by	ECMA-74)	
				· · · · · · · · · · · · · · · · · · ·	

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Issue da	4- *	0000/0/4-		3, 12M4,12LH,					Logo		enc	NO	
	ite *	2023/3/15											TH
Produc	t environr	nental attr	ibutes	- Market requ	irements (contin	ued)			F	Require	ement	me
Item											Yes	No	n.a
		nagnetic en											
P10.4	Compute program		ets the	requirement for	low frequend	cy elect	romagnetic	c fields of	the following	oluntary			\boxtimes
P12		mics for cor	nnuting	noducts									
P12.1*				omic requiremer	nts of ISO 92	41-307	for visual	display te	chnologies.				X
P12.2*	The phy	sical input de	evice me	eets the requiren	nents of ISO	9995 a	nd ISO 92	41-410.	-		—Ħ	Ē	
P13	Packagi	ing and doc	umenta	tion									
P13.1*				type(s): LEPE			ght (kg): 0						
				type(s): Corrugat	ed single wa		ght (kg): 0						
P13.2*		packaging m		aging is free fror	n PVC	we	ight (kg):0.	015			\boxtimes		
P13.3*		-		ated fiberboard		enecify	the contai	ned perce	ntage of mir	imum poet			
F 13.5		er recovered			packaying, s	specify		neu perce	inage of fill	innum post-			
P13.4*				product documen	tation (tick b	ox):							
		ronic, 🔀 Pa											
P13.5				em if paper docu									
	User and product documentation on paper media is chlorine-free: If Yes, please specify:							\bowtie					
	· •		y.										
		hlorine-free al chlorine-fr	-								H		
		ed chlorine-f									H		
P14		ry programs											
P14.1				rements of the fo	llowing volu	ntary p	rogram(s):						
		duct meets th	ie iequi										
			le lequi			_		_					
	ENERG	Y STAR®	ne requi	Criteria versior			ate:		oduct categor		t		
		Y STAR® el:	ie requi		1:	Da	ate: ate: ate:	Pr	oduct catego	y:	t		
P15	ENERG Eco-labe Eco-labe	Y STAR® 의: 의: nal informat	ion (Se	Criteria versior Criteria versior Criteria versior e NOTE B10)	1: 1:	Da	ate: ate:	Pr Pr	oduct categor oduct categor	ý: y:			
P15 P9	ENERG Eco-labe Eco-labe	Y STAR® 의: 의: nal informat	ion (Se	Criteria versior Criteria versior Criteria versior	1: 1:	Da	ate: ate:	Pr Pr	oduct categor oduct categor	ý: y:			
	ENERG Eco-labe Eco-labe	Y STAR® 의: 의: nal informat	ion (Se	Criteria versior Criteria versior Criteria versior e NOTE B10)	1: 1:	Da	ate: ate:	Pr Pr	oduct categor oduct categor	ý: y:			
	ENERG Eco-labe Eco-labe Addition Energy	Y STAR® el: nal informat consumptio Cert.	ion (Se	Criteria versior Criteria versior Criteria versior e NOTE B10) ecific configura CPU	ation may va	Da Da ary; de	ate: ate: scription o	Pr Pr of the test	oduct categor	ý: y:			
	ENERG Eco-labe Eco-labe Addition Energy Project ThinkCen neo 50q	Y STAR® bl: consumption Cert. Gen ES8.0	ion (Se	Criteria versior Criteria versior Criteria versior e NOTE B10) ecific configura CPU Intel i3-1215U	ation may va	Da Da Da Da Da Da Da Da Da Da Da Da Da D	ate: scription of SSD SK Hynix/25	Pr Pr of the test Graphics	oduct categor	y: y: configuratio			
	ENERG Eco-labe Eco-labe Addition Energy Project ThinkCer	Y STAR® bl: consumption Cert. Gen ES8.0	<mark>tion (Se</mark> on of sp Cat.	Criteria versior Criteria versior Criteria versior e NOTE B10) ecific configura CPU	n: ation may va Memory SK	Da Da Da Da Da Da Da Da Da Da Da Da Da D	ate: ate: scription of SSD SK	Pr Pr of the test Graphics	oduct categor oduct categor red product of Adapter	y: y: configuratio			
	ENERG Eco-labe Addition Energy Project ThinkCen neo 50q 4 ThinCl	Y STAR® el: mal informat consumptio Cert. ntre Gen ES8.0 ient	<mark>ion (Se</mark> on of sp Cat. I1	Criteria versior Criteria versior Criteria versior e NOTE B10) ecific configura CPU Intel i3-1215U /6C/1.2GHz	tion may va Memory SK Hynix/16G* 2	Da Da Ary; de HDD N/A	scription of ssD SK Hynix/25 6GB	Pr Pr of the test Graphics 集显	oduct catego oduct catego red product of Adapter Delta ADP-65	y: y: configuratio	<u>n:</u>	ag the	
	ENERG Eco-labe Eco-labe Eco-labe Energy Project ThinkCer neo 50q 4 ThinCl	Y STAR® bl: consumptic Cert. ntre Gen ES8.0 Supplier mak	cion (Secon of sp Cat.	Criteria version Criteria version Criteria version e NOTE B10) ecific configura CPU Intel i3-1215U /6C/1.2GHz	tion may va Memory SK Hynix/16G* 2	Da Da Ary; dea HDD N/A	ate: ate: scription of SSD SK Hynix/25 6GB	Prr. Pr f the test Graphics 集显 ranties wh	ed product categor duct categor red product of Adapter Delta ADP-65	y: y: onfiguratio ME B 65W	n:		
	ENERG Eco-labe Eco-labe Addition Energy Project ThinkCer neo 50q 4 ThinCl NOTE: S informat knowled	Y STAR® el: mal informat consumptio Cert. htre Gen ES8.0 iient Supplier mak ion contained ge available	ion (Se on of sp Cat. I1 es no re d in this at the ti	Criteria versior Criteria versior e NOTE B10) ecific configura CPU Intel i3-1215U /6C/1.2GHz epresentations, g document. All in me of completion	tion may va Memory SK Hynix/16G* 2 uarantees, a formation pr n, and suppli	a ry; de HDD N/A assuran ovided	scription of sSD SK Hynix/25 6GB ces or war by supplied have no c	Pr. Pr. Pr. Graphics 集显 ranties wh r in this do obligation t	ed product categor oduct categor Adapter Delta ADP-65 Dether expres cument is pro o update suc	y: y: onfiguratio ME B 65W s or implied, ivided based n informatior	n: regardir l on sup n. The in	plier's format	ion
	ENERG Eco-labe Eco-labe Addition Energy Project ThinkCen neo 50q 4 ThinCl NOTE: S informat knowled provideo	Y STAR® el: mal informat consumptio Cert. htre Gen ES8.0 lient Supplier mak ion contained ge available here is app	ion (Se on of sp Cat. I1 es no re d in this at the ti	Criteria versior Criteria versior Criteria versior e NOTE B10) ecific configura CPU Intel i3-1215U /6C/1.2GHz epresentations, g document. All in	tion may va Memory SK Hynix/16G* 2 uarantees, a formation pr n, and suppli	a ry; de HDD N/A assuran ovided	scription of sSD SK Hynix/25 6GB ces or war by supplied have no c	Pr. Pr. Pr. Graphics 集显 ranties wh r in this do obligation t	ed product categor oduct categor Adapter Delta ADP-65 Dether expres cument is pro o update suc	y: y: onfiguratio ME B 65W s or implied, ivided based n informatior	n: regardir l on sup n. The in	plier's format	ion
	ENERG Eco-labe Eco-labe Addition Energy Project ThinkCen neo 50q 4 ThinCl NOTE: S informat knowled providec informat	Y STAR® bl: nal informat consumptic Cert. ntre Gen ES8.0 ient Supplier mak ion containeq ge available I here is apprion.	cat. In of sp Cat. In cat. In cat. In cat. In cat. In cat. In cat. In cat. In cat. In cat.	Criteria versior Criteria versior e NOTE B10) ecific configura CPU Intel i3-1215U /6C/1.2GHz epresentations, g document. All in me of completion	tion may va Memory SK Hynix/16G* 2 uuarantees, a formation pr n, and suppli pr information	Di Di Di Di Di Di Di Di Di Di Di Di Di D	scription of sSD SK Hynix/25 6GB ces or war by supplier have no o poses only.	Pro Prof the test Graphics 集显 ranties wh r in this do obligation t . See a Le	ed product categor oduct categor Adapter Delta ADP-65 Dether expres cument is pro o update suc	y: y: onfiguratio ME B 65W s or implied, ivided based n informatior	n: regardir l on sup n. The in	plier's format	ion

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Error! Reference source not found.	Logo	
Model Number	12M1, 12M2, 12M3, 12M4, 12LH,12LJ,12LK,12LL,12M5,12M6		Lonovo
Issue Date	2023/3/15		Lenovo.
Additional information	ES8.0 (12M1,12M2,12M3,12M4) ,TCO9.0		

d)	Product environmental attributes				
d)	year of manufacture:				2022
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
f)	Etec value (kWh) per ErP Lot 3 Catego enable	bry and capability adjus	tments applied when a	all discrete graphics o	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]				
ents ting	Additional internal storage	(Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
djustm ing tes	Discrete television tuner	(Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete Audio Card	(Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capa appl	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)				
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)				
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
(g)	Idle state power demand (Watts);	-			6.2217
(h)	Sleep mode power demand (Watts);				0.9468
(i)	Sleep mode with WOL enabled power of	demand (Watts) (where	enabled);		0.5548
(j)	Off mode power demand (Watts);				0.3478
(k)	Off mode with WOL enabled power der	mand (Watts) (where en	abled);		0.489
(I)	Internal power supply efficiency at 10 %	%, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
(m)	External power supply efficiency (if app	licable)*:			
	Average active efficiency:				
		Average 90 Liteon			
	10% 90 25% 91 50% 91 100% 89 10% 85 25% 89 50% 92 100% 92	•			
		2 Average 91 Delta			
	10% 87 25% 89 50% 90 100% 90				
	*internal note: show values for all available external	power supplies			

(p-1)	Measurement methodol	ogy used to determine information be referencing to 80 plus	mentioned in points (I) – internal PSU efficiency: / <i>plugload solutions</i>	
(p-2)			mentioned in points (m) – external PSU efficiency: d.c. and a.ca.c. power supplies	
(p-3)	Measurement methodol	ogy used to determine information	mentioned in points (o) – loading cycles batteries:	
(p-4)		ogy used to determine information nt P9.1 in the Product IT Eco Decl	mentioned in maximum, idle, sleep, off mode aration:	
	refer to IEC62623:2	2013-Desktop and notebook con	nputers-Measurement of energy consumption	
(q)	Sequence of steps for a	chieving a stable condition with re	spect to power demand::	
	Base	d on user manual/Power on->W	ait 5 minutes->Stable condition	
(r)	Description of how sleep	o and/or off mode was selected or	programmed:	
	Based	on user manual/Begin menu -> .	Power -> Select sleep or off mode	
(s)	Sequence of events req off mode:	uired to reach the mode where the	e equipment automatically changes to sleep and/or	
	Based on user manu	al/Control Panel->Power Option for this p	ns-> Change Settings-> Restore default settings Iolan	
(t)			utomatically reaches sleep mode, or another	20/25 minutes
(u)	Length of time after a		nand requirements for sleep mode (in minutes): h the computer automatically reaches a power sleep mode (in minutes):	N/A minutes
(v)	Length of time before	the display sleep mode is set to	activate after user inactivity (in minutes):	10 minutes
(w)	Information on the energ	gy-saving potential of power mana	gement functionality:	
		N/A		
(x)	User information on how	N/A v to enable the power management	nt functionality:	
(x)		v to enable the power managemer	I show user information about how to enable the	
(x) (z)	Please Lenovo confirm	v to enable the power managemen n where or which document wil power managemen asurements: — test voltage in V a stem, — information and documen g:	I show user information about how to enable the t functionality. Ind frequency in Hz, — total harmonic distortion of tation on the instrumentation, set-up and circuits	
.,	Please Lenovo confirm Test parameters for mea the electricity supply sys used for electrical testing	v to enable the power managemen n where or which document will power managemen asurements: — test voltage in V a stem, — information and documen	I show user information about how to enable the t functionality. Ind frequency in Hz, — total harmonic distortion of tation on the instrumentation, set-up and circuits	
	Please Lenovo confirm Test parameters for mea the electricity supply sys used for electrical testing	v to enable the power managemen m where or which document will power managemen asurements: — test voltage in V a stem, — information and documen g: Test voltage in V and frequ	I show user information about how to enable the t functionality. Ind frequency in Hz, — total harmonic distortion of tation on the instrumentation, set-up and circuits ency in Hz: 230V/50Hz ectricity supply system: ≤2%	
.,	Please Lenovo confirm Test parameters for mea the electricity supply sys used for electrical testing	v to enable the power managemen n where or which document will power managemen asurements: — test voltage in V a stem, — information and documen g: Test voltage in V and frequent tal harmonic distortion of the el	I show user information about how to enable the t functionality. Ind frequency in Hz, — total harmonic distortion of tation on the instrumentation, set-up and circuits	
.,	Please Lenovo confirm Test parameters for mea the electricity supply sys used for electrical testing Tot	v to enable the power managemen m where or which document will power managemen asurements: — test voltage in V a stem, — information and documen g: Test voltage in V and frequ tal harmonic distortion of the el-	I show user information about how to enable the t functionality. Ind frequency in Hz, — total harmonic distortion of tation on the instrumentation, set-up and circuits ency in Hz: 230V/50Hz ectricity supply system: ≤2%	
.,	Please Lenovo confirm Test parameters for mea the electricity supply sys used for electrical testing Tot Instrument Type	v to enable the power managemen n where or which document will power managemen asurements: — test voltage in V a stem, — information and documen g: Test voltage in V and frequent tal harmonic distortion of the elector Range Used Or	I show user information about how to enable the t functionality. Ind frequency in Hz, — total harmonic distortion of tation on the instrumentation, set-up and circuits ency in Hz: 230V/50Hz ectricity supply system: ≤2% Make and Model	
.,	Please Lenovo confirm Test parameters for mea the electricity supply sys used for electrical testing Tot Instrument Type AC Power Source	v to enable the power managemen n where or which document will power managemen asurements: — test voltage in V a stem, — information and documen g: Test voltage in V and frequent tal harmonic distortion of the el Range Used Or 1~280VAC; 1~550Hz; 1000VA	I show user information about how to enable the t functionality. Ind frequency in Hz, — total harmonic distortion of tation on the instrumentation, set-up and circuits ency in Hz: 230V/50Hz ectricity supply system: ≤2% Make and Model Chroma;61504; SN:615040001117	
.,	Please Lenovo confirm Test parameters for mea the electricity supply sys used for electrical testing Tot Instrument Type AC Power Source Digital Watch	v to enable the power managemen n where or which document will power managemen asurements: — test voltage in V a stem, — information and documen g: Test voltage in V and frequent tal harmonic distortion of the electric Range Used Or 1~280VAC; 1~550Hz; 1000VA Full range	I show user information about how to enable the t functionality. Ind frequency in Hz, — total harmonic distortion of tation on the instrumentation, set-up and circuits ency in Hz: 230V/50Hz ectricity supply system: ≤2% Make and Model Chroma;61504; SN:615040001117 CASIO; HS-70W; SN:208Q08R	
	Please Lenovo confirm Test parameters for mea the electricity supply sys used for electrical testing Tot Instrument Type AC Power Source Digital Watch Power Meter	v to enable the power managemen n where or which document will power managemen asurements: — test voltage in V a stem, — information and documen g: Test voltage in V and frequent tal harmonic distortion of the ele Range Used Or 1~280VAC; 1~550Hz; 1000VA Full range 0~600V; 0~20A	I show user information about how to enable the t functionality. Ind frequency in Hz, — total harmonic distortion of tation on the instrumentation, set-up and circuits ency in Hz: 230V/50Hz ectricity supply system: ≤2% Make and Model Chroma;61504; SN:615040001117 CASIO; HS-70W; SN:208Q08R YOKOGAWA; WT310E; SN:C3SJ16035E	

Additional Notebook Battery Information:							
	Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a				
	The battery[ies] in this product cannot be easily replaced by users themselves. $^{\mbox{\tiny 1)}}$						
Internal/built-in Battery							
External/detachable Battery							
Bios Backup Battery							
Other:							
Additional information							

1) The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotăji paši nevar nomainit šă ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

II-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitiwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (baterile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Bateria (baterile) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.