



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/	
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

The company declares (based on product specification or test results based obtained from sample testing), that the product				
conforms to the statemen	nts given in this declaration.			
Type of product *	Notebook			
Commercial name *	Yoga 7 16IRL8			
Model number *	82YN			
Issue date *	2023/02/03			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		82YN	Logo	Long	N/C	
Issue date	e *	2023/02/03		Lend		тн
Product	environ	mental attributes - Legal requirements		Require		met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*		do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)			
P1.2*		do not contain Asbestos (see legal reference).				
P1.3*		nt: Legal reference has no maximum concentration value. do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		\square	$\overline{}$	
F1.3	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-					
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no m				
		ation values.				
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych	lorinated			
D4 5*		I (PCT) in preparations (see legal reference).		I N		
P1.5*		on to contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in t	he 🔀	Ш	
P1.6*		h direct and prolonged skin contact do not release nickel in concentrations above 0	,5 μg/cm²/we	ek 🔀		
		al reference).				
D4 7*		nt: Max limit in legal reference when tested according to EN1811:2011-5.	4 4\			
P1.7*		Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batterie					
P2.1*		educt contains a battery or an accumulator, the battery/accumulator is labeled with the Information on proper disposal is provided in user manual. (See legal reference)	he disposal			
P2.2*		or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm	nium. (See leg	al 🔀		
P2.3*		e and accumulators are readily removable. (See legal reference)		\square		
P3		nity verification & Eco design (ErP)				
P3.1*		luct is CE-marked to show conformance with applicable legal requirements (see leg	nal reference)	. 🛛		
		laration of Conformity can be requested at (add link or e-mail address):	, a		ш	ш
	https://v	vww.lenovo.com/us/en/compliance/eu-doc for EU ;				
		www.lenovo.com/us/en/compliance/uk-doc for UK				
P3.2*		luct complies with the Eco design requirements for energy-related products, al reference).				
	, ,	I information is; given in item P15 or added to this document,		\boxtimes		
		available at (add URL):				_
	https://v	vww.lenovo.com/us/en/compliance/eco-declaration				
P5		packaging				
P5.1*	Packagii	ng and packaging components do not contain more than 0,01% lead, mercury ant chromium by weight of these together.	/, cadmium a	and 🔀		
P5.2*		raging materials are marked with abbreviations and numbers indicating the nature	of the materia	l(s)		
	used (se	e legal reference).		` ,		
P5.3*	(see lega	luct packaging material is free from ozone depleting substances as specified in the N al reference).	nontreal Proto	col 🔀		
		nt: Legal reference has no maximum concentration values.				
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Wodel number * 82Y		82YN	Logo	Len	21/0	
Issue dat	te *	2023/02/03		Lein		тн
Product		mental attributes - Market requirements (See General NOTE GN onmental conscious design	below)	Require	nent ı	net
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7		Disassembly, recycling			_	
P7.1*		at have to be treated separately are easily separable				4
P7.2*		naterials in covers/housing have no surface coating. arts > 100 g consist of one material or of easily separable materials.				
P7.3*			Ц_			
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		\boxtimes		
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.		<u>Ц</u>	
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).		\boxtimes		
D= =+	Product					
P7.7*		ng can be done e.g. with processor, memory, cards or drives			Ц_	
P7.8*	. •	ng can be done using commonly available tools		\boxtimes		
P7.9		arts are available after end of production for: 3 years				Ш
P7.10		s available after end of production for: 3 years				
D7.44*		and substance requirements				
P7.11*	Material	cover/housing material type (e.g. plastics, metal, aluminum): type: PC+ABS+15%Talc Material type: PC+ABS Materia type: AL5052RC	al type: AL5L52	R		
P7.12		n materials of external electrical cables are PVC free.		\boxtimes		
P7.13	Insulation	n materials of internal electrical cables are PVC free.		\boxtimes		
P7.14	weight (plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in 25% post-consumer recycled content.	e retardants, ar	nd		
P7.15	Printed of	eircuit boards, PCBs (without components) are low halogen: all 🔲 PCBs > 25 g 🔀	are low haloge	en 🛚		
P7.16	Flame re Marking:	starded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: FR40,	:			
P7.17	ТВВР	nemical specifications of flame retardants in printed circuit boards > 25 g (without compared (additive), TBBPA (reactive) (See NOTE B3), Other: DOPO CAS #: 35948-25-5				
	accordin	nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: <i>FR(16)</i>	, -			
P7.18	concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: Bisphenol A bis-(diphenyl phos- phate) , CAS #: 181028-79-5 (See ical name: , CAS #: "		in 		
	Alt. 2: Ch	ical name: , CAS #: " nemical specifications of flame retardants in plastic parts > 25 g according ISO 104				
P7.19	assigned	exparts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; <i>P273</i> , <i>P391</i> , <i>P501</i> and Hazard statements: <i>H411</i> rec(s) for these classifications is/are found at (add URL(s)): https://mbd.baidu.com/ma/s/Ue4IQC7A , (See note B5)	h have been			
P7.20*	If YES; a a) Of t a pe or	sumer recycled plastic material content is used in the product (See Note B6): at least one of the two alternatives below shall be answered; cotal plastic parts' weight > 25 g, the postconsumer recycled plastic material content ercentage of total plastic by weight) is 19.18%. e weight of recycled material is 48.42 g.	nt (calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82YN	Logo	Lenovo
Issue date *	2023/02/03		Leilovo
Product environr	nental attributes - Market requirements (continued)		Requirement met
Item			Yes No na

P7.21*		stance requirements		NOTE B7):					
F1.Z1	Biobased plastic material content is used in the product (See NOTE B7):								
		at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of							
	 a) Of total plastic b 		, trie biobaseu piastic	materiai content (caicui	ated as a percentage of				
	or	,g,							
		f the biobased plastic							
P7.22*	· ·	free from mercury, i.e. specify: Number of la	less than 0,1 mg/lam	p. mum mercury content p	per lamp: mg				
P8	Batteries	specify. Number of la	ilips. aliu maxii	mum mercury content p	per lamp: mg				
P8.1*		composition: Lithium	ion						
P9		insumption (See NOTE B8)							
P9.1			els or energy consump	tions are reported:					
Energy mo	ode *	Power level at	Power level at	Power level at	Reference/Standard for energy				
D 1 (0		100 V AC	115 V AC	230 V AC	modes and test method *				
Peak (On-	max)	65 W	65 W	65 W	Full load				
Categor	y2								
Short Idle	State - WOL	4.64 W	4.63 W	4.71 W	ENERGY STAR Computers V8				
Enabled					(P _{idle})				
Long Idle	State - WOL	2.30 W	2.40 W	2.60 W	ENERGY STAR Computers V8				
Enabled					(P _{idle})				
• • •) - WOL Disabled	0.51 W	0.51 W	0.57 W	ENERGY STAR Computers V8				
Off (S5) - I	WOL Disabled	0.39 W	0.39 W	0.42 W	ENERGY STAR Computers V8				
EPS No-lo		0.28 W	0.28 W	0.28 W					
(External power s wall outlet but dis	supply / charger plugged in the sconnected from the product.)								
PTEC *		W	W	W		\boxtimes			
Typical En	ergy Consumption	16 62 k\\/\b\/\cor	16 60 k/Mb/yeer	17.32 kWh/year	E = (9760/4000) × /D × 0.25				
	ergy Consumption	16.63 kWh/year	16.69 kWh/year	17.32 KWM/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25) + P_{sleep} \times 0.35 + P_{long_ldle} \times 0.10 + P_{sleep} \times 0.10 + P_$	Ш			
7 tillidai Eli	orgy contamplion				P _{short Idle} x 0.30)				
					led; Pidle: Idle State - WOL Enabled				
External P	ower Supply Efficier	ncy Level (Internationa	al Efficiency Marking P	rotocol) * : VI					
Display res	solution * : 2560*16	00 megapixels							
Default tim	e to enter energy sa	ave mode: 5 minutes							
P9.2*	Information about	the energy save funct	ion is provided with th	e product.					
P9.3	Energy efficiency	class (monitors only):				\boxtimes			
P10	Emissions				·				
D40.4			o ISO 9296 (See NOT		7.4	(D)			
P10.1		Mode description		* 2.3	nit A-weighted sound power level, $L_{WA,c}$				
		* System Idle							
	Operation * CPU; Operation		ad muse sure level (dD)	* 4.2					
	0	de $Declared A-weighted sound pressure level (dB) \\ L_{p { m Am}}$		17.2 (operator position desktop – idle)					
	0	Declared A-weighted sour	nd pressure level (dB)	37.8 (operator position desktop – operating)					
		L_{pAm}	_						
	Measured accordi	ng to: ISO 7779 L	ECMA-74	ov ECMA 74)					

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}$

Model number *		82YN			Logo	Lon	21/0	
Issue date	*	2023/02/03				Lend		r ·
Product	environr	nental attributes - I	Market requirements (con	itinued)		Requir	ement	met
Item			-	•		Yes	No	n.a.
		nagnetic emissions						
P10.4	program	(s): MPR-II(3 pin AC a		ectromagnetic fields	of the following volunta	ary 🔀		
P12		nics for computing p				<u></u>		
P12.1*		,	nic requirements of ISO 9241-	. ,	<u> </u>	\boxtimes		
P12.2*	The phys	sical input device meet	ts the requirements of ISO 999	5 and ISO 9241-410		\boxtimes		
P13		ng and documentation						
P13.1	Product Product Product Product		pe(s): OBP+PE pe(s): Tracing Paper		weight (kg): 0.375 weight (kg): 0.068 weight (kg): 0.068 weight (kg): 0.015 weight (kg): 0.0052 weight (kg): 0.023			
P13.2*		plastic primary packag			<u> </u>	\boxtimes		
P13.3*	consume	er recovered fiber conte	ed fiberboard packaging, specent: 81 %	,	ercentage of minimum	post-		
P13.4*	Specify i	nedia for user and pro ronic, ⊠Paper, ⊡Otl	duct documentation (tick box):					
P13.5	Ùser and		n if paper documentation used on on paper media is chlorine-					
		hlorine-free al chlorine-free						
	Process	ed chlorine-free						
P14	Volunta	ry programs						
P14.1	The prod	luct meets the requirer	ments of the following voluntar	y program(s):				
		l: EPEAT	Criteria version: 8 Criteria version: 1680.1-2018 Criteria version:	Date: Date: Date:	Product category: 2 Product category: Product category:			
P15		nal information (See N						
P9			rific configuration may vary;					
	the info supplied informa Accoun	rmation contained in 's knowledge availab tion. The information t Representative for n		on provided by sup , and supplier shall te and provided for	plier in this documen have no obligation to informational purpos	nt is provided o update suci	l based h	l on
P9			otebooks & Tablet Computer odex.cfm?fuseaction=find_a			:=CO		

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Yoga 7 16IRL8	Logo	
Model Number	82YN		Lonovo
Issue Date	2023/02/03	Lenovo.	
Additional information			
•			

(d)	Year of manufacture:					
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are	
f)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dG enable					
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)	
	Memory over base [GB]	16				
ents	Additional internal storage	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
capability adjustments applied during testing	Discrete television tuner	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
ability a lied du	Discrete Audio Card	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
capa	Discrete graphics Card(s) [number / #]	NO #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)	
	Category of discrete graphics Card(s)	NO				
saults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	3.435				
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled					
g)	Idle state power demand (Watts);	1	'	'	0.487	
h)	Sleep mode power demand (Watts);				0.487	
i)	Sleep mode with WOL enabled power d	emand (Watts) (where	enabled);		NA	
j)	Off mode power demand (Watts);				0.329	
k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		NA	
[1)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):		
	10% 20% 50%	100% Avera	age			
m)	External power supply efficiency (if appli	cable)*:				
	Average active efficiency: 85.76%, 85.	27%, 84.09%, 83.45	%, 84.64%			
0)	*internal note: show values for all available external p Minimum number of loading cycles that		tand (applies only to n	otebook computers):	300 cycles	
(p-1)	Measurement methodology used to dete	ermine information mer	ntioned in points (I) – in	nternal PSU efficiency		

(p-2)		dology used to determine information mentioned in program Requirements for Single Voltage Externa Eligibility Criteria (Version 2.0)				
(p-3)	Measurement metho	dology used to determine information mentioned in p <i>≥</i> 70% of Cmin	points (o) – loading cycles batteries:			
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:					
		IEC 62623				
(q)	Sequence of steps for	or achieving a stable condition with respect to power	demand::			
		Power on -> Wait 5 minutes -> Stable con	ndition			
(r)	Description of how s	eep and/or off mode was selected or programmed:				
		Begin menu -> Power -> Select sleep or o	off mode			
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: NA					
(t)		te condition before the computer automatically re		5 Min		
(u)	Length of time after	r a period of user inactivity in which the compute ver power demand requirement than sleep mode (in	r automatically reaches a power	NA		
(v)		re the display sleep mode is set to activate after		5 Min		
(w)		nergy-saving potential of power management function				
(x)	User information on	now to enable the power management functionality: **Refer to User Guide**				
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the in- sting:				
		230V50HZ-2%-Edition 2.0, 2011-01, Section 4	1, IEC62301			
Addition	al Notebook Batter	y Information:				
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a		
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)				
Internal/b	ouilt-in Battery					
External/	detachable Battery					
Bios Bac	kup Battery					
Other:	Other:					
Additiona	I information					
)						

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé. Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada. Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu. La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

II-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.

Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.

A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores. Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[văţ] ole helposti kâyttājān vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.