

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs				
e-mail address	Alvin L Carter	Lenovo			
	<u>alcarter@lenovo.com</u>				
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/				
Additional information	Information The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product							
conforms to the statemer	conforms to the statements given in this declaration.						
Type of product *	Notebook						
Commercial name *	Yoga 9 14IRP8, YogaAir 14c IRP8						
Model number *	83B1						
Issue date *	2022-11-28						
Intended market *	🛛 Global 📃 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 📄 Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	83B1 Logo				
lssue da	ite *	2022-11-28	Leng		Эт	
Produc	t environ	mental attributes - Legal requirements	Require	ment	me	
Item			Yes	No	n.a.	
P1		ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	$\square$			
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	$\boxtimes$			
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.				
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).					
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	ie 🔀			
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/wee al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	k 🔀			
P1.7*		Article 33 information about substances in articles is available at (add URL or mail contact): <a href="http://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure">www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure</a>	$\boxtimes$			
P2	Batterie	S		•		
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)	$\boxtimes$			
P2.2*		s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega	al 🖂			
P2.3*		s and accumulators are readily removable. (See legal reference)	$\boxtimes$			
P3	Conform	nity verification & Eco design (ErP)		· 🖵 .		
P3.1*	The proo The Dec https://v	Juct is CE-marked to show conformance with applicable legal requirements (see legal reference). Jaration of Conformity can be requested at (add link or e-mail address): <a href="https://www.lenovo.com/us/en/compliance/u-doc">www.lenovo.com/us/en/compliance/u-doc</a> for EU; <a href="https://www.lenovo.com/us/en/compliance/u-doc">www.lenovo.com/us/en/compliance/u-doc</a> for UK				
P3.2*		duct complies with the Eco design requirements for energy-related products,	$\square$			
	. 0	al reference). d information is; X given in item P15 or added to this document, available at (add URL):				
	https://v	vww.lenovo.com/us/en/compliance/eco-declaration				
P5		packaging				
P5.1*	hexaval	ng and packaging components do not contain more than 0,01% lead, mercury, cadmium ar ent chromium by weight of these together.				
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature of the material( ee legal reference).	s) 🔀			
P5.3*	The proc (see leg	tuct packaging material is free from ozone depleting substances as specified in the Montreal Protoc al reference). nt: Legal reference has no maximum concentration values.	ol 🔀			
P6		nt information				
		on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		83B1	Logo	Lon		
Issue dat	te *	2022-11-28		Len		<b>)</b>
Product		mental attributes - Market requirements (See General NOTE GN				
		onmental conscious design		Require		
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7.1*		Disassembly, recycling at have to be treated separately are easily separable				
P7.2*		naterials in covers/housing have no surface coating.		<u> </u>		
P7.3*	•	arts > 100 g consist of one material or of easily separable materials.		<u> </u>	<u> </u>	$\square$
P7.4*	-	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.				$\boxtimes$
P7.5	-	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.	$\square$		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).				
	Product					
P7.7*		ng can be done e.g. with processor, memory, cards or drives		$\square$		
P7.8*	Upgradir	ng can be done using commonly available tools		$\square$		
P7.9	Spare pa	arts are available after end of production for: <b>3</b> years				
P7.10	Service i	s available after end of production for: 4 years				
	Material	and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
		type: aluminium Material type: plastic(PC+ABS)				
P7.12		n materials of external electrical cables are PVC free.				
P7.13		n materials of internal electrical cables are PVC free.			$\boxtimes$	
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b				
		1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame $(2000 \text{ ppm})$ bloring and $0.2\%$ unight (2000 ppm) bloring in				
		chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine i in 25% post-consumer recycled content.	in parts containing			
P7.15	Printed c	circuit boards, PCBs (without components) are low halogen: all  □ PCBs > 25 g ⊠ ed in IEC 61249-2-21. (See 1NOTE B2)	are low haloger			
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				
P7.17	<u>Alt. 1: C</u>	hemical specifications of flame retardants in printed circuit boards > 25 g (with	out components)			
	TBBPA (	additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:		_	_	_
		nemical specifications of flame retardants in printed circuit boards (without compon- g ISO 1043-4: <i>FR(16</i> )	ents) > 25 g	$\square$		
P7.18	Alt. 1					
17.10	Flame r	etarded plastic parts >25g contain the following flame retardant substance: ations above 0.1%:	s/preparations ir			
		ent: No legal limits exist, this is a market requirement.				
		ical name: CAS #:				
	2. Chem	ical name: CAS #:				
		ical name: CAS #:				
	4. Chem Alt. 2	ical name: CAS #:				
		I specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
	0					
P7.19	In plastic	parts > 25 g, flame retardant substances/preparations above 0,1% are used which	n have been			$\boxtimes$
	assigned	the following Risk phrases; and Hazard statements:				
	The sour	rce(s) for these classifications is/are found at (add URL(s)): , (Se	e note B5)			
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):		$\boxtimes$		
		It least one of the two alternatives below shall be answered;	t (coloulated at			
	a pe	otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is <b>43.66%</b> .	il (calculated as			
	or b) The	e weight of recycled material is <b>56.75</b> g.				
	c)	, weight of recycled material to vor v g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number * Issue date *	83B1 2022-11-28	Logo	Lenovo
Product environm	nental attributes - Market requirements (continued)		Requirement met

Item

Product environmental attributes - Market requirements (continued)

	Material and su	bstance requirements	s (continued)					
P7.21*		material content is use		NOTE B7):				
	If YES; at least one of the two alternatives below shall be answered;							
		otal plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of						
		stic by weight) is %.						
	or	- <b>f</b> 4h - h <sup>1</sup> - h	and the state of the second					
P7.22*	, , , , , , , , , , , , , , , , , , , ,	of the biobased plastic e free from mercury, i.e		n				
P1.22		d specify: Number of la		p. mum mercury content p	per lamp: mg			
P8	Batteries	a specify. Number of it		indim merodry content p	ing			
P8.1*		composition: LI-ION P	Polymer battery					
P9	Energy consum	ption (See NOTE B8)						
P9.1		he following power leve	els or energy consump	tions are reported:				
Energy mo	ode *	Power level at	Power level at	Power level at	Reference/Standard for energy			
		100 V AC	115 V AC	230 V AC	modes and test method *			
Peak (On-	·max)	100 W	100 W	100 W	Full load			
Categor	°v 2							
	<u> </u>	C (0)W	C 2011/	0.7014/				
Short Idle Enabled	State - WOL	6.40 W	6.38 W	6.72 W	ENERGY STAR Computers V8.0			
					(P <sub>idle</sub> )			
	State - WOL	0.37 W	0.38 W	0.45 W	ENERGY STAR Computers V8.0			
Enabled					(P <sub>idle</sub> )			
Sleep (S2	) - WOL Disabled	0.37 W	0.37 W	0.44 W	ENERGY STAR Computers			
Sleep (S3	) - WOL Disabled	0.37 VV	0.37 VV	<b>0.44</b> VV	V8.0 (P <sub>idle</sub> )			
Off (S5) -	WOL Disabled	0.24 W	0.24 W	0.29 W	ENERGY STAR Computers V8.0			
EPS No-lo	ad	0.060 W	0.061 W	0.062 W				
(External power	supply / charger plugged in the sconnected from the product.	ne						
PTEC *	sconnected from the product.	W	W	W				
Typical En	ergy Consumption							
ETEC *		18.80 kWh/year	18.76 kWh/year	20.04 kWh/year	E <sub>TEC</sub> = (8760/1000) x (P <sub>off</sub> x 0.25			
Annual En	ergy Consumption				+ $P_{sleep} \times 0.35 + P_{long_{ldle}} \times 0.10 +$			
		P.#: Off Mode(S5) - V	VOL Enabled: P: Sle	en Mode(S3) - WOL Enab	P <sub>short Idle</sub> x 0.30)       Ied; P <sub>idle</sub> : Idle State - WOL Enabled			
External P	ower Supply Effici	ency Level (Internation						
	solution * :9.216 m	, ,						
		save mode: 5 minutes						
P9.2*	0,		tion is provided with th	o product				
-		It the energy save func		e product.				
P9.3		y class (monitors only):						
P10	Emissions	Declared coording	ta ISO 0206 (Saa NO					
P10.1	Mode	<ul> <li>Declared according</li> <li>Mode description</li> </ul>	10 150 9296 (See NO		nit A-weighted sound power level, <i>L<sub>WA.c</sub></i> (B)			
10.1	Idle	* Idle (Operating)		* 2.4				
	Operation	* HDD:Operation		* NA(No HDD)				
	operation	CPU:Operation		4.4				
	Other mode	Declared A-weighted sou	nd pressure level (dB) $L_{}$	m 15.5 (operator pos	ition desktop – idle)			
	Other mode	Declared A-weighted sou			ition desktop – operating)			
	Measured accor							
	weasured accord	Other	(only if not covered l					
L			(only if not covered i	Jy EGIVIA-14)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

Yes

No

n.a.

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	mber *	83B1			Logo				
Issue dat	te *	2022-11-28				Lend		тн	
Product	environ	mental attribut	es - Market requirements (co	ntinued)		Require	ment	t met	
ltem				·		Yes	No	n.a	
	Electro	magnetic emissi	ons			·			
P10.4			the requirement for low frequency e AC adapter only)	electromagnetic fields	s of the following volu	ntary 🔀			
P12		mics for comput							
P12.1*			gonomic requirements of ISO 9241	-307 for visual displa	y technologies.				
P12.2*			e meets the requirements of ISO 99	-					
P13	Packag	ing and docume	ntation						
P13.1*	Product Product Product Product Product	Product packaging material type(s): Corrugated weight (kg): 0.484 Product packaging material type(s): Cardboard weight (kg): 0.307 Product packaging material type(s): Cardboard Cushion weight (kg): 0.2755 Product packaging material type(s): Paper weight (kg): 0.050 Product packaging material type(s): Bamboo Bag weight (kg): 0.0125 Product packaging material type(s): Bamboo Cushion weight (kg): 0.0043 Product packaging material type(s): PE Cushion weight (kg): 0.0225							
P13.2*	Product	plastic primary pa	ackaging is free from PVC.			$\square$			
P13.3*		duct primary corr er recovered fiber	rugated fiberboard packaging, spe r content: <b>80</b> %	cify the contained p	ercentage of minimu				
P13.4*	Specify		nd product documentation (tick box)	):					
P13.5	Ùser an		is item if paper documentation used entation on paper media is chlorine						
	Elemen	chlorine-free tal chlorine-free ed chlorine-free							
P14	Volunta	ry programs							
P14.1	The pro	duct meets the re	quirements of the following volunta	ry program(s):					
		Y STAR® el: <i>EPEAT</i> el:	Criteria version: <i>8.0</i> Criteria version: <i>1680.1-2018</i> Criteria version:	Date: <b>2022/11/10</b> Date: Date:	Product category: 2 Product category: Product category:				
P15	Additio	nal information (	(See NOTE B10)						
P9	Energy	consumption of	f specific configuration may vary						
	NOTE: information knowled	Supplier makes no ion contained in t lge available at th d here is approxin	o representations, guarantees, ass his document. All information provi le time of completion, and supplier nate and provided for informational	urances or warrantie ded by supplier in thi shall have no obligat	s whether express or s document is provide ion to update such inf	implied, regardined based on sup ormation. The in	plier's format		
P9	See En		d Notebooks & Tablet Computers for	or the latest informati	on:				

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name *	Yoga 9 14IRP8, YogaAir 14c IRP8	Logo	
Model number *	83B1		
Issue date *	2022-11-28	Lenovo	
Additional information			

	Product environmental attributes							
d)	Year of manufacture:				2022			
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are			
F)	Etec value (kWh) per ErP Lot 3 Categor enable	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enable						
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)			
	Memory over base [GB]	16						
ents sting	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)			
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)			
	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)			
capa app	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)			
	Category of discrete graphics Card(s)							
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	3.09						
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled							
g)	Idle state power demand (Watts);			4	A: 0.45			
n)	Sleep mode power demand (Watts);				A: 0.45			
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		A: 0.42			
)	Off mode power demand (Watts);				A: 0.29			
k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		A: 0.36			
I)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 %	% of rated output pow	er (if applicable):				
	10% 20% 50%	100% Avera	age					
m)	External power supply efficiency (if appli	cable)*:						
	Average active efficiency: 100W: 90.93 *internal note: show values for all available external p		0.03%					
0)	Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers): 300CYCLES							
p-1)	Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency: NA							
p-2)	Measurement methodology used to dete	rmine information mer 63:2011 measuremen		external PSU efficient	cy:			

(p-3)	Measurement metho	dology used to determine information mentioned in p EN 50563:2011 measurement methodo	points (o) – loading cycles batteries: plogy					
(p-4)		dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration:	naximum, idle, sleep, off mode					
		EN 62623:2013 measurement methodo	blogy					
(q)	Sequence of steps for achieving a stable condition with respect to power demand::							
		Power on $\rightarrow$ Wait 5 minutes $\rightarrow$ Stable co	ndition					
(r)	Description of how s	leep and/or off mode was selected or programmed:						
		Power on $\rightarrow$ Wait 5 minutes $\rightarrow$ Stable co	ndition					
(s)	Sequence of events off mode:	required to reach the mode where the equipment au	tomatically changes to sleep and/or					
(t)	ref	er to power management, 5 mins automatically re te condition before the computer automatically re						
(u)	condition which does	not exceed the applicable power demand requirement a period of user inactivity in which the compute	ents for sleep mode (in minutes):	5				
	mode that has a low	ver power demand requirement than sleep mode (in	minutes):	NA				
(v)		re the display sleep mode is set to activate after		5				
(w)	information on the er	nergy-saving potential of power management functio	nality:					
	User informatior	n described in User Guide and Power Manager un programs	der Lenovo Vantage menu in all					
(x)	User information on	how to enable the power management functionality:						
	User informatior	n described in User Guide and Power Manager un programs	der Lenovo Vantage menu in all					
(z)		measurements: — test voltage in V and frequency in						
	used for electrical tes	system, — information and documentation on the in sting:	strumentation, set-up and circuits					
		230V, 50GHz, Total Harmonic Distortion	1 <2 %					
Additiona	I Notebook Batter	y Information:	•					
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a				
		The battery[ies] in this product cannot be easily replaced by users themselves. $^{\rm 1)}$						
Internal/bu	ilt-in Battery	$\boxtimes$						
External/d	etachable Battery							
Bios Back	up Battery	$\boxtimes$						
Other:								
Additional	information							
) he battery[ies] ii	n this product cannot be e	asily replaced by users themselves.						
		родукт не може да се замени[ят] лесно от самите потребител er sustituidas fácilmente por los propios usuarios.	пи.					
/měnu baterie/t	paterií v tomto výrobku by	neměli provádět sami uživatelé.						
er Akku/die Akk	us dieses Produkts kann/	teriet/batterierne i dette produkt. können nicht ohne weiteres vom Benutzer selbst ausgetauscht w	verden.					
μπαταρία[-ες] α		ούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες						
	présente(s) dans ce produ e lako zamijeniti Bateriju sa	it ne peuvent être facilement remplacée(s) par les utilisateurs eu am u ovom proizvodu.	ix-mêmes.					
	terie in questo prodotto no ar nomainīt šā ražojuma a	n può/possono essere facilmente sostituita/e dall'utente. kumulatoru(-us).						
o gaminio bate	rijos [baterijų] pats vartoto	jas negali lengvai pakeisti. elhasználó nem tudja egyedül egyszerűen kicserélni.						
batterija/batteri	ji f'dan il-prodott ma tistax/	/jistgħux tiģi/jiģu sostitwita/i mill-utenti stess.						
e batterij(en) in	dit product is (zijn) door d	t erstattes av brukerne selv. e gebruiker niet gemakkelijk vervangbaar.						
		wymienić baterii w tym produkcie. ser facilmente substituídas pelos próprios utilizadores.						
ateria (bateriile)		e (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.						
		ni ne morejo zlahka zamenjati. osti käyttäjän vaihdettavissa.						

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu urundeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.