



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/	
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statemen	conforms to the statements given in this declaration.				
Type of product *	Notebook				
Commercial name *	Yoga Pro 7 14ARP8 / Lenovo Slim Pro 7 14ARP8				
Model number *	83AU,83AX				
Issue date *	2023/01/05				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		83AU,83AX	Logo	Long	N/0	
Issue date	e *	2023/01/05		Lend	JVO	ТН
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1		us substances and preparations				
P1.1*		do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)			
P1.2*		do not contain Asbestos (see legal reference).				
P1.3*		nt: Legal reference has no maximum concentration value.  do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),				
F1.3		omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach	loride 111-	$\boxtimes$	Ш	
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no m				
		ation values.				
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych	lorinated	$\boxtimes$		
		(PCT) in preparations (see legal reference).				
P1.5*		on to contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl Staining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in t	he 🔀	Ш	
P1.6*	Parts wit	h direct and prolonged skin contact do not release nickel in concentrations above 0	,5 μg/cm²/we	ek 🔀		
		al reference).				
		nt: Max limit in legal reference when tested according to EN1811:2011-5.				
P1.7*		Article 33 information about substances in articles is available at (add URL or mail <a href="https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure">www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure</a>	contact):		Ш	
P2	Batterie					
P2.1*		educt contains a battery or an accumulator, the battery/accumulator is labeled with the Information on proper disposal is provided in user manual. (See legal reference)	he disposal			
P2.2*	Batteries	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	nium. (See leg	al 🔀		
P2.3*		and accumulators are readily removable. (See legal reference)			П	
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*		luct is CE-marked to show conformance with applicable legal requirements (see leg	gal reference).			
		laration of Conformity can be requested at (add link or e-mail address):				
		vww.lenovo.com/us/en/compliance/eu-doc for EU ;				
		vww.lenovo.com/us/en/compliance/uk-doc for UK				
P3.2*		luct complies with the Eco design requirements for energy-related products, al reference).			Ш	Ш
	Required	I information is; given in item P15 or added to this document,				
	•	available at (add URL):				
	https://v	vww.lenovo.com/us/en/compliance/eco-declaration				
P5		packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.	, cadmium a	ind 🔀		
P5.2*		caging materials are marked with abbreviations and numbers indicating the nature of elegal reference).	of the materia	(s) 🔀		
P5.3*	The proc	o logar reduced:  Incompage 1 of the state o	Montreal Proto	col 🔀		
	Commer	nt: Legal reference has no maximum concentration values.				
P6		nt information				
	Informati	on for recyclers/treatment facilities is available (see legal reference).		$\boxtimes$		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Issue date *		83AU,83AX	Logo	Len	ovo	5	
Issue da	te *	2023/01/05				тн	
Product	- Enviro	mental attributes - Market requirements (See General NOTE GN I onmental conscious design		Require	ment	met	
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.	
P7		Disassembly, recycling					
P7.1*		t have to be treated separately are easily separable			Ц_	Щ.	
P7.2*		naterials in covers/housing have no surface coating.		$\boxtimes$			
P7.3*		arts > 100 g consist of one material or of easily separable materials.				$\boxtimes$	
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		$\boxtimes$			
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools.	$\boxtimes$			
P7.6*		Labels are easily separable. (This requirement does not apply to safety/regulatory labels).					
		Product lifetime					
P7.7*		ng can be done e.g. with processor, memory, cards or drives		$\boxtimes$			
P7.8*	Upgradir	$\boxtimes$					
P7.9	Spare pa						
P7.10	Service i	s available after end of production for: 3 years					
		and substance requirements					
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):	I turno: BC+200/	>E			
P7.12		type: PC+ABS+15% Talc Material type: PC+ABS Material materials of external electrical cables are PVC free.	l type: <b>PC+30%</b> (	<u> </u>		$\overline{}$	
P7.13		n materials of internal electrical cables are PVC free.			+	╫	
P7.14	External	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) br		$\overline{\boxtimes}$			
	polyvinyl	1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in in 25% post-consumer recycled content.					
P7.15		ircuit boards, PCBs (without components) are low halogen: all 🔲 PCBs > 25 g 🔀	are low halogen				
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: >PC+ABS+15%talc<					
P7.17		nemical specifications of flame retardants in printed <u>cir</u> cuit boards > 25 g (without co					
	TBBF	PA (additive), TBBPA (reactive) (See NOTE B3), Other: DOPO-HQ CAS #: 99	208-50-1				
	accordin	nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: $FR(16)$	, -				
P7.18		ame retarded plastic parts > 25 g contain the following flame retardant substances	s/preparations in				
		ations above 0,1%: ical name: Bisphenol A diphosphate, CAS #: 181028-79-5 (See NOTE B4)		$\boxtimes$	Ш		
		ical name: , CAS #: "					
		ical name: , CAS #: "					
	Alt. 2: Ch	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043	3-4: <b>FR(40)</b>				
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which	have been				
		I the following Risk phrases; <b>P273,P391,P501</b> and Hazard statements: <b>H411</b>					
	rne sour	ce(s) for these classifications is/are found at (add URL(s)):  https://china.guidechem.com/31822/detail.html, (See note B5)					
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):					
	If YES: a	t least one of the two alternatives below shall be answered;					
	a) Of t	ortal plastic parts' weight > 25 g, the postconsumer recycled plastic material content ercentage of total plastic by weight) is 8.75%.	(calculated as				
	or	J , J ,					
	b) The	weight of recycled material is <b>19.95</b> g.					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	83AU,83AX	Logo	Lor	1000	
Issue date *	2023/01/05		Lei		ТН
Product environr		Requ	iremer	nt met	
Item			Yes	No	n.a.

			, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,						
P7.21*		ostance requirements material content is use		NOTE B7):		$\overline{}$			
	-			•		ш			
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of								
		total plastic by weight) is %.							
	or	60 111 110							
P7.22*		of the biobased plastic free from mercury, i.e.		2	$\square$	$\overline{}$			
1.22	U	I specify: Number of la	, , ,	num mercury content p	er lamp: mg	Ш			
P8	Batteries		•	,	, ,				
P8.1*	Battery chemical	composition: Lithium i	ion						
P9		ption (See NOTE B8)							
P9.1		ne following power leve			TD ( )0; 1 1 (				
Energy mod	de *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *	Ш			
Peak (On-r	nax)	140 W	140 W	140 W	Full load				
Category	<u>/2</u>								
Short Idle	State - WOL	6.78 W	6.77 W	6.79 W	ENERGY STAR Computers V8				
Enabled					(P <sub>idle</sub> )				
Long Idle S	State - WOL	0.25 W	0.26 W	0.29 W	ENERGY STAR Computers V8				
Enabled		0.20 11	0.20 11	0.20 11	(P <sub>idle</sub> )				
Sleep (S3)	- WOL Disabled	<b>0.25</b> W	0.26 W	0.29 W	ENERGY STAR Computers V8				
Off (S5) - V	VOL Disabled	0.19 W	0.19 W	0.21 W	ENERGY STAR Computers V8				
EPS No-loa		0.11 W	0.11 W	0.11 W					
(External power si wall outlet but disc	upply / charger plugged in the connected from the product.)	•							
PTEC *		W	W	W		$\boxtimes$			
	ergy Consumption	40.001104117	40.00134/1/	40.45138#./	- (0700 (1000) (D 0.05	_			
ETEC * Annual Ene	ergy Consumption	<b>19.22</b> kWh/year	<b>19.23</b> kWh/year	<b>19.45</b> kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35 + P_{long Idle} \times 0.10 +$	Ш			
, <u></u>	ngy concumpation				P <sub>short_Idle</sub> x 0.30)				
					led; P <sub>idle</sub> : Idle State - WOL Enabled				
		ncy Level (Internationa	ll Efficiency Marking P	rotocol) * : V/					
Display res	olution * : 3072*19	020 megapixels							
Default time	e to enter energy s	ave mode: 10 minutes							
P9.2*	Information about	the energy save funct	ion is provided with the	e product.					
P9.3	Energy efficiency	class (monitors only):				$\boxtimes$			
P10	Emissions								
D40.4		<ul> <li>Declared according t</li> </ul>	o ISO 9296 (See NOT		-: A A :	D)			
P10.1	Mode Idle	Mode description  * System Idlo			Statistical upper limit A-weighted sound power level, L <sub>WA,c</sub> (				
			* 2.59						
	Operation * CPU;Operation Other mode Declared A-weighted sound pressure level (dB)		* 4.36  16.9 (operator position desktop – idle)						
	Other mode	$L_{pAm}$	ia pressure level (ab)	16.9 (operator pos	ition desktop – idie)				
	Other mode	Declared A-weighted sour	nd pressure level (dB)	33.2 (operator pos	ition desktop – operating)				
		$L_{pAm}$				_			
	Measured accord	ing to: 🔀 ISO 7779 🗌	ECMA-74						
		Other	(only if not covered b	y ECMA-74)					

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model number *		83AU,83AX			Logo		ono	V/0	
Issue date	*	2023/01/05					.eno	VO.	i
Product	environr	nental attributes	- Market requirements (cor	ntinued)		F	Requirer	ment	met
Item			-	•			Yes	No	n.a.
		magnetic emissions							
P10.4	program	(s): MPR-II(3 pin AC		lectromagnetic field	s of the following ve	oluntary			
P12		mics for computing							
P12.1*			omic requirements of ISO 9241-				$\boxtimes$		
P12.2*	The phys	sical input device me	eets the requirements of ISO 999	95 and ISO 9241-41	0.		$\boxtimes$		
P13	Packaging and documentation								
P13.1	Product Product Product Product	packaging material t packaging material t	ype(s): PAPER Cushion ype(s): PET		weight (kg): 0.299 weight (kg): 0.067 weight (kg): 0.397 weight (kg): 0.005 weight (kg): 0.014 weight (kg): 0.066	7 53			
P13.2*			aging is free from PVC.		<b>U</b> \ <b>U</b> /		$\boxtimes$	$\Box$	
P13.3*	consume	er recovered fiber co	ated fiberboard packaging, specintent: 80 %		percentage of mini	mum post-			
P13.4*	Specify I	media for user and pronic, ⊠Paper, ☐	roduct documentation (tick box):						
P13.5	Ùser and		em if paper documentation used ation on paper media is chlorine-						
		hlorine-free al chlorine-free							
	Process	ed chlorine-free							
P14		ry programs							
P14.1	The prod	duct meets the requi	rements of the following voluntar	y program(s):					
		Y STAR® el: <i>EPEAT</i> el:	Criteria version: 8 Criteria version: 1680.1-2018 Criteria version:	Date: Date: Date:	Product category Product category Product category	<b>/</b> :			
P15		nal information (Se							
P9			ecific configuration may vary;						
	the info supplier informa Accoun	rmation contained r's knowledge avail tion. The informati t Representative fo	representations, guarantees, a in this document. All information at the time of completion provided here is approximate more information.	ion provided by su , and supplier sha te and provided fo	ipplier in this doci Il have no obligati or informational po	ument is pi ion to upda	rovided la te such	based	on
P9			Notebooks & Tablet Computer /index.cfm?fuseaction=find_a			code=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Yoga Pro 7 14ARP8 / Lenovo Slim Pro 7 14ARP8	Logo	
Model Number	83AU,83AX		Longyo
Issue Date	2023/01/05		Lenovo.
Additional information			

l)	Year of manufacture:				
) )	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with Etec value (kWh) per ErP Lot 3 Categor enable	n switchable graphics n	node with UMA driving	the display.	, ,
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	32	32	(dosoranig to Eir Zoto)	(decoraing to En Est o)
ents sting	Additional internal storage	NO (Yes / No)	NO (Yes / No)	(Yes / No)	(Yes / No)
idjustm ring tes	Discrete television tuner	NO (Yes / No)	NO (Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete Audio Card	NO (Yes / No)	NO (Yes / No)	(Yes / No)	(Yes / No)
cap	Discrete graphics Card(s) [number / #]	NO #: (Yes / No)	YES #: 1 (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)	NO	G6		
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	3.734			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled		4.518		
)	Idle state power demand (Watts);	•	•	•	0.589
)	Sleep mode power demand (Watts);				0.589
	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		NA
	Off mode power demand (Watts);				0.467
)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		NA
	Internal power supply efficiency at 10 %,	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
1)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: 85.76%, 85.	27%, 84.09%, 83.45	%, 84.64%		
)	*internal note: show values for all available external power supplies  Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):  300 cycles				
-1)	Measurement methodology used to dete	ermine information mer	ntioned in points (I) – ir	nternal PSU efficiency:	

(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies Eligibility Criteria (Version 2.0)					
(p-3)	Measurement metho	dology used to determine information mentioned in p <b>≥70% of Cmin</b>	points (o) – loading cycles batteries:			
(p-4)		dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration:	naximum, idle, sleep, off mode			
	IEC 62623					
(q)	Sequence of steps for	or achieving a stable condition with respect to power	demand::			
	Power on -> Wait 5 minutes -> Stable condition					
(r)	Description of how sl	eep and/or off mode was selected or programmed:				
		Begin menu -> Power -> Select sleep or o	ff mode			
(s)	Sequence of events off mode: <b>NA</b>	required to reach the mode where the equipment au	tomatically changes to sleep and/or			
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):					
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):					
(v)						
(w)	Information on the er	nergy-saving potential of power management function	nality:			
		Refer to User Guide				
(x)	User information on I	now to enable the power management functionality:				
		Refer to User Guide				
(z)	the electricity supply	measurements: — test voltage in V and frequency in system, — information and documentation on the insting: 230V50HZ-2%-Edition 2.0, 2011-01, Section 4	strumentation, set-up and circuits			
Addition	al Notebook Batter	y Information:				
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a		
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)				
Internal/b	uilt-in Battery					
External/	detachable Battery					
Bios Bacl	kup Battery					
Other:						
Additiona	l information					
)						

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.
II-batterija/batteriji f'dan iI-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.

Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.

A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuottéen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissá. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.